

CRAFTMADE

EST. 1985

2026 LIGHTING & CEILING FANS



CRAFTMADE

EST. 1985



Since 1985, the Craftmade brand has been trusted to bring lasting quality and effortless style to homes across the country. Our beautifully crafted, energy-efficient ceiling fans, lighting, and LED mirrors are designed to elevate everyday living - whether you're creating your first home or updating the one you love. With Craftmade expertise, you can count on reliable performance, thoughtful design, and the confidence that great style is always within reach.









REVEAL 13 LIGHT CHANDELIER
Page 22

Contemporary Lighting

Visual Index	12
Lookbook	13
Context	24
Gaze	26
Holmes	18
Mesh	20
Reveal	22
Traci	19
Ventura Dome	28
Watson	18

CONTEMPORARY LIGHTING VISUAL INDEX



CONTEXT
593XX
Page 24



GAZE
568XX
Page 26



HOLMES
P996SB
Page 18



MESH
589XX
Page 20



REVEAL
592XX
Page 22



TRACI
598XX
Page 19



VENTURA DOME
591XX
Page 28



WATSON
P995SB
Page 18



Traci
Page 19



Mesh
Page 20



Watson
Page 18



Holmes
Page 18



Context
Page 24



Ventura Dome
Page 28




Gaze
Page 26



Context
Page 24



Watson
P995SB-LED
W 15.75" H 20.5"
6' Cord, Canopy DIA 6"
15 Watt Dimmable LED, 3000K, 600 Lumens
15.75" Clear Glass




Holmes
P996SB-LED
W 10" H 23.63"
6' Cord, Canopy DIA 6"
15 Watt Dimmable LED, 3000K, 600 Lumens
10" Clear Glass

WATSON & HOLMES

FEATURES

- White Frosted Glass Inside, Clear Glass Outside
- Indoor Rated


FINISHES



9 Light Chandelier
59829-SB
W 37.38" H 41"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra



8 Light Chandelier
59828-FB
W 30.75" H 37.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra



10 Light Island
59870-BNK
L 48.25" W 13" H 12.75"
Canopy W 5" L 13"
60 Watt Candelabra
10' Cord, 2 x 6" & 6 x 12" Downrods




6 Light Chandelier
59826-BNK
W 26.38" H 31.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra

TRACI

FEATURES

- Indoor Rated

FINISHES





9 Light Pendant
58999-SB


W 36" H 45.25"
Canopy DIA 5.5"
6' Chain, 9' Cord
40 Watt Medium Base | 36" Metal Drum Shade

MESH

FEATURES

- Metal Drum Shades
- Indoor Rated

FINISHES



FLAT BLACK



SATIN BRASS




4 Light Pendant
58994-FB

W 28" H 34"
Canopy DIA 5.5"
6' Chain, 9' Cord
60 Watt Medium Base | 28" Metal Drum Shade



12 Light Pendant
58992-FB

W 36" H 53"
Canopy DIA 5.5"
6' Chain, 9' Cord
40 Watt Medium Base | 36" Metal Drum Shade



13 Light Chandelier
59213-CH

W 28" H 37.88"
Canopy DIA 5.88"
6' Chain, 9' Cord
40 Watt Medium Base

REVEAL

FEATURES

- Clear Acrylic Rods
- Chandeliers, Mini Pendant, & Semi Flush are Indoor Rated
- Wall Sconce & Vanities are Damp Rated

FINISHES



CHROME



9 Light Chandelier
59229-CH

W 22.25" H 31.3"
Canopy DIA 5.88"
6' Chain, 9' Cord
40 Watt Medium Base



1 Light Mini Pendant
59291-CH

W 7.68" H 11"
Canopy DIA 5.88"
6' Cord, 2x6" & 2x12" Downrods
60 Watt Medium Base



3 Light Semi Flush
59253-CH


W 16.38" H 15.63"
Canopy DIA 5.88"
60 Watt Medium Base



1 Light
Wall Sconce
59201-CH

W 7.75" H 11" E 4.5"
Backplate W 5.91" H 8.63"
60 Watt Medium Base


DAMP RATED



3 Light Vanity
59203-CH

W 26" H 9" E 5.25"
Backplate W 26" H 5.91"
60 Watt Medium Base

DAMP RATED



4 Light Vanity
59204-CH

W 34.25" H 9" E 5.25"
Backplate W 34.25" H 5.91"
60 Watt Medium Base

DAMP RATED



15 Ring 2-Tier LED Chandelier
59315-FB-LED


W 36" H 37.5"
Canopy DIA 7.87"
6' Chain, 9' Cord
75 Watt Dimmable LED, 3000K, 2700 Lumens

CONTEXT

FEATURES


- 1 Ring Wall Sconce & Vanities are ADA Compliant
- Chandeliers & Pendants are Indoor Rated
Wall Sconces & Vanities are Damp Rated

FINISHES



CHROME

FLAT BLACK



6 Ring LED Chandelier
59326-CH-LED

W 28" H 27.25"
Canopy DIA 7.87"
6' Chain, 9' Cord
30 Watt Dimmable LED, 3000K, 1080 Lumens



2 Ring LED Pendant
59392-FB-LED

L 6.5" W 5.13" H 14.5"
Canopy DIA 5.12"
8' Cord
10 Watt Dimmable LED
3000K, 360 Lumens



3 Ring LED Pendant
59393-CH-LED

L 6.5" W 5.13" H 21"
Canopy DIA 5.12"
8' Cord
15 Watt Dimmable LED
3000K, 540 Lumens




9 Ring LED Chandelier
59329-CH-LED

W 36" H 35"
Canopy DIA 7.87"
6' Chain, 9' Cord
45 Watt Dimmable LED
3000K, 1600 Lumens



2 Ring LED Wall Sconce
59362-FB-LED


L 6.5" H 13.25" E 8"
Backplate DIA 5.5"
10 Watt Dimmable LED
3000K, 360 Lumens



DAMP RATED & ADA COMPLIANT

1 Ring LED Sconce
59301-CH-LED


W 6.5" H 8" E 3.54"
Backplate DIA 5"
5 Watt Dimmable LED
3000K, 180 Lumens



DAMP RATED & ADA COMPLIANT

2 Ring LED Vanity
59302-FB-LED

W 15.38" H 6.5" E 3.54"
Backplate W 14.38" H 5.43"
10 Watt Dimmable LED
3000K, 360 Lumens



DAMP RATED & ADA COMPLIANT

3 Ring LED Vanity
59303-CH-LED

W 24" H 6.5" E 3.54"
Backplate W 23" H 5.43"
15 Watt Dimmable LED
3000K, 540 Lumens



DAMP RATED & ADA COMPLIANT

4 Ring LED Vanity
59304-FB-LED

W 32.88" H 6.5" E 3.54"
Backplate W 32.09" H 5.43"
20 Watt Dimmable LED
3000K, 720 Lumens



Oval Pendant
56894-FB-WG

W 14" H 8"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 14" White Frosted Glass



Oval Pendant
56894-CH

W 14" H 8"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
14" Clear Glass



Oval Pendant
56894-SB-WG

W 14" H 8"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
14" White Frosted Glass

GAZE

FEATURES

- Available in Clear Glass or White Frosted Glass
Add -WG to end of Model Number to order White Frosted Glass
- Additional 12" Downrods Available for 56894-XX
Order 568-DOWNROD-XX
- Indoor Rated

FINISHES




CHROME



FLAT BLACK




SATIN BRASS



Small Pendant
56891-CH

W 10" H 10.88"
Canopy DIA 5"
10' Cord, 10" Clear Glass
60 Watt Medium Base



Small Pendant
56891-FB-WG

W 10" H 10.88"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
10" White Frosted Glass



Medium Pendant
56892-SB

W 11.88" H 12.8"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
11.88" Clear Glass



Medium Pendant
56892-CH-WG

W 11.88" H 12.8"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
11.88" White Frosted Glass



Large Pendant
56893-SB-WG

W 14" H 15.13"
Canopy DIA 5"
10' Cord, 14" White Frosted Glass
60 Watt Medium Base



Large Pendant
56893-FB

W 14" H 15.13"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
14" Clear Glass



1 Light Pendant
59192-FB

DAMP RATED

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

VENTURA DOME

FEATURES

- Wall Sconce: White Frosted Globe
- Damp Rated

FINISHES



1 Light Pendant
59192-CW

DAMP RATED

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base



1 Light Mini Pendant
59191-BCY

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

DAMP RATED



1 Light Mini Pendant
59191-DB

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

DAMP RATED



1 Light Wall Sconce
59161-BCY

W 7.63" H 7.63" E 7.13"
Backplate DIA 5.04"
60 Watt Medium Base
5.12" White Frosted Globe

DAMP RATED



1 Light Flushmount
59181-CW

W 10.5" H 7"
Canopy DIA 6.1"
60 Watt Medium Base

DAMP RATED



1 Light Wall Sconce
59161-DB

W 7.63" H 7.63" E 7.13"
Backplate DIA 5.04"
60 Watt Medium Base
5.12" White Frosted Globe

DAMP RATED



1 Light Flushmount
59181-FB

W 10.5" H 7"
Canopy DIA 6.1"
60 Watt Medium Base

DAMP RATED



REFLECTION 6 LIGHT CHANDELIER
Page 38


Transitional Lighting

Visual Index	32
Lookbook	34
Angela	46
Avante Grand	50
Blake	40
Bolden	64
Chardonnay	49
Crosspoint	47
Danbury	60
Dardyn	68
Elliot	63
Foxwood	72
Grace	70
Hailie	54
Isabel	39
Keira	42
Kensey	48
Lyndsey	44
Reflection	38
Serena	43
Shayna	66
Signature Foyer	41
Stowe	58
Timarron	62
Tyler	52
Winton	61
Wrenn	56


TRANSITIONAL LIGHTING VISUAL INDEX




ANGELA
599XX
Page 46




AVANTE GRAND
569XX
Page 50




NEW
BLAKE
609XX
Page 40



BOLDEN
505XX
Page 64



NEW
REFLECTION
612XX
Page 38



SERENA
585XX
Page 43




SHAYNA
561XX
Page 66




NEW
SIGNATURE FOYER
606XX
Page 41




CHARDONNAY
558XX
Page 49




CROSSPOINT
521XX
Page 47




DANBURY
367XX
Page 60




DARDYN
498XX
Page 68




STOWE
560XX
Page 58




TIMARRON
359XX
Page 62




TYLER
502XX
Page 52




WINTON
35112
Page 61



ELLIOT
553XX
Page 63




FOXWOOD
536XX
Page 72




GRACE
419XX
Page 70




HAILIE
556XX
Page 54




WRENN
581XX
Page 56




NEW
ISABEL
60855
Page 39



NEW
KEIRA
613XX
Page 42



KENSEY
590XX
Page 48



LYNDSEY
602XX
Page 44



Blake
Page 40



Signature Foyer
Page 41



Keira
Page 42



Isabel
Page 39



Reflection
Page 38



Kensey
Page 48



Kensey
Page 48



6 Light Chandelier
61226-CPZ
W 36" H 19.75"
3x12", 1x6" Downrods, 6' Chain
60 Watt Candelabra Base
Textured Glass DIA 6"



3 Light Vanity
61203-FB
L 24" H 11" E 7.13"
60 Watt Candelabra Base
Textured Glass DIA 6"
DAMP RATED



1 Light Mini Pendant
61291-FB
W 8" H 11.5"
3x12", 1x6" Downrods
6' Chain
60 Watt Medium Base
Textured Glass DIA 8"





1 Light Pendant
61292-CPZ
W 12" H 16"
3x12", 1x6" Downrods
6' Chain
60 Watt Medium Base
Textured Glass DIA 12"

REFLECTION ^{NEW}


FEATURES

- Up or Down Mount 3 Light Vanity
- Candelabra T Bulbs (Not Included)
Recommended for Chandelier
- Pendants and Chandelier are Indoor Rated,
3 Light Vanity is Damp Rated

FINISHES



5 Light Convertible Semi-Flushmount/Pendant
60855-SB
W 32" H 11.25"
2x12", 2x6" Downrods
60 Watt Medium Base
Metal Shade DIA 32"



5 Light Convertible Semi-Flushmount/Pendant
60855-SB
W 32" H 11.25"
2x12", 2x6" Downrods
60 Watt Medium Base
Metal Shade DIA 32"

ISABEL ^{NEW}

FEATURES

- Indoor Rated


FINISHES





4 Light Chandelier
60924-FBSB

W 24" H 19.25"
Canopy DIA 5", 6' Chain
60 Watt Medium Base
Metal Shade DIA 6.25"



6 Light Chandelier
60926-FBSB

W 30" H 19.25"
Canopy DIA 5", 6' Chain
60 Watt Medium Base
Metal Shade DIA 6.29"



1 Light Pendant
60991-FBSB

W 11" H 9"
Canopy DIA 5", 2x12, 2x6 Downrods
60 Watt Medium Base
Metal Shade DIA 11"



1 Light Wall Sconce
60961-FBSB


W 6.25" H 10.25" E 8.25"
Backplate W 5.12" H 10.25"
60 Watt Medium Base
Metal Shade DIA 6.25"

BLAKE ^{NEW}

FEATURES

- Flat Black Metal Shades
- Indoor Rated

FINISHES



FLAT BLACK/SATIN BRASS



6 Light Large Pendant
60636-FB

W 18" H 26.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord, 1x6" & 3x12" Downrods
60 Watt Candelabra



4 Light Small Pendant
60634-BNK

W 10" H 15.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1x6" & 3x12" Downrods
60 Watt Candelabra



4 Light Medium Pendant
60635-BNK


W 12" H 19.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1x6" & 3x12" Downrods
60 Watt Candelabra

SIGNATURE FOYER ^{NEW}

FEATURES

- Downrod Hung with Additional 4' of Chain Included
- 1x6" and 3x12" Downrods Included
- Flat Black Finish Only Includes both Flat Black and Satin Brass Candle Sleeves
- Indoor Rated

FINISHES



FLAT BLACK

BRUSHED POLISHED NICKEL



1 Light Pendant
61391-SB W 16" H 15"
1x6" & 3x12" Downrods, 4' Chain
60 Watt Medium Base
Natural Rope



3 Light Pendant
61393W-SB W 20.5" H 21.5"
1x6" & 3x12" Downrods, 4' Chain
60 Watt Candelabra
White Rope

KEIRA ^{NEW}

FEATURES

- Natural and White Rope Options
- Indoor Rated
- Both Chain and Downrods Included

FINISHES



SATIN BRASS



6 Light Pendant
58596-FBWAL W 24.13" H 21.5"
Canopy DIA H 5.12"
60 Watt Medium Base
24.13" Rope Wrapped Shade with 15.75" Glass Shade


SERENA

FEATURES

- Natural Hemp Rope Wrapped Frames
- Both Pendants Include 2x6" and 2x12" Downrods and a 5' 8" Cord
- Wall Sconce Mounts Up or Down
- Indoor Rated




1 Light Mini Pendant
58591-CHWAL W 12.13" H 14.5"
Canopy DIA 5.12"
60 Watt Medium Base
12.13" Rope Wrapped Shade with 3.94" Glass Shade



1 Light Wall Sconce
58561-FBWAL W 9" H 12.13" E 10.5"
Backplate W 5.12" H 7.87"
60 Watt Medium Base
9" Rope Wrapped Shade with 2.95" Glass Shade

FINISHES



CHROME & WALNUT

FLAT BLACK & WALNUT



5 Light Chandelier
60225-FB


W 24" H 28.75" Canopy DIA 5"
6' Chain, 10' Cord, 2 x 12" Downrods
60 Watt Medium Base
4.5" Textured Clear Glass

LYNDSEY

FEATURES

- Textured Clear Glass
- Pendant, Mini Pendant, & Chandelier are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



1 Light Pendant
60292-BNK

W 10" H 26.5" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
10" Textured Clear Glass



1 Light Wall Sconce
60201-BNK
W 5" H 9" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.5" Textured Clear Glass

DAMP RATED



2 Light Vanity
60202-FB

W 12.38" H 9" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.5" Textured Clear Glass

DAMP RATED



1 Light Mini Pendant
60291-FB

W 5" H 20.75"
Canopy DIA 5"
10' Cord, 6" Chain
1 x 12" Downrod
60 Watt Medium Base
4.5" Textured Clear Glass



3 Light Vanity
60203-BNK

W 20.25" H 9" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.5" Textured Clear Glass

DAMP RATED



4 Light Vanity
60204-BNK


W 28.25" H 9" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.5" Textured Clear Glass

DAMP RATED



1 Light Wall Sconce
59961-SB

W 5.5" H 16.63" E 9"
Backplate W 4.75" H 4.75"
60 Watt Medium Base
3.88" White Art Glass



1 Light Mini Pendant
59991-SB

W 5.5" H 12", 10' 2" Cord
Canopy W 4.75" H 4.75"
60 Watt Medium Base
3.88" White Art Glass

ANGELA

FEATURES

- White Art Glass
- Indoor Rated

FINISHES



SATIN BRASS



8 Light Indoor & Outdoor Chandelier
52128-ESP

W 30.25" H 32.38"
Canopy DIA 4.75"
6.5' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 5" Clear Glass

WET RATED



1 Light Indoor & Outdoor Mini Pendant
52191-ESP

W 5" H 10.13"
6.5' Cord, Canopy DIA 4.75"
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 5" Clear Glass


WET RATED



4 Light Indoor & Outdoor Chandelier
52124-ESP

W 18.25" H 24.88"
Canopy DIA 4.75"
6.5' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
5" Clear Glass

WET RATED



1 Light Indoor & Outdoor Wall Sconce
52161-ESP

W 7" H 18.75" E 7.25"
Backplate W 7" H 8"
60 Watt Medium Base
5" Clear Glass

WET RATED

CROSSPOINT

FEATURES

- Clear Glass
- Additional 12" Downrods Available
Order 521-DOWNROD-ESP
- Wet Rated

FINISHES




ESPRESSO



6 Light Pendant
59096-FB

W 24" H 19.13"
Canopy DIA 5.91"
6' 6" Cord, 2 x 6" & 2 x 12" Downrods
60 Watt Medium Base



1 Light Mini Pendant
59091-SB

W 9.13" H 14.75"
Canopy DIA 5.88"
6' 6" Cord, 2 x 6" & 2 x 12" Downrods
60 Watt Medium Base



2 Light Semi Flush
59052-SB

W 14.13" H 8"
Canopy DIA 5.12"
60 Watt Medium Base



1 Light Wall Sconce
59061-FB

W 7.13" H 10.63" E 9"
Backplate DIA 5.12"
60 Watt Medium Base

DAMP RATED



Kensey 52"
Ceiling Fan
KNS52XX4


See Page 402
For More Information

KENSEY

FEATURES

- Flat Black or Satin Brass with Natural Hemp Rope Accents
- Pendant, Mini Pendant & Semi FLush are Indoor Rated
Wall Sconce is Damp Rated

FINISHES



FLAT BLACK



SATIN BRASS



5 Light Pendant
55895-FB

W 19.63" H 17.75"
6' Cord, Canopy DIA 5"
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra, 19.69" Clear Glass



3 Light Pendant
55893-SB

W 13.25" H 14"
6' Cord, Canopy DIA 5"
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra, 13.25" Clear Glass



1 Light Pendant
55891-FB

W 8.88" H 13"
6' Cord, Canopy DIA 5"
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra, 8.88" Clear Glass

CHARDONNAY

FEATURES

- Clear Glass
- Additional 12" Downrods Available
For 55891 Order 558-DOWNROD-XX
For 55893 & 55895 Order 558-DOWNROD2-XX
- Indoor Rated

FINISHES



FLAT BLACK



SATIN BRASS



9 Light Chandelier
56929-FBSB


W 25" H 24.75"
6' Chain, 10' Cord, Canopy DIA 5"
60 Watt Medium Base
5" Clear Glass

AVANTE GRAND

FEATURES

- Clear Glass
- Chandeliers, Pendant, Mini Pendant, Foyer, & Convertible are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES




3 Light Chandelier
56923-FBSB

W 19" H 18.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
5" Clear Glass



6 Light Chandelier
56926-FBSB

W 23.25" H 21.5"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
5" Clear Glass



4 Light Foyer
56934-FBSB

W 14" H 16"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra



3 Light Convertible
Semi Flush / Pendant
56953-FBSB

W 11.25" H 14.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra




1 Light Pendant
56992-FBSB

W 9" H 12.5"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
9" Clear Glass



1 Light Mini Pendant
56991-FBSB

W 5" H 14"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
5" Clear Glass



DAMP RATED

Wall Sconce
56901-FBSB

W 5" H 8.75" E 7"
Backplate W 4.5" H 6.5"
60 Watt Medium Base
5" Clear Glass



DAMP RATED

2 Light Vanity
56902-FBSB

W 12.63" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



DAMP RATED

3 Light Vanity
56903-FBSB

W 20.5" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



DAMP RATED

4 Light Vanity
56904-FBSB

W 28.38" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



5 Light Chandelier
50225-BNK

W 24.5" H 23"
Canopy DIA 5.25"
6' Chain, 10' Cord
60 Watt Medium Base, 5.5" Clear Seeded Glass

TYLER

FEATURES

- Clear Seeded Glass
- Chandelier, Foyer, Semi Flush, Flushmount, & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL



FLAT BLACK



1 Light Mini Pendant
50291-BNK

W 5.5" H 18.5"
Canopy DIA 5.25"
6' Chain, 10' Cord
60 Watt Medium Base, 5.5" Clear Seeded Glass



2 Light Semi Flush
50252-FB


W 13" H 9"
Canopy DIA 5.25"
60 Watt Medium Base
13" Clear Seeded Glass



2 Light Vanity
50202-FB

DAMP RATED

W 14" H 10" E 7"
Backplate DIA 5.25"
60 Watt Medium Base
5.5" Clear Seeded Glass



3 Light Vanity
50203-BNK

DAMP RATED

W 22.5" H 9.25" E 7"
Backplate DIA 5.25"
60 Watt Medium Base
5.5" Clear Seeded Glass



4 Light Vanity
50204-FB

DAMP RATED

W 31" H 8.75" E 7"
Backplate DIA 5.25"
60 Watt Medium Base
5.5" Clear Seeded Glass



9 Light Chandelier
55629-FB

W 32" H 26.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra, 3.93" Clear Glass



6 Light Chandelier
55626-SN

W 26" H 22"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra, 3.93" Clear Glass



1 Light Wall Sconce
55661-FB
W 5" H 8.5" E 6.5"
Backplate DIA 5"
60 Watt Candelabra
3.93" Clear Glass

DAMP RATED



3 Light Vanity
55603-SN

W 19.63" H 9" E 6.5"
Backplate DIA 5"
60 Watt Candelabra
3.93" Clear Glass

DAMP RATED



4 Light Chandelier
55624-FB

W 20" H 17.5"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra
3.93" Clear Glass



4 Light Convertible
55654-SN

W 14.13" H 10"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Candelabra
13.75" Clear Glass



4 Light Flushmount
55684-SN

W 15" H 6.5"
Canopy DIA 15"
60 Watt Candelabra
13.75" Clear Glass



4 Light Vanity
55604-FB

W 27.5" H 9" E 6.5"
Backplate DIA 5"
60 Watt Candelabra
3.93" Clear Glass

DAMP RATED

HAILIE

FEATURES

- Clear Glass
- Additional 12" Downrods Available
Order 556-DOWNROD-XX
- Chandeliers, Pendants, & Flushmounts are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



FLAT BLACK



SATIN NICKEL



4 Light Pendant
55694-FB

W 14.13" H 9"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Candelabra, 13.75" Clear Glass



5 Light Vanity
55605-SN

W 35.38" H 9" E 6.5"
Backplate DIA 5"
60 Watt Candelabra
3.93" Clear Glass

DAMP RATED



6 Light Chandelier
58126-FB

W 26" H 21.38"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Medium Base, 4.25" Clear Glass

WRENN

FEATURES

- Clear Glass
- Chandeliers & Mini Pendant are Indoor Rated
- Wall Sconce & Vanities are Damp Rated

FINISHES



CHROME




FLAT BLACK



4 Light Chandelier
58124-CH

W 20" H 19.25"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Medium Base, 4.25" Clear Glass



1 Light Wall Sconce
58101-FB

W 5" H 9.13" E 7.5"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Glass


DAMP RATED



2 Light Vanity
58102-CH

W 12.75" H 9.13" E 7.5"
Backplate W 12" H 4.57"
60 Watt Medium Base
4.25" Clear Glass

DAMP RATED



1 Light Mini Pendant
58191-FB

W 5.12" H 6.75"
Canopy DIA 5.12"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
4.25" Clear Glass



3 Light Vanity
58103-FB

W 24" H 9.13" E 7.5"
Backplate W 24" H 4.57"
60 Watt Medium Base
4.25" Clear Glass

DAMP RATED



4 Light Vanity
58104-CH

W 30" H 9.13" E 7.5"
Backplate W 30" H 4.57"
60 Watt Medium Base
4.25" Clear Glass

DAMP RATED



9 Light Chandelier
56029-FB


W 30" H 19.75"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 3.94" Clear Glass

STOWE

FEATURES

- Clear Glass
- Additional 12" Downrods Available
For 56025, 56033, 56034, & 56091 Order 560-DOWNROD-XX
For 56029 Order 560-DOWNROD2-XX
- Chandeliers, Foyers, & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



5 Light Chandelier
56025-FB

W 23" H 13.5"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 3.94" Clear Glass



4 Light Foyer
56034-BNK

W 15" H 16.88"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Candelabra




3 Light Foyer
56033-FB

W 12" H 13.75"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Candelabra



1 Light Mini Pendant
56091-BNK


W 5.13" H 7"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
3.94" Clear Glass



DAMP RATED

1 Light Wall Sconce
56001-FB


W 5" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
3.94" Clear Glass



DAMP RATED

2 Light Vanity
56002-BNK


W 15" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
3.94" Clear Glass



DAMP RATED

3 Light Vanity
56003-FB

W 22" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
3.94" Clear Glass



DAMP RATED


4 Light Vanity
56004-BNK

W 31" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
3.94" Clear Glass



5 Light Chandelier
36725-MBK

W 28.5" H 22.12"
Canopy DIA 6"
9' Chain, 12' Cord
60 Watt Candelabra



4 Light Pendant
36794-MBK

W 18" H 6.88"
7' Cord, Canopy DIA 6"
1 x 6" & 4 x 12" Downrods
60 Watt Candelabra




4 Light Semi Flush
36754-MBK

W 18" H 13.39"
Canopy DIA 6"
60 Watt Candelabra



5 Light Pendant
36795-MBK

W 25.4" H 8.25"
Canopy DIA 6"
7' Cord
1 x 6" & 4 x 12" Downrods
60 Watt Candelabra



1 Light Mini Pendant
36791-MBK


W 8" H 10.25"
7' 3" Cord, Canopy DIA 6"
1 x 6" & 4 x 12" Downrods
60 Watt Medium Base

DANBURY

FEATURES

- Matte Black with Hard Back Organza Shade
- Additional 12" Downrods Available
For 36791 & 36794 Order 367-DOWNROD-MBK
For 36795 Order 367-DOWNROD2-MBK
- Indoor Rated

FINISHES



MATTE BLACK



12 Light Chandelier
35112-WP


W 36" H 34.5"
Canopy DIA 5.98"
10' Chain, 12' Cord
60 Watt Candelabra

WINTON

FEATURES

- Weathered Pine with Bronze Accents & Antique White Candle Covers
- Indoor Rated

FINISHES



WEATHERED PINE
& BRONZE



3 Light Island
35973-ABZ

L 42.5" W 11" H 24.75"
Canopy L 12" W 4.57"
3' Chain, 6' Cord
60 Watt Medium Base, 11" Metal Shade




1 Light Large Pendant
35993-LB

W 20" H 17.62"
Canopy DIA 5.71"
6' Chain, 10' Cord
60 Watt Medium Base, 20" Metal Shade



1 Light Wall Sconce
35901-LB

W 7.5" H 9.63" E 9"
Backplate DIA 5.7"
60 Watt Medium Base
7.3" Metal Shade



1 Light Mini Pendant
35991-AN


W 7.5" H 7.63"
Canopy DIA 5.71"
10' Cord, 1x6" & 3x12" Downrods
60 Watt Medium Base, 7.3" Metal Shade

TIMARRON

FEATURES

- Hammered Metal Shade with White Interior
- Additional 12" Downrods Available
Order 359-Downrod-XX
- Indoor Rated

FINISHES




5 Light Chandelier
55325-FB

W 26.75" H 28"
6' Chain, 7' Cord, Canopy DIA 5"
60 Watt Medium Base
4.25" Clear Glass



5 Light Pendant
55395-SB

W 16.38" H 20.13"
6' Chain, 7' Cord, Canopy DIA 5"
60 Watt Medium Base
15" Clear Glass



3 Light Semi Flush
55353-BNK

W 13" H 10.5"
Canopy DIA 5"
60 Watt Medium Base
10.5" Clear Glass



3 Light Flushmount
55383-FB


W 13" H 6.13"
Canopy DIA 13"
60 Watt Medium Base
10.5" Clear Glass

ELLIOT

FEATURES

- Clear Glass
- Indoor Rated

FINISHES






9 Light Chandelier
50529-SB

W 29" H 26.5"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base, 4.25" Clear Seeded Glass



3 Light Chandelier
50523-BNK-WG

W 18" H 18"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base, 4.25" White Frosted Glass



4 Light Down Chandelier
50524-FB

W 23" H 22"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base, 4.25" Clear Seeded Glass



5 Light Chandelier
50525-SB

W 24" H 20.5"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base
4.25" Clear Seeded Glass



1 Light Mini Pendant
50591-FB

W 5" H 7.25"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
4.25" Clear Seeded Glass




8 Light Chandelier
50528-FB-WG

W 28.5" H 24.5"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base
4.25" White Frosted Glass




2 Light Convertible
Semi Flush / Pendant
50552-BNK-WG

W 13" H 15"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Medium Base, 13" White Frosted Glass



3 Light Foyer
50533-SB


W 14" H 23"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Candelabra



DAMP RATED

1 Light Wall Sconce
50501-SB

W 5" H 8.5" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Seeded Glass



DAMP RATED

2 Light Vanity
50502-FB-WG

W 11" H 8.5" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.25" White Frosted Glass

BOLDEN

FEATURES

- Available in Clear Seeded Glass or White Frosted Glass
Add -WG to End of Model Number to Order White Frosted Glass
- Satin Brass Finish Only Available in Clear Seeded Glass
- Additional 12" Downrods Available
Order 504-DOWNROD-XX
- Chandeliers, Foyers, Convertible & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES

- BRUSHED POLISHED NICKEL
- FLAT BLACK
- SATIN BRASS



6 Light Foyer
50536-BNK


W 18" H 29"
Canopy DIA 4.75"
6' Chain, 10' Cord
60 Watt Candelabra



DAMP RATED

3 Light Vanity
50503-BNK

W 18" H 8.5" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Seeded Glass



DAMP RATED

4 Light Vanity
50504-SB

W 25.13" H 8.5" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Seeded Glass



9 Light Chandelier
56129-BNK

W 39" H 18.63"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base, 4.76" Clear Glass



4 Light Foyer
56134-FB

W 15" H 19"
Canopy DIA 5"
10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Candelabra



1 Light Wall Sconce
56101-FB
W 5" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.76" Clear Glass

DAMP RATED



2 Light Vanity
56102-BNK

W 15" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.76" Clear Glass

DAMP RATED



3 Light Convertible
Semi Flush / Pendant
56153-BNK

W 13" H 14"
Canopy DIA 5"
6' Chain, 10' Cord
40 Watt Candelabra



5 Light Chandelier
56125-FB

W 23" H 10.63"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
4.76" Clear Glass



3 Light Foyer
56133-BNK

W 13" H 14"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Candelabra



3 Light Vanity
56103-FB

W 22" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.76" Clear Glass

DAMP RATED

SHAYNA

FEATURES

- Clear Glass
- Additional 12" Downrods Available
For 56125, 56133, 56134, & 56191 Order 561-DOWNROD-XX
For 56129 Order 561-DOWNROD2-XX
- Chandeliers, Foyers, Convertible, & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL

FLAT BLACK



1 Light Mini Pendant
56191-FB

W 5.13" H 7.5"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
4.76" Clear Glass



4 Light Vanity
56104-BNK

W 30.88" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.76" Clear Glass

DAMP RATED



5 Light Chandelier
49825-FB-C


W 25" H 25"
Canopy DIA 5"
6' Chain, 10.42' Cord
60 Watt Medium Base, 4.33" Clear Glass

DARDYN

FEATURES

- Brushed Polished Nickel Finish Available in Clear Glass or White Frosted Glass
Add -C to End of Model Number to Order Clear Glass
- Flat Black is Only Available in Clear Glass
- Chandelier, Convertible, & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL

FLAT BLACK



5 Light Chandelier
49825-BNK-C

W 25" H 25"
Canopy DIA 5"
6' Chain, 10.42' Cord
60 Watt Medium Base, 4.33" Clear Glass



3 Light Convertible
Semi Flush / Pendant
49853-FB-C

W 13" H 15"
Canopy DIA 5.51"
6' Chain, 12' Cord
60 Watt Medium Base
13" Clear Glass



1 Light Mini Pendant
49891-BNK


W 7.5" H 16.5"
Canopy DIA 5"
6' Chain, 12' Cord
60 Watt Medium Base
7.5" White Frosted Glass



1 Light Wall Sconce
49801-FB-C

W 5.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass

DAMP RATED



2 Light Vanity
49802-BNK-C

W 13.38" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass

DAMP RATED



3 Light Vanity
49803-FB-C

W 21.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass

DAMP RATED



4 Light Vanity
49804-BNK

W 29.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" White Frosted Glass

DAMP RATED



5 Light Chandelier
41925-BNK

W 26" H 27"
Canopy DIA 5.03"
6' Chain, 10' Cord
60 Watt Medium Base, 4.75" White Frosted Glass



1 Light Mini Pendant
41991-BNK-CS

W 5" H 7"
Canopy DIA 5.03"
5.67' Cord, 2 x 6" & 2 x 12" Downrods
60 Watt Medium Base, 4.75" Clear Seeded Glass



5 Light Down Chandelier
41915-ESP-CS

W 24" H 24"
Canopy DIA 5.03"
6' Chain, 10' Cord
60 Watt Medium Base, 4.75" Clear Seeded Glass



2 Light Flushmount
41982-ESP

W 13" H 7.5"
Canopy DIA 9"
60 Watt Medium Base
13" White Frosted Glass



2 Light Convertible
41952-BNK-CS

W 13" H 12.5"
Canopy DIA 5.03"
6' Chain, 10' Cord
60 Watt Medium Base, 13" Clear Seeded Glass



2 Light Vanity
41902-BNK-CS

W 14" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" Clear Seeded Glass

DAMP RATED



3 Light Vanity
41903-ESP

W 21" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" White Frosted Glass

DAMP RATED



5 Light Vanity
41905-ESP

W 37" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" White Frosted Glass

DAMP RATED



4 Light Vanity
41904-BNK-CS

W 27.5" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" Clear Seeded Glass

DAMP RATED

GRACE

FEATURES

- Available in Clear Seeded Glass or White Frosted Glass
Add -CS to End of Model Number to Order Clear Seeded Glass
- Additional 12" Downrods Available
Order 419-DOWNROD-XX
- Chandeliers, Convertible, Flushmount, & Mini Pendant are Indoor Rated
Vanities are Damp Rated

FINISHES





6 Light Island
53676-FBDT

L 32.63" W 15.13" H 9.25"
Canopy L 8" W 4.33"
7" Cord, 4 x 6" & 8 x 12" Downrods
60 Watt Medium Base, 4.88" Clear Glass



5 Light Chandelier
53625-FBDT

W 24.63" H 25.63"
Canopy DIA 5.12"
6' Chain, 8' Cord
60 Watt Medium Base
4.88" Clear Glass



3 Light Chandelier
53623-FBDT


W 21.75" H 24.37"
Canopy DIA 5.12"
6' Chain, 8' Cord
60 Watt Medium Base
4.88" Clear Glass

FOXWOOD


FEATURES

- Clear Glass
- Additional 12" Downrods Available
Order 536-DOWNROD-XX
- Chandeliers, Island, Pendants, & Semi Flush are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



FLAT BLACK
& DARK TEAK



3 Light Pendant
53692-FBDT

W 11.88" H 34"
8' Cord, Canopy DIA 11"
60 Watt Medium Base
4.88" Clear Glass



3 Light Linear Pendant
53693-FBDT

L 24.88 W 4.88" H 7.87"
Canopy L 23.62" W 4.4"
8' Cord
60 Watt Medium Base, 4.88" Clear Glass



3 Light Semi Flush
53653-FBDT

W 21.75" H 17.13"
Canopy DIA 5.5"
60 Watt Medium Base
4.88" Clear Glass



1 Light Mini Pendant
53691-FBDT


W 5.13" H 7.87"
8' Cord, Canopy DIA 5.12"
60 Watt Medium Base
4.88" Clear Glass



1 Light Wall Sconce
53601-FBDT

W 5" H 9.5" E 6.88"
Backplate W 5" H 6.5"
60 Watt Medium Base
4.88" Clear Glass


DAMP RATED



2 Light Vanity
53602-FBDT

W 12.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass


DAMP RATED



3 Light Vanity
53603-FBDT

W 20.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass

DAMP RATED



4 Light Vanity
53604-FBDT

W 28.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass

DAMP RATED



5 Light Vanity
53605-FBDT

W 36.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass

DAMP RATED











PLEATED 3 LIGHT ISLAND
Page 83

Traditional Lighting

Visual Index	76
Lookbook	77
Claire	86
Connell	90
Council	88
Flynt	98
Fortuna	92
Glenda	100
Gwyneth	102
Kokomo	94
Museo	96
Pleated	82
Whittley	84

TRADITIONAL LIGHTING VISUAL INDEX



Claire
Page 86



Fortuna
Page 92



Kokomo
Page 94



Council
Page 88



Pleated
Page 82



Whitley
Page 84



Museo
Page 96



Pleated
Page 82



6 Light Chandelier
61126-CPZ


W 35.13" H 16"
3x12", 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 7.13", Clear Pleated Glass

PLEATED NEW

FEATURES

- Chandeliers, Pendants, and 3 Light Island are Indoor Rated, Vanity Lights are Damp Rated
- Up or Down Mount Vanities


FINISHES



FLAT BLACK



PREMIUM BRONZE



1 Light Pendant
61192-CPZ

W 14" H 16.6"
3x12", 1x6" Downrods
6' Chain
60 Watt Medium Base
Glass DIA 14"
Clear Pleated Glass



1 Light Mini Pendant
61191-FB

W 7.13" H 11.4"
3x12", 1x6" Downrods
6' Chain
60 Watt Medium Base
Glass DIA 7.13"
Clear Pleated Glass



3 Light Island
61173-CPZ

L 47.5" H 19" W 14"
3x12in, 1x6in Downrods
60 Watt Medium Base
Glass DIA 14"
Clear Pleated Glass



DAMP RATED

1 Light Sconce
61101-FB

W 7.13" H 10.4" E 8.13"
60 Watt Medium Base
Glass DIA 7.13"
Clear Pleated Glass



DAMP RATED

2 Light Vanity
61102-CPZ

W 16.9" H 10.75" E 8.13"
60 Watt Medium Base
Glass DIA 7.13"
Clear Pleated Glass



DAMP RATED

3 Light Vanity
61103-FB

W 25" H 10.75" E 8.13"
60 Watt Medium Base
Glass DIA 7.13"
Clear Pleated Glass



DAMP RATED

4 Light Vanity
61104-CPZ

W 34" H 10.75" E 8.13"
60 Watt Medium Base
Glass DIA 7.13"
Clear Pleated Glass



4 Light Chandelier
61124-FB

W 30" H 16.5"
3x12", 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 7.13", Clear Pleated Glass



9 Light Chandelier
60129-SB


W 35.88" H 31.5"
6' Chain, 10' Cord, Canopy DIA 5"
60 Watt Candelabra
3.25" Fluted Glass

WHITTLEY

FEATURES

- Fluted Glass
- Indoor Rated

FINISHES




4 Light Chandelier
60124-SB

W 23.75" H 22"
6' Chain, 10' Cord, Canopy DIA 5"
60 Watt Candelabra
3.25" Fluted Glass



6 Light Chandelier
60126-SB

W 29.75" H 25"
6' Chain, 10' Cord, Canopy DIA 5"
60 Watt Candelabra
3.25" Fluted Glass



1 Light Mini Pendant
60191-SB


W 5" H 9.88"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
3.25" Fluted Glass



NEW

1 Light Pendant
60192-SB

W 6" H 12"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
6" Fluted Glass



3 Light Flushmount
60183-SB

W 13.75" H 6"
Canopy DIA 12.6"
60 Watt Medium Base
12.25" Fluted Glass



9 Light Chandelier
60529-FB

W 30" H 48.25" Canopy DIA 5"
6' Chain, 10' Cord, 2 x 12" Downrods
60 Watt Medium Base
4.25" Clear Bubble Glass

CLAIRE

FEATURES

- Clear Bubble Glass
- Chandeliers & Mini Pendant are Indoor Rated
- Wall Sconce & Vanities are Damp Rated


FINISHES



FLAT BLACK



SATIN BRASS



5 Light Chandelier
60525-SB

W 24.25" H 30" Canopy DIA 5"
6' Chain, 10' Cord, 2 x 12" Downrods
60 Watt Medium Base
4.25" Clear Bubble Glass



3 Light Chandelier
60523-FB

W 20" H 30" Canopy DIA 5"
6' Chain, 10' Cord
2 x 12" Downrods
60 Watt Medium Base
4.25" Clear Bubble Glass



1 Light Mini Pendant
60591-SB

W 6.5" H 21.75" Canopy DIA 5"
6' Chain, 10' Cord
1 x 12" Downrod
60 Watt Medium Base
6.5" Clear Bubble Glass



1 Light Wall Sconce
60501-SB

W 5" H 10" E 6.75"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Bubble Glass


DAMP RATED



2 Light Vanity
60502-FB

W 12.75" H 8.75" E 6.88"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Bubble Glass


DAMP RATED



3 Light Vanity
60503-SB

DAMP RATED

W 21.13" H 8.75" E 6.88"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Bubble Glass



4 Light Vanity
60504-FB

DAMP RATED

W 29.63" H 8.75" E 6.88"
Backplate DIA 5"
60 Watt Medium Base
4.25" Clear Bubble Glass



9 Light Chandelier
60329-FBSB


W 28.75" H 42" Canopy DIA 5"
6' Chain, 10' Cord, 2 x 12" Downrods
60 Watt Medium Base
4.13" White Frosted Glass

COUNCIL


FEATURES

- White Frosted Glass
- Chandeliers are Indoor Rated
- Wall Sconce & Vanities are Damp Rated

FINISHES



FLAT BLACK
& SATIN BRASS



5 Light Chandelier
60325-FBSB

W 25" H 31" Canopy DIA 5"
6' Chain, 10' Cord, 2 x 12" Downrods
60 Watt Medium Base
4.13" White Frosted Glass




3 Light Chandelier
60323-FBSB

W 22" H 31"
Canopy DIA 5"
6' Chain, 10' Cord
2 x 12" Downrods
60 Watt Medium Base
4.13" White Frosted Glass



1 Light Mini Pendant
60391-FBSB

W 7" H 13.5"
Canopy DIA 5"
6' Chain, 10' Cord
1 x 12" Downrod
60 Watt Medium Base
7" White Frosted Glass




1 Light Wall Sconce
60301-FBSB

W 4.75" H 9" E 5.5"
Backplate W 4.75" H 7"
60 Watt Medium Base
4.13" White Frosted Glass
DAMP RATED




2 Light Vanity
60302-FBSB

W 12.25" H 9" E 5.5"
Backplate W 4.75" H 7"
60 Watt Medium Base
4.13" White Frosted Glass
DAMP RATED



3 Light Vanity
60303-FBSB

W 20.5" H 9" E 5.5"
Backplate W 4.75" H 7"
60 Watt Medium Base
4.13" White Frosted Glass
DAMP RATED



4 Light Vanity
60304-FBSB

W 28.75" H 9" E 5.5"
Backplate W 4.75" H 7"
60 Watt Medium Base
4.13" White Frosted Glass
DAMP RATED



6 Light Island
60376-FBSB

L 36" W 15" H 28.25" Canopy W 4.17" L 18"
6' Chain, 10' Cord, 4 x 12" Downrods
60 Watt Medium Base
4.13" White Frosted Glass



5 Light Chandelier
60425-FB


W 25" H 27.75" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 6" Downrod
60 Watt Medium Base
5" Clear Glass

CONNELL

FEATURES


- Clear Glass
- Mini Pendant & Chandelier are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL

FLAT BLACK



1 Light Mini Pendant
60491-FB

W 5" H 20" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
5" Clear Glass




1 Light Pendant
60492-FB

W 10" H 10.5" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
10" Clear Glass



1 Light Wall Sconce
60401-BNK
W 5" H 9.38" E 7"
Backplate DIA 5"
60 Watt Medium Base
5" Clear Glass


DAMP RATED



2 Light Vanity
60402-FB

W 14.5" H 9.38" E 7.13"
Backplate DIA 5"
60 Watt Medium Base
5" Clear Glass

DAMP RATED



3 Light Vanity
60403-BNK

W 22" H 9.38" E 7.13"
Backplate DIA 5"
60 Watt Medium Base
5" Clear Glass

DAMP RATED



4 Light Vanity
60404-FB

W 30.5" H 9.38" E 7.13"
Backplate DIA 5"
60 Watt Medium Base
5" Clear Glass

DAMP RATED



9 Light Chandelier
58229-SB

W 34" H 32.5"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Candelabra, 5.13" White Linen Shades

FORTUNA

FEATURES

- Satin Brass with Clear Acrylic Accents & Optional White Linen Shades
- Indoor Rated


FINISHES



6 Light Chandelier
58226-SB
W 28" H 26"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Candelabra
5.13" White Linen Shade



1 Light Wall Sconce
58261-SB
W 5.13" H 11" E 8.25"
Backplate DIA 5"
60 Watt Candelabra
5.13" White Linen Shade



4 Light Chandelier
58224-SB
W 20" H 24.5"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Candelabra
5.13" White Linen Shade



2 Light Wall Sconce
58262-SB
W 12.75" H 11" E 7"
Backplate DIA 5"
60 Watt Candelabra
5.13" White Linen Shade



4 Light Foyer
58234-SB

W 19" H 33.75"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Candelabra



1 Light Mini Pendant
58291-SB
W 8" H 13"
Canopy DIA 5.12"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
8" White Linen Shade



2 Light Flushmount
58282-SB

W 12" H 7.88"
Canopy DIA 10.25"
60 Watt Medium Base
12" White Linen Shade



9 Light Chandelier
58329-ABZ


W 36" H 32.88" Canopy DIA 5.75"
6" Chain, 12' 6" Cord
60 Watt Candelabra
5.51" Sea Grass Shades

KOKOMO

FEATURES

- Natural Sea Grass Shades
- Indoor Rated


FINISHES



AGED BRONZE BRUSHED




MATTE WHITE




6 Light Chandelier
58326-MWW

W 24" H 21" Canopy DIA 5.75"
6" Chain, 12' 6" Cord
60 Watt Candelabra
5.51" Sea Grass Shades



4 Light Chandelier
58324-ABZ

W 21.25" H 17.88" Canopy DIA 5.75"
6" Chain, 12' 6" Cord
60 Watt Candelabra
5.51" Sea Grass Shades



1 Light Wall Sconce
58361-ABZ

W 5.75" H 10.13" E 8.88"
Backplate W 5.75" H 7.38"
60 Watt Candelabra
5.51" Sea Grass Shades



2 Light Wall Sconce
58362-MWW

W 14.13" H 10.13" E 7.88"
Backplate W 7.38" H 5.75"
60 Watt Candelabra
5.51" Sea Grass Shades



28 Light Chandelier
48628-SB

W 48" H 71.63"
Canopy DIA 10"
6' Chain, 12' 6" Cord
40 Watt Candelabra

MUSEO

FEATURES

- Antiqued Mercury Glass
- Chandeliers & Island are Indoor Rated
Wall Sconce is Damp Rated


FINISHES



SATIN BRASS



9 Light Chandelier
48694-SB
W 20.5" H 25"
Canopy DIA 6.25"
6' Chain, 10' Cord
40 Watt Candelabra



2 Light Wall Sconce
48662-SB
W 8" H 13" E 4.75"
Backplate W 8" H 13"
60 Watt Candelabra

DAMP RATED



9 Light Chandelier
48696-SB
W 24" H 28"
Canopy DIA 6.25"
6' Chain, 10' Cord
40 Watt Candelabra



12 Light Chandelier
48690-SB
W 29.5" H 32"
Canopy DIA 6.25"
6' Chain, 10' Cord
40 Watt Candelabra



7 Light Island
48677-SB

L 48" W 17.25" H 26.38"
Canopy L 18" W 4.57"
6' Chain, 12' 6" Cord
60 Watt Medium Base



5 Light Island
52975-FB
 SHOWN WITH 5 PCS OF 529-SC3-SB


L 40" W 19" H 26.75"
 Canopy L 21.63" W 4.5"
 6' Chain, 7' Cord
 60 Watt Candelabra

FLYNT

FEATURES

- Satin Brass and Brushed Polished Nickel Candle Covers Available
 For 52934 Order 4 Pieces of 529-SC-XX
 For 52935 Order 4 Pieces of 529-SC2-XX
 For 52936 Order 4 Pieces of 529-SC3-XX
 For 52975 Order 5 Pieces of 529-SC3-XX
- Indoor Rated

FINISHES



FLAT BLACK



4 Light Large Foyer
52936-FB

W 19" H 29"
 Canopy L 5.88" W 5.88"
 6' Chain, 7' Cord
 60 Watt Candelabra



4 Light
 Medium Foyer
52935-FB

W 16" H 23.25"
 Canopy L 5.88" W 5.88"
 6' Chain, 7' Cord
 60 Watt Candelabra



4 Light Small Foyer
52934-FB
 SHOWN WITH 4 PCS
 OF 529-SC-BNK

W 12" H 17.7"
 Canopy L 5.5" W 5.5"
 6' Chain, 8' Cord
 60 Watt Candelabra



9 Light Chandelier
56229-BNK


W 29.5" H 28.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base

GLENDA

FEATURES

- 6" Clear Glass Globes
- Chandeliers, Semi Flush, & Mini Pendant are Indoor Rated
- Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL

FLAT BLACK




5 Light Chandelier
56225-FB

W 23.75" H 19.63"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base




3 Light Chandelier
56223-BNK

W 20" H 19.63"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base




1 Light Mini Pendant
56291-FB

W 6" H 15.25"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
6" Clear Glass




1 Light Wall Sconce
56201-FB

W 6" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
DAMP RATED




2 Light Vanity
56202-BNK

W 14.75" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
DAMP RATED



3 Light Semi Flush
56253-BNK

W 14.25" H 14"
Canopy DIA 10"
60 Watt Medium Base
6" Clear Glass



3 Light Vanity
56203-FB

W 22.75" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
DAMP RATED



4 Light Vanity
56204-BNK

W 32.25" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
DAMP RATED



5 Light Chandelier
50425-BNK


W 23" H 22"
Canopy DIA 5.13"
6' Chain, 10' Cord
60 Watt Medium Base, 5.13" Clear Seeded Glass

GWYNETH

FEATURES


- Clear Seeded Glass
- Additional 12" Downrods Available
Order 504-DOWNROD-XX
- Chandeliers, Convertible, & Mini Pendant are Indoor Rated
Wall Sconce & Vanities are Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL

FLAT BLACK




1 Light Mini Pendant
50491-FB

W 5.13" H 7.75"
Canopy DIA 5.13", 10' Cord, 1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
5.13" Clear Seeded Glass



2 Light Convertible
50452-BNK

W 13" H 15" Canopy DIA 5.13"
6' Chain, 10' Cord
60 Watt Medium Base
13" Clear Seeded Glass



1 Light Wall Sconce
50401-FB

W 5.13" H 9.5" E 7"
Backplate DIA 4.75"
60 Watt Medium Base
5.13" Clear Seeded Glass

DAMP RATED



2 Light Vanity
50402-BNK

W 18" H 9.5" E 7"
Backplate W 18" H 4.63"
60 Watt Medium Base
5.13" Clear Seeded Glass

DAMP RATED



3 Light Vanity
50403-FB

W 24" H 9.5" E 7"
Backplate W 24" H 4.63"
60 Watt Medium Base
5.13" Clear Seeded Glass

DAMP RATED



4 Light Vanity
50404-BNK

W 30" H 9.5" E 7"
Backplate W 30" H 4.63"
60 Watt Medium Base
5.13" Clear Seeded Glass

DAMP RATED



Exterior Lighting

Visual Index	106
Lookbook	108
Argent II	137
Aria	123
Becca	134
Britannia	139
Deka	131
Duncan	114
Francès	138
Gentry	135
Harper	136
Hayner	126
Irving	113
Jordan	112
Kai	133
Metalwork	120
Neo	125
Nook	118
Notable	116
O'Neal	115
Peak	130
Perimeter	124
Pillar	129
Pyrmont	117
Rens	119
Resilience Flush Mount	145
Resilience Motion Sensor	144
Resilience Round	142
Resilience Round Clear	143
Resilience Square	140
Resilience Square Clear	141
Smithy	127
Tony	122
Union	132
Vault	128


EXTERIOR LIGHTING VISUAL INDEX




ARGENT II
Z13XX
Page 137



ARIA
Z16XX
Page 123



BECCA
ZA27XX
Page 134




BRITANNIA
Z30XX
Page 139

NEW




NOTABLE
ZA75XX
Page 116


NEW



O'NEAL
ZA79XX
Page 115



PEAK
Z34XX
Page 130




PERIMETER
ZA40XX
Page 124




DEKA
Z45XX
Page 131


NEW



DUNCAN
ZA78XX
Page 114



FRANCÈS
Z60XX
Page 138




GENTRY
Z32XX
Page 135




PILLAR
ZA21XX
Page 129

NEW



PYRMONT
Z26XX
Page 117

NEW




RENS
ZA26XX
Page 119



RESILIENCE FLUSHMOUNT
ZA64XX
Page 145

NEW



HARPER
Z33XX
Page 136




HAYNER
ZA56XX
Page 126

NEW




IRVING
ZA77XX
Page 113

NEW



JORDAN
ZA80XX
Page 112



RESILIENCE MOTION SENSOR
ZA63XX
Page 144




RESILIENCE ROUND
ZA23XX
Page 142-143




RESILIENCE SQUARE
ZA24XX
Page 140-141



SMITHY
ZA60XX
Page 127




KAI
Z15XX
Page 133



METALWORK
ZA65XX
Page 120




NEO
ZA48XX
Page 125



NOOK
ZA67XX
Page 118



TONY
ZA62XX
Page 122



UNION
Z44XX
Page 132



VAULT
ZA58XX
Page 128



Irving
Page 113



Duncan
Page 114



Jordan
Page 112



Pyrmont
Page 117



Nook
Page 118



Rens
Page 119



Resilience Motion Sensor
Page 144




JORDAN ^{NEW}

FEATURES

- Reinforced Backplate
- Hinged Front Panel With Latch
- Square Candle Sleeve Covers
- Wet Rated



FINISHES



IRVING ^{NEW}

FEATURES

- Reinforced Backplate
- Hinged Front Panel With Latch
- Wet Rated



FINISHES





4 Light Large Lantern
ZA7824-TB
W 14" H 27.5" E 15.5"
Backplate W 6.25" H 13.75"
Clear Glass
60 Watt Candelabra Base
WET RATED



1 Light Small Lantern
ZA7804-TB
W 8" H 15.88" E 9.25"
Backplate W 4.75" H 8.62"
Clear Glass
60 Watt Medium Base
WET RATED



3 Light Medium Lantern
ZA7814-TB
W 11" H 22" E 12.25"
Backplate W 6.25" H 10.5"
Clear Glass
60 Watt Candelabra Base
WET RATED



4 Light Large Lantern
ZA7924-TB
W 12" H 25.5" E 13.13"
Backplate W 4.75" H 25.4"
Clear Glass
60 Watt Candelabra Base
WET RATED



2 Light Small Lantern
ZA7904-TB
W 8" H 15.13" E 8.25"
Backplate W 4.75" H 11.81"
Clear Glass
60 Watt Candelabra Base
WET RATED




3 Light Medium Lantern
ZA7914-TB
W 10" H 19.88" E 10.43"
Backplate W 4.75" H 19.5"
Clear Glass
60 Watt Candelabra Base
WET RATED

DUNCAN ^{NEW}

FEATURES

- Reinforced Backplate
- Contemporary Lantern Hook Detail
- Square Candle Sleeve Covers
- Wet Rated

FINISHES




O'NEAL ^{NEW}

FEATURES

- Reinforced Backplate
- Wet Rated

FINISHES





Large LED Lantern
ZA7524-MN-LED

WET RATED

W 4.75" H 20" E 5.13"
Backplate W 4.75" H 4.75"
Integrated 15W LED
1350 Lumens



Small LED
Lantern
ZA7504-MN-LED
WET RATED

W 4.5" H 12" E 4.25"
Backplate W 4.5" H 4.75"
Integrated 10W LED
900 Lumens



Medium LED
Lantern
ZA7514-MN-LED
WET RATED

W 4.75" H 16" E 4.5"
Backplate W 4.75" H 4.75"
Integrated 12W LED
1080 Lumens

NOTABLE ^{NEW}

FEATURES

- Wet Rated
- Available in Three Sizes
- Dimmable
- 3000K

FINISHES



MIDNIGHT



Small 1 Light Wall Mount
Z2604-MN

WET RATED

W 5.5" H 14.63" E 6.75"
Backplate W 5.5" H 5.88"
60 Watt Medium Base
Hammered Water Glass

PYRMONT ^{NEW}

FEATURES

- Clear Hammered Water Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years




Medium 1 Light Wall Mount
Z2614-MN

WET RATED

W 6.75" H 19.33" E 8.66"
Backplate W 5.5" H 5.88"
60 Watt Medium Base
Hammered Water Glass

FINISHES



MIDNIGHT



Medium LED Wall Mount
ZA6712-MN-LED
W 5.2" H 15.88" E 3.88"
Backplate L 4.8" H 15.43"
15 Watt Dimmable LED
3000K, 367 Lumens
WET RATED



Large LED Wall Mount
ZA6722-MN-LED
W 5.2" H 21" E 3.88"
Backplate L 4.8" H 20.63"
20 Watt Dimmable LED
3000K, 244 Lumens
WET RATED


NOOK

FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated
- Dimmable



FINISHES




48" LED Wall Mount
ZA2640-MN-LED
W 4.75" H 48" E 3.13"
Backplate W 4.75" H 5.88"
66 Watt Dimmable LED
3000K, 3076 Lumens
WET RATED

RENS

FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated
- Dimmable
- Up or Down Mount Wall Sconces

FINISHES



Small LED Wall Mount
ZA2600-MN-LED
W 4.75" H 16" E 2.88"
Backplate W 4.75" H 4.75"
20 Watt Dimmable LED
3000K, 1000 Lumens
WET RATED




Medium LED Wall Mount
ZA2610-MN-LED
W 4.75" H 19.63" E 2.88"
Backplate W 4.75" H 5.75"
30 Watt Dimmable LED
3000K, 1500 Lumens
WET RATED




Large LED Wall Mount
ZA2620-MN-LED
W 4.75" H 24" E 2.88"
Backplate W 4.75" H 6"
40 Watt Dimmable LED
3000K, 2000 Lumens
WET RATED



32" LED Wall Mount
ZA2630-MN-LED
W 4.75" H 32" E 3.13"
Backplate W 4.75" H 5.88"
51 Watt Dimmable LED
3000K, 2954 Lumens
WET RATED



NEW
12" Wall Sconce
ZA2650-MN-LED
W 4.75" H 12" E 2.88"
Backplate W 4.75" H 4.75"
15 Watt Dimmable LED
3000K, 400 Lumens
WET RATED



NEW
18" Wall Sconce
ZA2660-MN-LED
W 4.75" H 18" E 2.88"
Backplate W 4.75" H 4.75"
25 Watt Dimmable LED
3000K, 800 Lumens
WET RATED



4 Light Extra Large Wall Mount
ZA6534-MNSB

WET RATED


W 13" H 27" E 14"
Backplate L 6.5" H 27"
40 Watt Candelabra
9.06" Clear Glass

METALWORK

FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Lanterns & Post Mount are Wet Rated
Pendant is Damp Rated

FINISHES



3 Light Pendant
ZA6511-MNSB

DAMP RATED

W 9" H 16.88"
Canopy W 5.13" L 5.13"
6' Chain, 10' Cord, 6.1" Clear Glass
40 Watt Candelabra



1 Light Small
Wall Mount
ZA6504-MNSB

W 7" H 15" E 7.75"
Backplate L 4.5" H 15"
60 Watt Medium Base
5.13" Clear Glass

WET RATED



3 Light Medium
Wall Mount
ZA6514-MNSB

W 9" H 18" E 9.75"
Backplate L 5" H 18"
40 Watt Candelabra
6.1" Clear Glass

WET RATED



3 Light Post Mount
ZA6515-MNSB

WET RATED

W 9" H 20.38"
40 Watt Candelabra
6.1" Clear Glass



4 Light Large Wall Mount
ZA6524-MNSB

WET RATED

W 11" H 22" E 12"
Backplate L 5.5" H 22"
40 Watt Candelabra
7.68" Clear Glass




Large LED Wall Mount
ZA6222-MN-LED
WET RATED

W 4.75" H 20.88" E 2.75"
Backplate W 4.75" H 20.88"
20 Watt Dimmable LED
3000K, 450 Lumens



Medium LED Wall Mount
ZA6212-MN-LED
WET RATED

W 4.75" H 17" E 2.75"
Backplate W 4.75" H 17"
20 Watt Dimmable LED
3000K, 550 Lumens



Small LED Wall Mount
ZA6202-MN-LED
WET RATED

W 4.75" H 13" E 2.75"
Backplate W 4.75" H 13"
20 Watt Dimmable LED
3000K, 750 Lumens

TONY

FEATURES

- Oxygen Infused K-9 Crystal
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated

FINISHES



MIDNIGHT



Large LED Wall Mount
Z1624-TB-LED
WET RATED

W 6.5" H 23" E 4"
Backplate W 5.5" H 5.5"
12 Watt Dimmable LED
3000K, 960 Lumens



Medium LED Wall Mount
Z1614-TB-LED
WET RATED

W 5.5" H 19.5" E 3.5"
Backplate W 5.5" H 5.5"
12 Watt Dimmable LED
3000K, 960 Lumens



Small LED Wall Mount
Z1604-TB-LED
WET RATED


W 5.5" H 14.5" E 3"
Backplate W 5.5" H 5.5"
12 Watt Dimmable LED
3000K, 960 Lumens

ARIA

FEATURES

- Oxygen Infused K-9 Crystal
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated

FINISHES



TEXTURED BLACK



**1 Light Outdoor Pendant
ZA4021-MN**

W 8.38" H 21.75"
Canopy DIA 5.04"
3 x 12" & 1 x 6" Downrods
60 Watt Medium Base

DAMP RATED



**Small 1 Light
Wall Mount
ZA4004-MN**

W 6" H 17" E 5"
Backplate W 4.72" H 6.3"
60 Watt Medium Base

WET RATED



**Medium 1 Light
Wall Mount
ZA4014-MN**

W 7.5" H 19.38" E 5.5"
Backplate W 5.51" H 6.3"
60 Watt Medium Base

WET RATED



**1 Light Outdoor
Post Mount
ZA4025-MN**

W 8.38" H 25.12"
60 Watt Medium Base

WET RATED



**Large 1 Light
Wall Mount
ZA4024-MN**

W 8.38" H 21.75" E 6.13"
Backplate W 6.3" H 7"
60 Watt Medium Base


WET RATED

PERIMETER

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Lanterns & Post Mount are Wet Rated
Pendant is Damp Rated


FINISHES




**Medium 1 Light Wall Mount
ZA4814-MN**

W 6.75" H 17" E 7.75"
Backplate W 6.69" H 7.63"
60 Watt Medium Base
4.5" Clear Glass


WET RATED



**1 Light Post Mount
ZA4825-MN**

W 7.88" H 17.38"
60 Watt Medium Base
5.25" Clear Glass

WET RATED



**1 Light Pendant
ZA4821-MNSB**

W 7.88" H 18"
Canopy W 5.12" H 5.12"
6' Chain, 8' Cord
60 Watt Medium Base

DAMP RATED

NEO

FEATURES


- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Lanterns & Post Mount are Wet Rated
Pendant is Damp Rated



**Small 1 Light
Wall Mount
ZA4804-SA**

W 5.5" H 14" E 6.38"
Backplate W 5.5" H 6.38"
60 Watt Medium Base
3.75" Clear Glass

WET RATED



**Large 1 Light
Wall Mount
ZA4824-MNSB**

W 7.88" H 19.88" E 9.13"
Backplate W 7.88" H 9"
60 Watt Medium Base
5.25" Clear Glass

WET RATED




**Extra Large 1 Light
Wall Mount
ZA4834-SA**

W 11" H 28" E 12.25"
Backplate W 9.88" H 11"
60 Watt Medium Base
7.5" Clear Glass

WET RATED

FINISHES





Medium 1 Light Wall Mount
ZA5614-MN

W 7.68" H 17.13" E 9.75"
Backplate W 5.75" H 6.88"
60 Watt Medium Base
6.69" Clear Seeded Glass, 4.75" White Frosted Glass

WET RATED



Small 1 Light Wall Mount
ZA5604-MN

W 6.38" H 15.75" E 8.5"
Backplate W 5.75" H 6.88"
60 Watt Medium Base
5.5" Clear Seeded Glass
4.3" White Frosted Glass

WET RATED



Large 1 Light Wall Mount
ZA5624-MN

W 8.88" H 18.5" E 11"
Backplate W 5.75" H 7.5"
60 Watt Medium Base
7.88" Clear Seeded Glass
6" White Frosted Glass

WET RATED



1 Light Post Mount
ZA5625-MN

W 8.88" H 22.63"
60 Watt Medium Base
7.88" Clear Seeded Glass
6" White Frosted Glass

WET RATED



1 Light Pendant
ZA5621-MN

W 8.88" H 20"
Canopy L 5.28" W 5.28"
6' Chain, 9' Cord
60 Watt Medium Base
7.88" Clear Seeded Glass
6" White Frosted Glass


DAMP RATED

HAYNER

FEATURES

- Clear Seeded Outer Glass with White Frosted Inner Glass Shade
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Lanterns & Post Mount are Wet Rated
Pendant is Damp Rated

FINISHES




Medium 1 Light Wall Mount
ZA6014-ABZ

W 9" H 13.63" E 8.75"
Backplate W 6.63" H 6.69"
60 Watt Medium Base
7.67" Clear Glass

WET RATED



Small 1 Light Wall Mount
ZA6004-ABZ

W 7" H 10.38" E 7"
Backplate W 5.13" H 5.12"
60 Watt Medium Base
5.88" Clear Glass

WET RATED



Large 1 Light Wall Mount
ZA6024-ABZ

W 11" H 17" E 10.5"
Backplate W 7.5" H 8.27"
60 Watt Medium Base
9.25" Clear Glass

WET RATED



1 Light Post Mount
ZA6025-ABZ

W 11.38" H 18" E 7.88"
60 Watt Medium Base
9.25" Clear Glass

WET RATED



1 Light Pendant
ZA6011-ABZ

W 9" H 15" E 7.13"
Canopy L 6" W 6"
60 Watt Medium Base
7.67" Clear Glass


DAMP RATED

SMITHY

FEATURES

- Clear Rectangular Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Lanterns & Post Mount are Wet Rated
Pendant is Damp Rated

FINISHES





Large LED Wall Mount
ZA5814-ABZ-LED

WET RATED

W 6.5" H 15" E 4"
Backplate W 6.5" H 15"
10 Watt Dimmable LED
3000K, 400 Lumens



Small LED Wall Mount
ZA5804-MN-LED

WET RATED

W 5.75" H 12" E 4"
Backplate W 5.75" H 12"
10 Watt Dimmable LED
3000K, 400 Lumens



Up & Down Light LED Wall Mount
ZA2120-TB-LED

WET RATED

W 4.5" H 11.88" E 7"
Backplate W 4.5" H 4.5"
19.6 Watt Dimmable LED
3000K, 1002 Lumens



LED Wall Mount
ZA2124-TB-LED

WET RATED

W 4.5" H 7.88" E 7"
Backplate W 4.5" H 4.5"
9.8 Watt Dimmable LED
3000K, 502 Lumens

VAULT

FEATURES

- LED Illuminated White Frosted Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated

FINISHES



AGED BRONZE BRUSHED




MIDNIGHT

PILLAR

FEATURES

- Wet Rated

FINISHES



TEXTURED BLACK



Medium LED Wall Mount
Z3412-TBBA-LED

WET RATED

W 5" H 14" E 2.25"
Backplate W 4.69" H 13.82"
14 Watt Dimmable LED
3000K, 1190 Lumens



Small LED Wall Mount
Z3402-TBSB-LED

WET RATED

W 5" H 10" E 2.25"
Backplate W 4.69" H 9.88"
10 Watt Dimmable LED
3000K, 850 Lumens



Large LED Wall Mount
Z3422-TBSB-LED

WET RATED


W 5" H 18" E 2.25"
Backplate W 4.69" H 17.88"
18 Watt Dimmable LED
3000K, 1530 Lumens

PEAK

FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated

FINISHES



Medium 1 Light Wall Mount
Z4514-MN-SC

WET RATED

W 4.5" H 16.88" E 6.88"
Backplate W 4.5" H 8"
60 Watt Medium Base
Square Patterned Glass

DEKA

FEATURES

- Square Patterned Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated

FINISHES





Large 1 Light Wall Mount
Z4424-MN

WET RATED

W 15" H 16.25" E 15.88"
Backplate DIA 5"
60 Watt Medium Base



Small 1 Light
Wall Mount
Z4404-MN
WET RATED

W 8" H 9.13" E 8.63"
Backplate DIA 4.5"
60 Watt Medium Base



Medium 1 Light
Wall Mount
Z4414-MN
WET RATED

W 12" H 12.75" E 12.75"
Backplate DIA 4.5"
60 Watt Medium Base



Large LED Wall Mount
Z1514-TB-LED

WET RATED

W 7" H 18" E 8"
Backplate W 5.12" H 6.14"
47 Watt Dimmable LED
3000K, 3600 Lumens



Small LED Wall Mount
Z1504-TB-LED

WET RATED


W 5.5" H 14" E 6.5"
Backplate W 5.12" H 6.14"
30 Watt Dimmable LED
3000K, 2400 Lumens

UNION

FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated

FINISHES




MIDNIGHT

KAI


FEATURES

- Wet Rated

FINISHES




TEXTURED BLACK



Medium 1 Light Wall Mount
ZA2714-TB

W 7.75" H 15.88" E 8.5"
Backplate W 5.13" H 5.12"
60 Watt Medium Base
3.75" Clear Seeded Glass

WET RATED



Small 1 Light Wall Mount
ZA2704-TB

W 6.25" H 13.75" E 7.13"
Backplate W 5.13" H 5.13"
60 Watt Medium Base
3" Clear Seeded Glass


WET RATED



Large 1 Light Wall Mount
ZA2724-TB

W 10" H 19.13" E 11.13"
Backplate W 6.5" H 6.5"
60 Watt Medium Base
4.75" Clear Seeded Glass


WET RATED



1 Light Pendant
ZA2721-TB

W 10" H 18.25"
Canopy L 4.75" W 4.75"
6' Chain, 9' 2" Cord
60 Watt Medium Base
4.75" Clear Seeded Glass

DAMP RATED



1 Light Post Mount
ZA2725-TB

W 10" H 19.75"
60 Watt Medium Base
4.75" Clear Seeded Glass


WET RATED

BECCA

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Mounts & Post Mount are Wet Rated
Pendant is Damp Rated

FINISHES




Medium 1 Light Wall Mount
Z3214-MN

W 8.5" H 19.13" E 11.25"
Backplate W 5.88" H 10.25"
60 Watt Medium Base
Clear Seeded Glass

WET RATED

GENTRY

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated



Small 1 Light Wall Mount
Z3204-MN

W 6.13" H 13.63" E 8"
Backplate W 4.5" H 7.5"
60 Watt Medium Base
Clear Seeded Glass


WET RATED



Large 1 Light Wall Mount
Z3224-MN

W 12" H 25.88" E 14.63"
Backplate W 5.88" H 10.25"
60 Watt Medium Base
Clear Seeded Glass

WET RATED



1 Light Post Mount
Z3215-MN

W 8.5" H 20.38"
60 Watt Medium Base
Clear Seeded Glass

WET RATED

FINISHES





Large 3 Mount Wall Mount
Z3324-TB
WET RATED

W 12" H 28.13" E 15.5"
Backplate W 5.75" H 13.5"
60 Watt Candelabra
Clear Seeded Glass



Medium 2 Light
Wall Mount
Z3314-TB
WET RATED

W 8.88" H 20.63" E 11.63"
Backplate W 4.5" H 10.63"
60 Watt Candelabra
Clear Seeded Glass



Small 1 Light
Wall Mount
Z3304-TB
WET RATED

W 7.5" H 17.9" E 10"
Backplate W 4.5" H 10.63"
60 Watt Medium Base
Clear Seeded Glass



Large 3 Light Wall Mount
Z1374-MN
WET RATED

W 10" H 25.8" E 13.13"
Backplate W 6.5" H 10.75"
60 Watt Candelabra
Clear Seeded Glass



Medium 2 Light
Wall Mount
Z1364-MN
WET RATED

W 8" H 20.8" E 10.56"
Backplate W 5.13" H 8.5"
60 Watt Candelabra
Clear Seeded Glass



Small 1 Light
Wall Mount
Z1354-MN
WET RATED


W 6" H 15.75" E 8"
Backplate W 4.25" H 6.25"
60 Watt Medium Base
Clear Seeded Glass

HARPER NEW

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated

FINISHES




ARGENT II

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated

FINISHES





Large 3 Light Wall Mount
Z6020-OBO


WET RATED

W 12" H 28.88" E 16.43"
Backplate W 7.38" H 15"
60 Watt Candelabra
9.66" Hammered Glass

FRANCÈS

FEATURES


- Clear Hammered Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wet Rated



Medium 2 Light Wall Mount
Z6010-OBO

WET RATED


W 9.5" H 22.88" E 12.88"
Backplate W 6" H 11.75"
60 Watt Candelabra
7.6" Hammered Glass



Small 1 Light Wall Mount
Z6000-OBO

WET RATED

W 8" H 19.3" E 10.88"
Backplate W 5" H 9.75"
60 Watt Medium Base
6.5" Hammered Glass




Small 1 Light Wall Mount
Z6004-OBO


WET RATED

W 6.25" H 13.75" E 9"
Backplate W 5" H 7"
60 Watt Medium Base
5" Hammered Glass

FINISHES



OILED BRONZE



3 Light Pendant
Z3011-OBO

DAMP RATED

W 12" H 23"
Canopy L 4.75" W 5.5"
3' Chain, 10' Cord
60 Watt Candelabra, Clear Beveled Glass

BRITANNIA


FEATURES

- Clear Beveled Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Wall Mounts are Wet Rated
Pendant is Damp Rated

FINISHES



OILED BRONZE



Small 2 Light Wall Mount
Z3004-OBO

W 8" H 17.6" E 10.5"
Backplate W 4.63" H 9.75"
60 Watt Candelabra
Clear Beveled Glass


WET RATED



Medium 3 Light Wall Mount
Z3014-OBO

W 10" H 22" E 13"
Backplate W 5.38" H 11"
60 Watt Candelabra
Clear Beveled Glass

WET RATED



Large 3 Light Wall Mount
Z3024-OBO

W 12" H 25.8" E 15.7"
Backplate W 7" H 13"
60 Watt Candelabra
Clear Beveled Glass

WET RATED



Large 1 Light Wall Mount
ZA2414-TW
WET RATED


W 6.25" H 14" E 8.5"
Backplate W 6" H 8.75"
60 Watt Medium Base
Frosted Acrylic

RESILIENCE SQUARE

FEATURES


- Frosted Acrylic
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES



Small 1 Light
Wall Mount
ZA2404-BZ
WET RATED

W 5" H 11.38" E 6.75"
Backplate W 4.63" H 6.88"
60 Watt Medium Base
Frosted Acrylic



1 Light Post Mount
ZA2415-TB
WET RATED

W 6.25" H 15"
60 Watt Medium Base
Frosted Acrylic



Large 1 Light Wall Mount
ZA2414-BZ-C
WET RATED


W 6.25" H 14" E 8.5"
Backplate W 6" H 8.75"
60 Watt Medium Base
Clear Acrylic

RESILIENCE SQUARE CLEAR

FEATURES

- Clear Acrylic
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES




TEXTURED BLACK



Small 1 Light
Wall Mount
ZA2404-BZ-C
WET RATED

W 5" H 11.38" E 6.75"
Backplate W 4.63" H 6.88"
60 Watt Medium Base
Clear Acrylic



1 Light Post Mount
ZA2415-TB-C
WET RATED

W 6.25" H 15"
60 Watt Medium Base
Clear Acrylic



Large 1 Light Wall Mount
ZA2314-TW

W 7.13" H 15" E 9"
Backplate W 6" H 8.88"
60 Watt Medium Base
Frosted Acrylic

WET RATED



Small 1 Light Wall Mount
ZA2304-TB

W 6" H 13" E 7"
Backplate W 4.63" H 7"
60 Watt Medium Base
Frosted Acrylic

WET RATED



Large 1 Light Wall Mount
ZA2314-TB-C

W 7.13" H 15" E 9"
Backplate W 6" H 8.88"
60 Watt Medium Base
Clear Acrylic

WET RATED



Small 1 Light Wall Mount
ZA2304-BZ-C

W 6" H 13" E 7"
Backplate W 4.63" H 7"
60 Watt Medium Base
Clear Acrylic


WET RATED

RESILIENCE ROUND

FEATURES

- Frosted Acrylic
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES




RESILIENCE ROUND CLEAR

FEATURES

- Clear Acrylic
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES





1 Light Wall Mount
ZA6304PM-TB

W 8" H 10" E 9.25"
Backplate DIA 5"
40 Watt Medium Base

WET RATED



1 Light Wall Mount
ZA6304PM-TW

W 8" H 10" E 9.25"
Backplate DIA 5"
40 Watt Medium Base


WET RATED

RESILIENCE MOTION SENSOR

FEATURES

- Motion Sensor & Photocell Combo Included
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES



2 Light Flush Mount
ZA6407-TB

L 10" W 10" H 4.5"
Canopy L 8.38" W 8.38"
40 Watt Medium Base

WET RATED



2 Light Flush Mount
ZA6407-TW

L 10" W 10" H 4.5"
Canopy L 8.38" W 8.38"
40 Watt Medium Base


WET RATED

RESILIENCE FLUSHMOUNT

FEATURES

- Frosted Polycarbonate Shade
- Durable Non-Corrosive UV Resistant Resin Construction
- 5 Year Warranty
- Made in the USA
- Wet Rated

FINISHES






Exterior Value Lighting

Visual Index	148
Lookbook	150
Bent Glass	174
Bent Tree	156
Bulkheads	176
Coach Lights	172
Crossbend	165
Dunn	171
Harris	160
Laclede	166
Landmark	164
Marin	157
O'Fallon	170
Olsen	168
Rock Creek	154
Singleton	162
Sorano	158
Straight Glass	175
Voyage	167


EXTERIOR VALUE LIGHTING VISUAL INDEX



BENT GLASS
ZXXX
Page 174



BENT TREE
ZA72XX
Page 156




BULKHEADS
ZXXXXX
Page 176




COACH LIGHTS
ZXXXXX
Page 172



VOYAGE
ZA47XX
Page 167




CROSSBEND
ZA31XX
Page 165



DUNN
ZA43XX
Page 171


NEW




HARRIS
ZA71XX
Page 160




LACLEDE
ZA38XX
Page 166



LANDMARK
ZA55XX
Page 164



MARIN
ZA68XX
Page 157




O'FALLON
ZA32XX
Page 170



OLSEN
ZA46XX
Page 168

NEW




ROCK CREEK
ZA70XX
Page 154



SINGLETON
ZA54XX
Page 162

NEW



SORANO
ZA69XX
Page 158



STRAIGHT GLASS
ZXXX
Page 175



Sorano
Page 158



Rock Creek
Page 154




Harris
Page 160



Harris
Page 160



Landmark
Page 164



Bent Tree
Page 156



Marin
Page 157



XL 1 Light Wall Lantern
ZA7034-TB

WET RATED


W 11.5" H 17.25" E 13.38"
Backplate W 5.3" H 8.25"
60W Medium Base
Clear Glass

ROCK CREEK ^{NEW}


FEATURES

- Clear Glass
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wall Lanterns & Post Lantern Wet Rated
Pendant Damp Rated

FINISHES




TEXTURED BLACK



Large 1 Light Wall Lantern
ZA7024-TB

WET RATED


W 10" H 15.38" E 11.63"
Backplate W 5" H 7.25"
60W Medium Base
Clear Glass



1 Light Pendant
ZA7011-TB

W 7.5" H 12.5"
Canopy DIA 4.75"
3' Chain, 10' Cord
60W Medium Base
Clear Glass

DAMP RATED



1 Light Post Lantern
ZA7025-TB

W 10" H 18.63"
60W Medium Base
Clear Glass


WET RATED



Medium 1 Light Wall Lantern
ZA7014-TB

WET RATED

W 7.5" H 12" E 9"
Backplate W 4.5" H 5.5"
60W Medium Base
Clear Glass



Small 1 Light Wall Lantern
ZA7004-TB

WET RATED


W 6.25" H 10.25" E 7.63"
Backplate W 4.5" H 5.5"
60W Medium Base
Clear Glass



**Extra Large 4 Light Wall Mount
ZA7234-MN**

W 9" H 25.75" E 9.88"
Backplate W 5.5" H 9"
60 Watt Candleabra
7.68" Clear Glass


WET RATED



**Small 1 Light Wall Mount
ZA7204-MN**

W 5.75" H 16" E 6.5"
Backplate W 4.5" H 5.5"
60 Watt Medium Base
4.53" Clear Glass


WET RATED



**2 Light Pendant
ZA7211-MN**

W 7" H 20.63"
Canopy DIA 5"
60 Watt Candleabra
5.71" Clear Glass


DAMP RATED



**Medium 2 Light Wall Mount
ZA7214-MN**

W 7" H 19.13" E 7.75"
Backplate W 4.75" H 6.5"
60 Watt Candleabra
5.71" Clear Glass


WET RATED



**3 Light Post Mount
ZA7225-MN**

W 8" H 26"
60 Watt Candleabra
6.5" Clear Glass

WET RATED



**Large 3 Light Wall Mount
ZA7224-MN**

W 8" H 22.75" E 8.88"
Backplate W 5" H 7.5"
60 Watt Candleabra
6.5" Clear Glass


WET RATED



**Extra Large 1 Light Wall Mount
ZA6834-TB**

W 10" H 24.25" E 11.5"
Backplate W 4.75" H 7.88"
60 Watt Medium Base
9.53" Clear Glass

WET RATED



**Small 1 Light Wall Mount
ZA6804-TB**

W 5" H 13.75" E 6.5"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
4.53" Clear Glass

WET RATED



**1 Light Pendant
ZA6811-TB**

W 6.5" H 16.25"
Canopy W 4.75" L 4.75"
60 Watt Medium Base
6.06" Clear Glass


DAMP RATED



**Medium 1 Light Wall Mount
ZA6814-TB**

W 6.5" H 16.88" E 8"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.06" Clear Glass

WET RATED



**1 Light Post Mount
ZA6825-TB**

W 8" H 23.25"
60 Watt Medium Base
7.56" Clear Glass

WET RATED



**Large 1 Light Wall Mount
ZA6824-TB**

W 8" H 20.63" E 9.63"
Backplate W 4.75" H 7.88"
60 Watt Medium Base
7.56" Clear Glass


WET RATED

BENT TREE

FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Post Mount & Wall Mounts are Wet Rated

FINISHES




MARIN

FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Post Mount & Wall Mounts are Wet Rated

FINISHES





Extra Large 1 Light Wall Mount
ZA6934-TB

WET RATED


W 10.63" H 19.63" E 12"
Backplate W 4.75" H 7.88"
60 Watt Medium Base
10.24" Clear Glass

SORANO


FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Post Mount & Wall Mounts are Wet Rated

FINISHES



TEXTURED BLACK



Small 1 Light Wall Mount
ZA6904-TB

WET RATED


W 5.75" H 11.63" E 7"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
5.31" Clear Glass



1 Light Pendant
ZA6911-TB

W 7.25" H 15.25"
Canopy W 4.75" L 4.75"
60 Watt Medium Base
6.77" Clear Glass


DAMP RATED



1 Light Post Mount
ZA6925-TB

W 9" H 20.63"
60 Watt Medium Base
8.46" Clear Glass

WET RATED



Medium 1 Light
Wall Mount
ZA6914-TB

W 7.25" H 13.88" E 8.63"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.77" Clear Glass

WET RATED




NEW

Medium 1 Light
Photocell Wall
Mount
ZA6914-TB-PC

W 7.25" H 13.88" E 8.63"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.77" Clear Glass

WET RATED



Large 1 Light Wall Mount
ZA6924-TB

WET RATED

W 9" H 16.75" E 10.38"
Backplate W 4.75" H 7.88"
60 Watt Medium Base
8.46" Clear Glass









HARRIS

FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Post Mount & Wall Mounts are Wet Rated

FINISHES





SINGLETON

FEATURES

- Wall Mounts are Wet Rated
Pendants are Damp Rated
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years

FINISHES





Large 1 Light Pendant
ZA5521-MN

DAMP RATED

W 15" H 6.13"
Canopy DIA 5.91"
6' Cord, 2 x 6" & 2 x 12" Downrods
60 Watt Medium Base



Small 1 Light Wall Mount
ZA5504-MN

WET RATED

W 9" H 7.5" E 13.5"
Backplate DIA 4.72"
60 Watt Medium Base



Medium 1 Light Wall Mount
ZA5514-MN

WET RATED

W 12" H 9.63" E 17.4"
Backplate DIA 4.75"
60 Watt Medium Base



Large 1 Light Wall Mount
ZA5524-MN

WET RATED


W 15" H 11.63" E 21.5"
Backplate DIA 5.88"
60 Watt Medium Base

LANDMARK

FEATURES

- Additional 12" Downrods Available
Order *RP-9202-MN*
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wall Mounts are Wet Rated
Pendants are Damp Rated

FINISHES




Extra Large 3 Light Wall Mount
ZA3134-TB

WET RATED


W 12" H 23.63" E 12"
Backplate W 8.25" H 8.66"
60 Watt Candelabra
Clear Seeded Glass

CROSSBEND

FEATURES

- Clear Seeded Glass
- Wet Rated

FINISHES




Small 1 Light Wall Mount
ZA3104-DBG

WET RATED

W 7" H 15.13" E 6.75"
Backplate W 4.88" H 5"
60 Watt Medium Base
Clear Seeded Glass



Medium 2 Light Wall Mount
ZA3114-DBG

WET RATED

W 8.5" H 18.5" E 8"
Backplate W 5.91" H 6.38"
60 Watt Candelabra
Clear Seeded Glass



Large 3 Light Wall Mount
ZA3124-TB

WET RATED

W 10" H 20" E 10"
Backplate W 6.89" H 7.28"
60 Watt Candelabra
Clear Seeded Glass



Small 1 Light Wall Mount
ZA3804-MN

W 6.25" H 12" E 8.5"
Backplate DIA 5.91"
60 Watt Medium Base
Clear Glass

WET RATED



Medium 1 Light Wall Mount
ZA3814-MN

W 7.75" H 15" E 10.5"
Backplate DIA 7.48"
60 Watt Medium Base
Clear Glass


WET RATED

LACLEDE

FEATURES

- Clear Glass
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wet Rated


FINISHES

1 Light Pendant
ZA4721-MN

W 9.5" H 19" Canopy DIA 5.91"
6" Chain, 8' Cord
60 Watt Medium Base
6.61" Clear Seeded Glass

DAMP RATED



1 Light Post Mount
ZA4725-MN

W 9.5" H 20"
60 Watt Medium Base
6.61" Clear Seeded Glass


WET RATED

VOYAGE

FEATURES

- Clear Seeded Glass
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wall Mounts & Post Mount are Wet Rated
Pendant is Damp Rated


FINISHES

Small 1 Light Wall Mount
ZA4704-MN

W 6.5" H 13" E 8.25"
Backplate DIA 4.88"
60 Watt Medium Base
4.5" Clear Seeded Glass

WET RATED



Medium 1 Light Wall Mount
ZA4714-MN

W 8" H 16" E 10.13"
Backplate DIA 6"
60 Watt Medium Base
5.5" Clear Seeded Glass

WET RATED



Large 1 Light Wall Mount
ZA4724-MN

W 9.5" H 19" E 12"
Backplate DIA 7"
60 Watt Medium Base
6.61" Clear Seeded Glass

WET RATED



1 Light Pendant
ZA4611-MN

DAMP RATED


W 8" H 13"
Canopy DIA 5"
6' Chain, 8' Cord
60 Watt Medium Base, Clear Glass

OLSEN

FEATURES

- Clear Glass
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wall Mounts & Post Mount are Wet Rated
Pendant is Damp Rated

FINISHES



MIDNIGHT



Medium 3 Light
Wall Mount
ZA4624-MN

W 10.5" H 13.38" E 9.13"
Backplate W 4.25" H 7.48"
60 Watt Medium Base
Clear Glass

WET RATED



Large 3 Light
Wall Mount
ZA4634-MN

W 11.5" H 19" E 12.5"
Backplate W 5.88" H 9.84"
60 Watt Medium Base
Clear Glass

WET RATED



Small 1 Light
Wall Mount
ZA4604-MN

W 7" H 12.13" E 8.13"
Backplate W 4.25" H 7.5"
60 Watt Medium Base
Clear Glass

WET RATED



1 Light Post Mount
ZA4615-MN

W 8" H 16"
60 Watt Medium Base
Clear Glass

WET RATED



Extra Large 3 Light Wall Mount
ZA4644-MN

WET RATED



W 15" H 24.25" E 16"
Backplate W 7" H 9.84"
60 Watt Medium Base
Clear Glass



Medium 1 Light Wall Mount
ZA4614-MN

WET RATED

W 8" H 13.38" E 9.13"
Backplate W 4.25" H 7.5"
60 Watt Medium Base
Clear Glass




O'FALLON

FEATURES

- Clear Seeded Glass
- Wet Rated

FINISHES




DUNN

FEATURES

- Clear Seeded Glass
- Wet Rated

FINISHES





1 Light Wall Mount
Z170-TB
WET RATED

W 6" H 15.25" E 8"
Backplate W 4.25" H 5"
60 Watt Medium Base
Clear Beveled Glass



Small 1 Light Wall Mount
Z294-TB
WET RATED


W 6.5" H 12.13" E 7.75"
Backplate W 4.33" H 5.75"
60 Watt Medium Base
Clear Beveled Glass

COACH LIGHTS

FEATURES

- Wet Rated

FINISHES



1 Light Wall Mount
Z192-TB
WET RATED

W 4.5" H 8.66" E 5.75"
Backplate DIA 4.5"
60 Watt Medium Base
Clear Beveled Glass



1 Light LED Wall Mount
Z192-TB-LED
WET RATED

W 4.53" H 8.66" E 5.75"
Backplate DIA 4.5"
8.74 Watt Integrated LED, 3000K, 513 Lumens
Non-Dimmable, Frosted Glass




1 Light Wall Mount
Z103-TB
WET RATED

W 8" H 9.5" E 5"
Backplate W 7.25" H 9.5"
60 Watt Medium Base
Acrylic Lens



1 Light Wall Mount
Z190-TB
WET RATED

W 5.25" H 8" E 6.5"
Backplate DIA 4.25"
60 Watt Medium Base
Clear Glass



Small 1 Light Wall Mount
Z264-TB

W 6.5" H 16" E 7"
Backplate W 4.5" H 5.75"
60 Watt Medium Base
Clear Beveled Glass


WET RATED



Medium 1 Light Wall Mount
Z284-TB

W 9.5" H 18.25" E 9.75"
Backplate W 4.25" H 7"
60 Watt Medium Base
Clear Beveled Glass


WET RATED



3 Light Flushmount
Z433-TB

W 10.75" H 6.75"
60 Watt Candelabra
Clear Beveled Glass


DAMP RATED



Medium 1 Light Post Mount
Z285-TB

W 9.5" H 20.5"
60 Watt Medium Base
Clear Beveled Glass

WET RATED



Small 1 Light Wall Mount
Z260-TB

W 6.5" H 16" E 7"
Backplate W 4.5" H 5.75"
60 Watt Medium Base
Clear Beveled Glass



WET RATED

BENT GLASS

FEATURES

- Clear Beveled Glass
- Wall Mounts & Post Mounts are Wet Rated
Flushmounts are Damp Rated

FINISHES

Small 1 Light Wall Mount
Z150-TB

W 8" H 16" E 8.5"
Backplate W 4.5" H 5"
60 Watt Medium Base
Clear Glass

WET RATED



1 Light Post Mount
Z255-TB

W 9.5" H 22"
60 Watt Medium Base
Clear Beveled Glass

WET RATED



Medium 1 Light Wall Mount
Z254-TB

W 9.5" H 18.25" E 9.75"
Backplate W 4.5" H 7.25"
60 Watt Medium Base
Clear Beveled Glass

WET RATED



3 Light Post Mount
Z555-TB

W 12.8" H 27.5"
60 Watt Candelabra
Clear Beveled Glass


WET RATED

STRAIGHT GLASS

FEATURES

- Wet Rated

FINISHES






Round 10" Large 1 Light Flush/Wall Mount
Z395-TB

W 10" H 5.6"
Backplate DIA 10"
60 Watt Medium Base
Frosted Halophane
Finishes Available: SS, TB, & TW


WET RATED



Round 8" Small 1 Light Flush/Wall Mount
Z394-TB

W 8" H 4.5"
Backplate DIA 8"
60 Watt Medium Base
Frosted Halophane
Finishes Available: TB & TW

WET RATED



Oval Small 1 Light Flush/Wall Mount
Z396-SS

L 5" W 8.5" H 4.5"
Backplate W 8.5" L 5"
60 Watt Medium Base
Frosted Halophane
Finishes Available: SS, TB, & TW

WET RATED



Octagon Small 1 Light Flush/Wall Mount
Z390-TB

W 8.5" H 4.5"
Backplate DIA 8.5"
60 Watt Medium Base
White Frosted Glass
Finishes Available: TB


DAMP RATED

BULKHEADS

FEATURES

- Can Be Wall or Ceiling Mounted
- Z390 is Damp Rated
Z394, Z395, & Z396 are Wet Rated

FINISHES




Large 2 Light Round Wall/Ceiling Mount
ZA5912-TW

W 10" H 10" E 3.94"
Backplate DIA 9.5"
40 Watt Candelabra
8.35" White Frosted Glass

WET RATED



Small 1 Light Round Wall/Ceiling Mount
ZA5902-TB

W 8" H 8" E 3.94"
Backplate DIA 7.63"
60 Watt Candelabra
6.69" White Frosted Glass

WET RATED



Large 2 Light Rectangular Wall/Ceiling Mount
ZA6112-TB

W 7.13" H 14" E 3.94"
Backplate W 6.88" H 13.75"
60 Watt Candelabra
5.91" White Frosted Glass

WET RATED



Small 1 Light Rectangular Wall/Ceiling Mount
ZA6102-TW

W 5" H 10" E 3.94"
Backplate W 4.92" H 9.88"
60 Watt Candelabra
3.86" White Frosted Glass


WET RATED

BULKHEADS

FEATURES

- White Frosted Glass Shade
- Can be Wall or Ceiling Mounted
- ADA Compliant
- Wet Rated

FINISHES






Pendants & Foyers

Visual Index	180
Lookbook	183
1 Light Pendants	199
Angela	190
Avante Grand	191
Blake	189
Chardonnay	198
Claire	191
Connell	190
Context	196
Council	190
Danbury	200
Elliot	200
Flynt	196
Fortuna	198
Foxwood	201
Gaze	195
Holmes	195
Isabel	189
Keira	189
Kensey	193
Lyndsey	191
Museo	197
Natural Pendants	199
Pendant Kit	201
Pleated	188
Pully Pendants	201
Reflection	188
Reveal	198
Sculptural Statement	192
Serena	193
Smyth	198
Timarron	201
Watson	195
Whittley	189
Ventura Dome	194


PENDANTS & FOYERS VISUAL INDEX



1 LIGHT PENDANTS
PXXXXXXX
Page 199-200




ANGELA
599XX
Page 190




AVANTE GRAND
569XX
Page 191

NEW




BLAKE
609XX
Page 189

NEW




ISABEL
60855
Page 189


NEW




KEIRA
613XX
Page 189



KENSEY
590XX
Page 193



LYNDSEY
602XX
Page 191




CHARDONNAY
558XX
Page 198




CLAIRE
605XX
Page 191


NEW




CONNELL
604XX
Page 190




CONTEXT
593XX
Page 196



MUSEO
486XX
Page 197




NATURAL PENDANTS
PXXXX
Page 199




PENDANT KIT
CPMXX
Page 201


NEW




PLEATED
611XX
Page 188




COUNCIL
603XX
Page 190




DANBURY
367XX
Page 200



ELLIOT
553XX
Page 200




FLYNT
529XX
Page 196



PULLY PENDANTS
CPMKXX
Page 201


NEW




REFLECTION
612XX
Page 188




REVEAL
592XX
Page 198



SCULPTURAL STATEMENT
P10XX
Page 192




FORTUNA
582XX
Page 198




FOXWOOD
536XX
Page 201




GAZE
568XX
Page 195




HOLMES
P996SB
Page 195




SERENA
585XX
Page 193



SMYTH
P96XX
Page 198



TIMARRON
359XX
Page 201



WATSON
P995SB
Page 195

PENDANTS & FOYERS VISUAL INDEX CONTINUED



WHITLEY
601XX
Page 189



VENTURA DOME
591XX
Page 194



Gaze
Page 195



Sculptural Statement
Page 192



Sculptural Statement
Page 192



Reveal
Page 198



Ventura Dome
Page 194



Pleated
Page 186



Context
Page 196



Kensley
Page 193

NEW



Pleated 1 Light Pendant
61192-CPZ
W 14" H 16.63"
3x12", 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 14"
See Full Pleated Collection on Page 82, Finishes Available: CPZ & FB

NEW



Pleated 1 Light Mini Pendant
61191-FB
W 7.13" H 11.4"
3x12", 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 7.13"
See Full Pleated Collection on Page 82, Finishes Available: CPZ & FB

NEW



Reflection 1 Light Mini Pendant
61291-FB
W 8" H 11.5"
3x12" & 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 8"
See Full Reflection Collection on Page 38, Finishes Available: CPZ & FB

NEW



Reflection 1 Light Pendant
61292-CPZ
W 12" H 16"
3x12" & 1x6" Downrods, 6' Chain
60 Watt Medium Base
Glass DIA 12"
See Full Reflection Collection on Page 38, Finishes Available: CPZ & FB

NEW



Keira 3 Light Pendant
61393W-SB
W 20.5" H 21.5"
1x6" & 3x12" Downrods, 4' Chain
60 Watt Candelabra
White Rope
See Full Keira Collection on Page 42

NEW



Keira 1 Light Pendant
61391-SB
W 16" H 15"
1x6" & 3x12" Downrods, 4' Chain
60 Watt Medium Base
Natural Rope
See Full Keira Collection on Page 42

NEW



Isabel 5 Light Convertible Semi-Flushmount/Pendant
60855-SB
W 32" H 11.25"
2x12" & 2x6" Downrods
60 Watt Medium Base
Metal Shade DIA 32"
See Full Isabel Collection on Page 39

NEW



Whittley 1 Light Pendant
60192-SB
W 6" H 12"
Canopy DIA 5"
10' Cord
1x6" & 3x12" Downrods
60 Watt Medium Base
6" Fluted Glass
See Full Whittley Collection on Page 84

NEW



Blake 1 Light Pendant
60991-FBSB
W 11" H 9"
Canopy DIA 5"
2x12" & 2x6" Downrods
60 Watt Medium Base
Metal Shade DIA 11"
See Full Blake Collection on Page 40

NEW




Whittley 1 Light Mini Pendant
60191-SB
W 5" H 9.88"
Canopy DIA 5"
10' Cord
1x6" & 3x12" Downrods
60 Watt Medium Base
3.25" Flute Glass
See Full Whittley Collection on Page 84



Angela 1 Light Mini Pendant
59991-SB

W 5.5" H 12", 10' 2" Cord
Canopy W 4.75" H 4.75
60 Watt Medium Base
3.88" White Art Glass
See Full Angela Collection on Page 46



Council 1 Light Pendant
60391-FBSB

W 7" H 13.5" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrods
60 Watt Medium Base
7" White Frosted Glass
See Full Council Collection on Page 88



Lyndsey 1 Light Mini Pendant
60291-FB

W 5" H 20.75" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
4.5" Textured Clear Glass
See Full Lyndsey Collection on Page 44, Finishes Available: BNK & FB



Lyndsey 1 Light Pendant
60292-BNK

W 10" H 26.5" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
10" Textured Clear Glass
See Full Lyndsey Collection on Page 44, Finishes Available: BNK & FB

NEW



Connell 1 Light Pendant
60492-FB

W 10" H 10.5"
Canopy DIA 5", 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
10" Clear Glass
See Full Connell Collection on Page 90, Finishes Available: BNK & FB



Connell 1 Light Mini Pendant
60491-BNK

W 5" H 20" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
5" Clear Glass
See Full Connell Collection on Page 90, Finishes Available: BNK & FB




Claire 1 Light Mini Pendant
60591-SB

W 6.5" H 21.75" Canopy DIA 5"
6' Chain, 10' Cord, 1 x 12" Downrod
60 Watt Medium Base
6.5" Clear Bubble Glass
See Full Claire Collection on Page 86, Finishes Available: SB & FB




Avante Grand
1 Light Mini Pendant
56991-FBSB

W 5" H 14"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
5" Clear Glass
*See Full Avante Grand
Collection on Page 50*



Avante Grand
1 Light Pendant
56992-FBSB


W 9" H 12.5"
Canopy DIA 5"
6' Chain, 10' Cord
60 Watt Medium Base
9" Clear Glass
*See Full Avante Grand
Collection on Page 50*



Sculptural Statement
Dome Pendant
P1000FB-LED

W 23.25" H 10.63" Canopy DIA 5.5"
2x6" & 2x12" Downrods
30 Watt Dimmable LED
3000K, 900 Lumens
Finishes Available: FB


DAMP RATED



Sculptural Statement
Dome Pendant
P1001FB-LED


W 34.75" H 15.13" Canopy DIA 5.5"
2x6" & 2x12" Downrods
40 Watt Dimmable LED
3000K, 1200 Lumens
Finishes Available: FB

DAMP RATED



Sculptural Statement
Dome Pendant Metal Mesh
P1005BNK-LED

W 24.25" H 12.25" Canopy DIA 5"
2x6" & 2x12" Downrods
18 Watt Dimmable LED
3000K, 720 Lumens
Finishes Available: FB (Damp Rated), SB, BNK



Sculptural Statement
Dome Pendant Metal Mesh
P1006SB-LED

W 24.25" H 16" Canopy DIA 5"
2x6" & 2x12" Downrods
18 Watt Dimmable LED
3000K, 720 Lumens
Finishes Available: FB (Damp Rated), SB, BNK



Sculptural Statement
Dome Pendant Perforated Metal
P1010FBMG-LED

W 19" H 14.38" Canopy DIA 5"
2x6" & 2x12" Downrods
18 Watt Dimmable LED
3000K, 720 Lumens
Finishes Available: FBMG & MWMG


DAMP RATED



Sculptural Statement
Dome Pendant Perforated Metal
P1011MWWWG-LED

W 31.25" H 25.38" Canopy DIA 5.5"
2x6" & 2x12" Downrods
40 Watt Dimmable LED
3000K, 1200 Lumens
Finishes Available: FBMG & MWMG

DAMP RATED




Kensey 6 Light
Pendant
59096-FB

W 24" H 19.13"
Canopy DIA 5.91"
6" 6" Cord, 2x6" & 2x12"
Downrods
60 Watt Medium Base

Finishes Available: FB, SB

See Full Kensey
Collection on Page 48



Kensey 1 Light
Mini Pendant
59091-SB

W 9.13" H 14.75"
Canopy DIA 5.88"
6" 6" Cord, 2x6" & 2x12"
Downrods
60 Watt Medium Base

Finishes Available: FB, SB

See Full Kensey
Collection on Page 48




Serena 6 Light
Pendant
58596-FBWAL

W 24.13" H 21.5"
Canopy DIA 5.12"
60 Watt Medium Base
24.13" Rope Wrapped
Shade with 15.75" Glass
Shade

Finishes Available:
FBWAL, CHWAL

See Full Serena
Collection on Page 43




Serena 1 Light
Mini Pendant
58591-CHWAL

W 12.13" H 14.5"
Canopy DIA 5.12"
60 Watt Medium Base
12.13" Rope Wrapped Shade
with 3.94" Glass Shade

Finishes Available:
FBWAL, CHWAL

See Full Serena
Collection on Page 43




Ventura Dome Large Pendant
59192-BCY

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Large Pendant
59192-DB

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED



Ventura Dome Large Pendant
59192-FB

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Large Pendant
59192-CW

W 20" H 13.25"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Small Pendant
59191-BCY

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Small Pendant
59191-DB

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Small Pendant
59191-FB

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28

DAMP RATED




Ventura Dome Small Pendant
59191-CW

W 7.5" H 7.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base

Finishes Available:
BCY, CW, DB, & FB

See Full Ventura Dome Collection on Page 28


DAMP RATED



Watson P995SB-LED

W 15.75" H 20.5"
6' Cord, Canopy DIA 6"
15 Watt Dimmable LED, 3000K, 600 Lumens
15.75" Clear Glass


See Full Watson Collection on Page 18



Holmes P996SB-LED

W 10" H 23.63"
6' Cord, Canopy DIA 6"
15 Watt Dimmable LED, 3000K, 600 Lumens
10" Clear Glass

See Full Holmes Collection on Page 18



Gaze Small Pendant 56891-SB

W 10" H 10.88"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
10" Clear Glass Globe

Finishes Available:
CH, FB, & SB

See Full Gaze Collection on Page 26



Gaze Medium Pendant 56892-CH-WG

W 11.88" H 12.8"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
11.88" White Frosted Globe

Finishes Available:
CH, FB, & SB

See Full Gaze Collection on Page 26



Gaze Large Pendant 56893-FB-WG

W 14" H 15.13"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
14" White Frosted Globe

Finishes Available:
CH, FB, & SB

See Full Gaze Collection on Page 26



Gaze Oval Pendant 56894-CH

W 14" H 8"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
14" Clear Glass Ellipse

Finishes Available:
CH, FB, & SB

See Full Gaze Collection on Page 26



Flynt Large 4 Light Pendant
52936-FB

See Full Flynt Collection on Page 98

W 19" H 29"
Canopy L 5.88" W 5.88"
6' Chain, 7' Cord
60 Watt Candelabra



Flynt
Small 4 Light
Pendant
52934-FB

W 12" H 17.7"
Canopy L 5.5" W 5.5"
6' Chain, 7' Cord
60 Watt Candelabra

See Full Flynt
Collection on Page 98



Flynt
Medium 4 Light
Pendant
52935-FB

W 16" H 23.25"
Canopy L 5.88" W 5.88"
6' Chain, 7' Cord
60 Watt Candelabra

See Full Flynt
Collection on Page 98



Museo 28 Light Pendant
48628-SB

See Full Museo Collection on Page 96

W 48" H 71.63"
Canopy DIA 10"
6' Chain, 12' 6" Cord
40 Watt Candelabra



Context 2 Ring LED Pendant
59392-CH-LED

See Full Context Collection on Page 24

L 6.5" W 5.13" H 14.5"
Canopy DIA 5.12", 8' Cord
10 Watt Dimmable LED
3000K, 360 Lumens
Finishes Available: CH & FB



Context 3 Ring LED Pendant
59393-FB-LED

See Full Context Collection on Page 24

L 6.5" W 5.13" H 21"
Canopy DIA 5.12", 8' Cord
15 Watt Dimmable LED
3000K, 540 Lumens
Finishes Available: CH & FB



Museo 9 Light Pendant
48696-SB

See Full Museo Collection on Page 96

W 24" H 28"
Canopy DIA 6.25"
6' Chain, 10' Cord
40 Watt Candelabra



Museo 12 Light Pendant
48690-SB

See Full Museo Collection on Page 96


W 29.5" H 32"
Canopy DIA 6.25"
6' Chain, 10' Cord
40 Watt Candelabra



Fortuna
1 Light Mini Pendant
58291-SB

W 8" H 13"
Canopy DIA 5.12"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
8" White Linen Shade

See Full Fortuna
Collection on Page 92



Chardonay
5 Light Pendant
55895-FB

W 19.63" H 17.75"
Canopy DIA 5"
6' Cord
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra
19.63" Clear Glass

Finishes Available:
F, & SB


See Full Chardonay
Collection on Page 49



Fortuna
4 Light Foyer
58234-SB

W 19" H 33.75"
Canopy DIA 5.12"
6' Chain, 10' Cord
60 Watt Candelabra

See Full Fortuna
Collection on Page 92



Chardonay
3 Light Pendant
55893-FB

W 13.25" H 14"
Canopy DIA 5"
6' Cord
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra
13.25" Clear Glass

Finishes Available:
FB & SB

See Full Chardonay
Collection on Page 49



Reveal
1 Light Mini Pendant
59291-CH

W 7.68" H 11"
Canopy DIA 5.88"
6' Cord, 2x6" & 2x12"
Downrods
60 Watt Medium Base

See Full Reveal
Collection on Page 22



Chardonay
1 Light Pendant
55891-FB

W 8.88" H 13"
Canopy DIA 5"
6' Cord
2 x 6" & 2 x 12" Downrods
60 Watt Candelabra
8.88" Clear Glass

Finishes Available:
FB & SB

See Full Chardonay
Collection on Page 49



Smyth
1 Light Pendant
P960FB1


W 10.5" H 10.75"
Canopy DIA 5.5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
10.5" Clear Seeded Glass

Finishes Available:
BNK & FB



1 Light Mini Pendant
P716MBK1

W 6" H 17"
Canopy DIA 4.75"
10' Cord
60 Watt Medium Base



Natural Pendant with Woven Shade
P2009-FB

W 11.88" H 15.75"
Canopy DIA 4.72"
10' Cord
60 Watt Medium Base

DAMP RATED



1 Light Pendant
P455AGC1

W 5.75" H 11.38"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
5.75" Clear Water Glass



1 Light Pendant
P435ESP1

W 6" H 12"
Canopy DIA 5"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
6" Clear Glass



Natural Pendant with Woven Rattan Shade
P920MBK1

W 18" H 17.75"
Canopy DIA 4.75"
10' Cord
60 Watt Medium Base


DAMP RATED



Natural Pendant with Woven Sea Grass Dome
P2005-NT

W 22" H 13.75"
Canopy DIA 4.72"
10' Cord
60 Watt Medium Base

DAMP RATED



Natural Pendant with Woven Wood Orb
P2001-NT

W 16.5" H 11.88"
Canopy DIA 4.72"
10' Cord
60 Watt Medium Base

DAMP RATED



Elliot 5 Light Pendant
55395-SB
W 16.38" H 20.13"
Canopy DIA 5"
6' Chain, 7' Cord
60 Watt Medium Base
15" Clear Glass

Finishes Available: BNK, FB, & SB

See Full Elliot Collection on Page 63



Danbury 1 Light Mini Pendant
36791-MBK
W 8" H 10.25"
Canopy DIA 6"
7' Cord
1 x 6" & 4 x 12" Downrods
60 Watt Medium Base
7.25" Hard Back Organza

See Full Danbury Collection on Page 60



1 Light Pendant
P725BNK1
W 6.63" H 13"
Canopy DIA 4.75"
10' Cord
60 Watt Medium Base
6.63" Hammered Glass



Danbury 5 Light Pendant
36795-MBK
W 25.4" H 8.25"
Canopy DIA 6"
7' Cord
1 x 6" & 4 x 12" Downrods
60 Watt Candelabra
24.75" Hard Back Organza

See Full Danbury Collection on Page 60



UNLIT LIT

1 Light Pendant
P720BNK1
W 6" H 12.5"
Canopy DIA 4.75"
10' Cord
60 Watt Medium Base
6" Burst Glass



1 Light Pendant
P726BNK1
W 9" H 17"
Canopy DIA 4.75"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
9" Hammered Glass



1 Light Pendant
P600CH1
W 10.5" H 17.25"
Canopy DIA 4.75"
10' Cord
60 Watt Medium Base
10.5" Clear Glass



1 Light Pendant
P445BNK1
W 6" H 18.5"
Canopy DIA 5"
10' Cord
60 Watt Medium Base
6" Clear Glass



2 Light Pendant
CPMKP-2ABZ
W 7.5" H 19.25"
Canopy DIA 4.8"
10' Cord
60 Watt Medium Base



1 Light Wall Sconce
CPMKPW-1ABZ
W 5" H 11.25" E 6.25"
Backplate DIA 5"
10' Cord
60 Watt Medium Base



Timarron 1 Light Pendant
35993-LB
W 20" H 17.62"
Canopy DIA 5.71"
6' Chain, 10' Cord
60 Watt Medium Base
20" Metal Shade

Finishes Available: ABZ, AN, & LB

See Full Timarron Collection on Page 62



Timarron 1 Light Mini Pendant
35991-AN
W 7.5" H 7.63"
Canopy DIA 5.71"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
7.5" Metal Shade

Finishes Available: ABZ, AN, & LB

See Full Timarron Collection on Page 62



Foxwood 1 Light Mini Pendant
53691-FBDT
W 5.13" H 7.87"
Canopy DIA 5.12"
8' Cord
60 Watt Medium Base
4.88" Clear Glass

Finishes Available: FBDT

See Full Foxwood Collection on Page 72



Pendant Kit
CPM-JBZ
W 5.12" H 2.5"
Canopy DIA 5.12"
8' Cord
60 Watt Medium Base

Finishes Available: JBZ & MBK




Vanities

Visual Index	204
Lookbook	208
Alamere	225
Alina	213
Andie	215
Avante Grand	235
Bond Street	216
Bolden	228
Bretton	224
Chicago	230
Claire	218
Clark	218
Connell	219
Context	221
Contrast	213
Coppa	222
Council	220
Dardyn	226
District	233
Drake	233
Dunn	227
Elsa	223
Emilio	217
Essex	227
Fortuna	235
Foxwood	226
Glenda	231
Glisten	224
Grace	232
Gwyneth	234
Hailie	229
Hendrix	216
Henning	229
Linear	212
Lyndsey	219
McClane	223
Melody	221
Modina	236
Pleated	214
Reeves	222
Reflection	214
Reveal	225
Rori	215
Shayna	230
Stellen	217
Stowe	232
Thatcher	234
Trim	212
Trystan	231
Tyler	228
Wrenn	220

VANITY LIGHTING VISUAL INDEX



ALAMERE
159XXX
Page 225



ALINA
201XXX
Page 213

NEW



ANDIE
206XXX
Page 215




AVANTE GRAND
569XXX
Page 235




DISTRICT
123XXX
Page 233




DRAKE
196XXX
Page 233




DUNN
121XXX
Page 227



ELSA
163XXX
Page 223




BOND STREET
118XXX
Page 216




BOLDEN
505XXX
Page 228



BRETTON
129XXX
Page 224




CHICAGO
531XXX
Page 230




EMILIO
126XXX
Page 217



ESSEX
195XXX
Page 227



FORTUNA
582XXX
Page 235




FOXWOOD
536XXX
Page 226



CLAIRE
605XXX
Page 218




CLARK
204XXX
Page 218



CONNELL
604XXX
Page 219




CONTEXT
593XXX
Page 221




GLENDA
562XXX
Page 231




GLISTEN
151XXX
Page 224



GRACE
419XXX
Page 232




GWYNETH
504XXX
Page 234




CONTRAST
202XXX
Page 213



COPPA
187XXX
Page 222




COUNCIL
603XXX
Page 220



DARDYN
498XXX
Page 226



HAILIE
556XXX
Page 229



HENDRIX
176XXX
Page 216











HENNING
127XXX
Page 229



LINEAR
203XXX
Page 212

VANITY LIGHTING VISUAL INDEX CONTINUED












Connell
Page 219



Hendrix
Page 216



Trim
Page 212




TRIM

FEATURES

- Horizontal or Vertical Wall Mount
- ADA Compliant
- Damp Rated

FINISHES






LINEAR

FEATURES

- White Frosted Glass
- Horizontal or Vertical Wall Mount
- ADA Compliant
- Damp Rated

FINISHES




ALINA

FEATURES

- White Frosted Glass
- Horizontal or Vertical Mount
- ADA Compliant
- Damp Rated

FINISHES





CONTRAST

FEATURES

- Clear Outer Glass & White Frosted Inner Glass
- Horizontal or Vertical Wall Mount
- ADA Compliant
- Damp Rated

FINISHES





3 Light Vanity
61203-FB



W 24" H 11" E 7.13"
Backplate DIA 5"
60 Watt Candelabra Base
Textured Glass DIA 6"

REFLECTION NEW

FEATURES

- Up or Down Wall Mount
- Damp Rated
- See Full Lyndsey Collection on Page 38

FINISHES



3 Light Vanity
61203-CPZ

W 24" H 11" E 7.13"
Backplate DIA 5"
60 Watt Candelabra Base
Textured Glass DIA 6"



3 Light Vanity
61103-FB


W 25" H 10.75" E 8.13"
Backplate DIA 5"
60 Watt Medium Base
Glass DIA 7.13"

PLEATED NEW

FEATURES

- Up or Down Wall Mount
- Damp Rated
- See Full Lyndsey Collection on Page 82

FINISHES



1 Light Sconce
61101-FB

W 7.13" H 10.4" E 8.13"
Backplate DIA 5"
60 Watt Medium Base
Glass DIA 7.13"



2 Light Vanity
61102-CPZ

W 16.9" H 10.75" E 8.13"
Backplate DIA 5"
60 Watt Medium Base
Glass DIA 7.13"



4 Light Vanity
61104-FB

W 34" H 10.75" E 8.13"
Backplate DIA 5"
60 Watt Medium Base
Glass DIA 7.13"



3 Light Vanity
20624FB3


W 24" H 8" E 6.25"
Backplate W 22.88" H 5"
60 Watt Medium Base
4.75" Clear Glass

ANDIE NEW

FEATURES

- Up or Down Wall Mount
- Clear Glass
- Damp Rated

FINISHES




1 Light Wall Sconce
20605SB1

W 5" H 9" E 6.25"
Backplate W 5" H 9"
60 Watt Medium Base
4.75" Clear Glass



2 Light Vanity
20614FB2

W 14" H 8" E 6.25"
Backplate W 13" H 5"
60 Watt Medium Base
4.75" Clear Glass



4 Light Vanity
20628SB4

W 28" H 8" E 6.25"
Backplate W 26.88" H 5"
60 Watt Medium Base
4.75" Clear Glass



3 Light Vanity
17720FB3

W 20.25" H 6.5" E 6.75"
Backplate W 20.25" H 5.25"
60 Watt Medium Base
4.33" Clear Glass



1 Light Wall Sconce
17705FB1


W 5.25" H 6.5" E 6.75"
Backplate W 5.25" H 6.5"
60 Watt Medium Base
4.33" Clear Glass

RORI

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES



2 Light Vanity
17712PLN2

W 12.38" H 6.5" E 6.75"
Backplate W 12.4" H 5.25"
60 Watt Medium Base
4.33" Clear Glass



4 Light Vanity
17728PLN4

W 28.25" H 6.5" E 6.75"
Backplate W 28.25" H 5.25"
60 Watt Medium Base
4.33" Clear Glass





HENDRIX

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES



BOND STREET

FEATURES

- Clear Ribbed Glass
- Up or Down Wall Mount
- Damp Rated
- T Type Bulb is Recommended

FINISHES






EMILIO

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES





STELLEN

FEATURES

- Clear Seeded Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES






CLARK

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES





LYNDSEY

FEATURES

- Textured Clear Glass
- Up or Down Wall Mount
- See Full Lyndsey Collection on Page 44
- Damp Rated

FINISHES





CLAIRE

FEATURES

- Clear Bubble Glass
- Up or Down Wall Mount
- See Full Claire Collection on Page 86
- Damp Rated

FINISHES





CONNELL

FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Connell Collection on Page 90
- Damp Rated

FINISHES







COUNCIL

FEATURES

- White Frosted Glass
- Up or Down Wall Mount
- See Full Council Collection on Page 88
- Damp Rated

FINISHES





WRENN

FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Wrenn Collection on Page 56
- Damp Rated

FINISHES




MELODY

FEATURES

- Frosted Lens Cover
- Horizontal or Vertical Wall Mount
- ADA Compliant
- Indoor Rated

FINISHES






CONTEXT

FEATURES

- See Full Context Collection on Page 24
- ADA Compliant
- Damp Rated


FINISHES






3 Light Vanity
18719FBSB3

W 18.5" H 9" E 6.25"
Backplate DIA 4.75"
60 Watt Medium Base
4.75" Clear Glass



1 Light Wall Sconce
18705FBSB1

W 4.75" H 9" E 6.25"
Backplate DIA 4.75"
60 Watt Medium Base
4.75" Clear Glass



2 Light Vanity
18712FBSB2


W 11.5" H 9" E 6.25"
Backplate DIA 4.75"
60 Watt Medium Base
4.75" Clear Glass

COPPA

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES




4 Light Vanity
18726FBSB4

W 25.5" H 9" E 6.25"
Backplate DIA 4.75"
60 Watt Medium Base
4.75" Clear Glass



5 Light Vanity
18733FBSB5

W 32.5" H 9" E 6.25"
Backplate DIA 4.75"
60 Watt Medium Base
4.75" Clear Glass



3 Light Vanity
17423CH3

W 23" H 7.75" E 6.25"
Backplate W 22.99" H 4.49"
60 Watt Medium Base
4.33" Clear Glass



1 Light Wall Sconce
17405FB1

W 4.5" H 7.75" E 6.25"
Backplate W 4.49" H 6.5"
60 Watt Medium Base
4.33" Clear Glass



2 Light Vanity
17414CH2


W 14" H 7.75" E 6.25"
Backplate W 13.25" H 4.49"
60 Watt Medium Base
4.33" Glass Type

REEVES

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES




4 Light Vanity
17432FB4

W 32" H 7.75" E 6.25"
Backplate W 31.97" H 4.49"
60 Watt Medium Base
4.33" Clear Glass



5 Light Vanity
17441CH5

W 41" H 7.75" E 6.25"
Backplate W 40.94" H 4.49"
60 Watt Medium Base
4.33" Clear Glass



3 Light Vanity
18524FB3

W 24.25" H 7.63" E 6.5"
Backplate W 23.39" H 4.75"
60 Watt Medium Base
4.25" Clear Glass



1 Light Wall Sconce
18506BNK1


W 5.5" H 8" E 6.5"
Backplate W 4.75" H 7.25"
60 Watt Medium Base
4.25" Clear Glass

McCLANE

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES




2 Light Vanity
18514FB2

W 14" H 7.63" E 6.5"
Backplate W 13.25" H 4.75"
60 Watt Medium Base
4.25" Clear Glass




4 Light Vanity
18532BNK4

W 32" H 7.63" E 6.5"
Backplate W 31.25" H 4.75"
60 Watt Medium Base
4.25" Clear Glass




3 Light Vanity
16323BNK3

W 22.5" H 9" E 7.5"
Backplate L 22.44" H 4.72"
60 Watt Medium Base
5.5" Clear Glass



1 Light Wall Sconce
16306FB1

W 5.5" H 9" E 7.5"
Backplate W 4.72" H 6.5"
60 Watt Medium Base
5.5" Clear Glass



2 Light Vanity
16314BNK2



W 14" H 9" E 7.5"
Backplate W 13.98" H 4.72"
60 Watt Medium Base
5.5" Clear Glass

ELSA

FEATURES


- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES

4 Light Vanity
16331FB4

W 31" H 9" E 7.5"
Backplate W 30.91" H 4.72"
60 Watt Medium Base
5.5" Clear Glass



5 Light Vanity
16340BNK5

W 39.5" H 9" E 7.5"
Backplate W 39.37" H 4.72"
60 Watt Medium Base
5.5" Clear Glass




3 Light LED Vanity
15122SB-LED

W 21.5" H 7.28" E 4.13"
Backplate L 20.88" H 4.53"
21 Watt Dimmable LED
3000K, 750 Lumens



1 Light LED
Wall Sconce
15106BNK-LED

W 5.5" H 7.28" E 4.13"
Backplate DIA 4.53"
7 Watt Dimmable LED
3000K, 250 Lumens



3 Light LED Vanity
15921BNK-LED

W 20.88" H 5" E 4"
Backplate W 20.25" H 4.5"
21 Watt Dimmable LED
3000K, 750 Lumens



1 Light LED
Wall Sconce
15905SB-LED


W 5" H 5" E 4"
Backplate W 4.33" H 4.5"
7 Watt Dimmable LED
3000K, 250 Lumens

GLISTEN

FEATURES

- Clear Fizz Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES

2 Light LED Vanity
15114SB-LED

W 13.5" H 7.28" E 4.13"
Backplate W 13" H 4.53"
14 Watt Dimmable LED
3000K, 500 Lumens



4 Light LED Vanity
15130BNK-LED


W 29.53" H 7.28" E 4.13"
Backplate W 24.8" H 4.53"
28 Watt Dimmable LED
3000K, 1000 Lumens

ALAMERE

FEATURES

- Clear Fizz Glass
- Up or Down Wall Mount
- ADA Compliant
- Damp Rated

FINISHES

2 Light LED Vanity
15913BNK-LED

W 13" H 5" E 4"
Backplate W 12.2" H 4.5"
14 Watt Dimmable LED
3000K, 500 Lumens



4 Light LED Vanity
15929SB-LED

W 29" H 5" E 4"
Backplate W 25.75" H 4.5"
28 Watt Dimmable LED
3000K, 1000 Lumens



3 Light Vanity
12920SB3

W 20.25" H 8" E 6"
Backplate W 6.5" H 4.75"
60 Watt Medium Base
4.5" White Frosted Glass



1 Light Wall Sconce
12905PLN1

W 4.75" H 8" E 6"
Backplate W 4.75" H 6.5"
60 Watt Medium Base
4.5" White Frosted Glass



3 Light
Semi Flush
59253-CH

W 16.38" H 15.63"
Canopy DIA 5.88"
60 Watt Medium Base



1 Light
Wall Sconce
59201-CH


W 7.75" H 11" E 4.5"
Backplate W 5.91" H 8.63"
60 Watt Medium Base

BRETTON

FEATURES

- White Frosted Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES




2 Light Vanity
12912SB2

W 12.4" H 8" E 6"
Backplate W 6.5" H 4.75"
60 Watt Medium Base
4.5" White Frosted Glass



4 Light Vanity
12928PLN4

W 28.13" H 8" E 6"
Backplate W 6.5" H 4.75"
60 Watt Medium Base
4.5" White Frosted Glass

REVEAL

FEATURES

- Clear Acrylic Rods
- Vanities are Damp Rated,
Semi-Flushmount is Indoor Rated
- See Full Reveal Collection on Page 22

FINISHES




3 Light Vanity
59203-CH

W 26" H 9" E 5.25"
Backplate W 26" H 5.91"
60 Watt Medium Base



4 Light Vanity
59204-CH

W 34.25" H 9" E 5.25"
Backplate W 34.25" H 5.91"
60 Watt Medium Base



**3 Light Vanity
49803-FB-C**

W 21.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass



**1 Light Wall Sconce
49801-BNK**

W 5.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" White Frosted Glass

DARDYN

FEATURES

- BNK Finish Available in Clear Glass or White Frosted Glass
Add -C to end of Model Number for Clear Glass
- FB Finish is Only Available in Clear Glass
- Up or Down Wall Mount
- See Full Dardyn Collection on Page 68
- Damp Rated

FINISHES

- BRUSHED POLISHED NICKEL
- FLAT BLACK



**2 Light Vanity
49802-FB-C**

W 13.38" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass



**4 Light Vanity
49804-BNK-C**

W 29.5" H 11.13" E 6.5"
Backplate DIA 5.5"
60 Watt Medium Base
4.33" Clear Glass




**3 Light Vanity
53603-FBDT**

W 20.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass



**1 Light Wall Sconce
53601-FBDT**

W 5" H 9.5" E 6.88"
Backplate W 5" H 6.5"
60 Watt Medium Base
4.88" Clear Glass



**2 Light Vanity
53602-FBDT**

W 12.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass

FOXWOOD

FEATURES

- Clear Glass
- Down Wall Mount
- See Full Foxwood Collection on Page 72
- Damp Rated


FINISHES

- FLAT BLACK & DARK TEAK



**4 Light Vanity
53604-FBDT**

W 28.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass



**5 Light Vanity
53605-FBDT**

W 36.88" H 9.5" E 6.88"
Backplate W 6.5" H 5"
60 Watt Medium Base
4.88" Clear Glass



**3 Light Vanity
19528SB3**

W 27.75" H 11" E 9"
Backplate DIA 5.5"
60 Watt Medium Base
7" Clear Glass



**2 Light Vanity
19518BNK2**

W 17.5" H 11" E 9"
Backplate DIA 5.5"
60 Watt Medium Base
7" Clear Glass


ESSEX

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated


FINISHES

- BRUSHED POLISHED NICKEL
- FLAT BLACK
- SATIN BRASS




**4 Light Vanity
19538FB4**

W 38" H 11" E 9"
Backplate DIA 5.5"
60 Watt Medium Base
7" Clear Glass




**5 Light Vanity
19548SB5**

W 48.25" H 11" E 9"
Backplate DIA 5.5"
60 Watt Medium Base
7" Clear Glass



**3 Light Vanity
12123BNK3**

W 22.75" H 7.88" E 5.88"
Backplate W 5.13" H 5.13"
60 Watt Medium Base



**1 Light Wall Sconce
12105FB1**

W 5.13" H 7.88" E 5.88"
Backplate W 5.13" H 5.13"
60 Watt Medium Base



**2 Light Vanity
12113BNK2**

W 13.25" H 7.88" E 5.88"
Backplate W 5.13" H 5.13"
60 Watt Medium Base


DUNN

FEATURES

- Up or Down Wall Mount
- Damp Rated

FINISHES

- BRUSHED POLISHED NICKEL
- FLAT BLACK



**4 Light Vanity
12132FB4**

W 31.75" H 7.88" E 5.88"
Backplate W 5.13" H 5.13"
60 Watt Medium Base



**5 Light Vanity
12141BNK5**

W 40.88" H 7.88" E 5.88"
Backplate W 5.13" H 5.13"
60 Watt Medium Base




BOLDEN

FEATURES

- Available in Clear Seeded Glass or White Frosted Glass
Add -WG to end of Model Number for White Frosted Glass
- White Frosted Glass Not Available with SB Finish
- Up or Down Wall Mount
- See Full Bolden Collection on Page 64
- Damp Rated

FINISHES





HENNING

FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES




TYLER

FEATURES

- Clear Seeded Glass
- Up or Down Wall Mount
- See Full Tyler Collection on Page 52
- Damp Rated

FINISHES



HAILIE

FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Hailie Collection on Page 54
- Damp Rated

FINISHES





3 Light Vanity
56103-FB

W 22" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.75" Clear Glass



1 Light Wall Sconce
56101-BNK

W 5" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.75" Clear Glass



3 Light Vanity
56203-FB

W 22.75" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
6" Clear Glass



1 Light Wall Sconce
56201-BNK

W 6" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
6" Clear Glass

SHAYNA


FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Shayna Collection on Page 66
- Damp Rated

FINISHES

BRUSHED POLISHED
NICKEL

FLAT BLACK



2 Light Vanity
56102-FB

W 15" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.75" Clear Glass



4 Light Vanity
56104-BNK

W 30.88" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4.75" Clear Glass

GLENDA


FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Glenda Collection on Page 100
- Damp Rated

FINISHES


BRUSHED POLISHED
NICKEL

FLAT BLACK



2 Light Vanity
56202-FB

W 14.75" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
6" Clear Glass



4 Light Vanity
56204-BNK

W 32.25" H 9.75" E 7.4"
Backplate DIA 5"
60 Watt Medium Base
6" Clear Glass



3 Light Vanity
53103-FB

W 22" H 10.25" E 5.75"
Backplate W 10" H 5.25"
60 Watt Medium Base
4" Clear Seeded Glass



4 Light Vanity
53104-BNK


W 28.25" H 10.25" E 5.75"
Backplate W 10" H 5.25"
60 Watt Medium Base
4" Clear Seeded Glass



1 Light Mini Pendant
53591-BNK
W 5.5" H 8.65"
8' Cord, Canopy DIA 4.75"
2x6" & 2x12" Downrods
60 Watt Medium Base,
5.5" Clear Glass


1 Light Wall Sconce
53501-BNK

W 5.5" H 10" E 7.5"
Backplate W 4.5" H 6.5"
60 Watt Medium Base
5.5" Clear Glass



2 Light Vanity
53502-FB

W 14" H 10" E 7.5"
Backplate W 14" H 4.75"
60 Watt Medium Base
5.5" Clear Glass



3 Light Vanity
53503-FB

W 22" H 10" E 7.5"
Backplate W 22" H 4.75"
60 Watt Medium Base
5.5" Clear Glass

CHICAGO

FEATURES

- Clear Seeded Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES

BRUSHED POLISHED
NICKEL

FLAT BLACK



5 Light Vanity
53105-FB

W 35.75" H 10.25" E 5.75"
Backplate W 10" H 5.25"
60 Watt Medium Base
4" Clear Seeded Glass

TRYSTAN


FEATURES

- Clear Glass
- Down Wall Mount
- Damp Rated

FINISHES


BRUSHED POLISHED
NICKEL

FLAT BLACK



4 Light Vanity
53504-BNK

W 30" H 10" E 7.5"
Backplate W 30" H 4.75"
60 Watt Medium Base
5.5" Clear Glass




5 Light Vanity
53505-FB

W 38" H 10" E 7.5"
Backplate W 38" H 4.75"
60 Watt Medium Base
5.5" Clear Glass




3 Light Vanity
56003-BNK

W 22" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4" Clear Glass



1 Light Wall Sconce
56001-FB

W 5" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4" Clear Glass



2 Light Vanity
56002-BNK

W 15" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4" Clear Glass



4 Light Vanity
56004-FB

W 31.13" H 10.75" E 6.5"
Backplate DIA 5"
60 Watt Medium Base
4" Clear Glass



1 Light Wall Sconce
41901-BNK-CS

W 5.13" H 8.5" E 6.5"
Backplate W 5.13" H 7.94"
60 Watt Medium Base
4.75" Clear Seeded Glass



2 Light Vanity
41902-ESP-CS

W 14" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" Clear Seeded Glass



4 Light Vanity
41904-BNK

W 27.5" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" White Frosted Glass



5 Light Vanity
41905-ESP-CS


W 37" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" Clear Seeded Glass

STOWE

FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Stowe Collection on Page 58
- Damp Rated

FINISHES



3 Light Vanity
41903-ESP

W 21" H 8" E 6.5"
Backplate W 7.88" H 5.13"
60 Watt Medium Base
4.75" White Frosted Glass

GRACE

FEATURES

- Available in Clear Seeded Glass or White Frosted Glass
Add -CS to end of Model Number for Clear Seeded Glass
- Up or Down Wall Mount
- See Full Grace Collection on Page 70
- Damp Rated

FINISHES



3 Light Vanity
12322FB3


W 22.25" H 7" E 6.5"
Backplate W 7.5" H 4.75"
60 Watt Medium Base
4" White Opal Glass

DISTRICT

FEATURES

- White Opal Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES



3 Light Vanity
19624BNK3


W 24" H 8.5" E 7.88"
Backplate DIA 5.5"
60 Watt Medium Base
5.5" Clear Seeded Glass

DRAKE

FEATURES

- Clear Seeded Glass
- Up or Down Wall Mount
- Damp Rated

FINISHES



1 Light Wall Sconce
12305BNK1

W 4.75" H 7.85" E 6.5"
Backplate W 4.75" H 7.5"
60 Watt Medium Base
4" White Opal Glass



2 Light Vanity
12314FB2

W 13.5" H 7" E 6.5"
Backplate W 7.5" H 4.75"
60 Watt Medium Base
4" White Opal Glass



4 Light Vanity
12331BNK4

W 31.25" H 7" E 6.5"
Backplate W 7.5" H 4.75"
60 Watt Medium Base
4" White Opal Glass



1 Light Wall Sconce
19606FB1

W 5.5" H 8.5" E 6.75"
Backplate DIA 5.5"
60 Watt Medium Base
5.5" Clear Seeded Glass




2 Light Vanity
19616BNK2

W 15.5" H 8.5" E 7.88"
Backplate DIA 5.5"
60 Watt Medium Base
5.5" Clear Seeded Glass




4 Light Vanity
19633FB4

W 31.5" H 8.5" E 7.88"
Backplate DIA 5.5"
60 Watt Medium Base
5.5" Clear Seeded Glass



5 Light Vanity
19642BNK5

W 42" H 8.5" E 7.88"
Backplate DIA 5.5"
60 Watt Medium Base
5.5" Clear Seeded Glass




3 Light Vanity
50603-FBSB

W 19" H 11" E 7"
Backplate DIA 5.5"
60 Watt Medium Base



1 Light Wall Sconce
50601-FB

W 5.5" H 11" E 7"
Backplate DIA 5.5"
60 Watt Medium Base



2 Light Vanity
50602-FBSB

W 12" H 11" E 7"
Backplate DIA 5.5"
60 Watt Medium Base



4 Light Vanity
50604-FB


W 26" H 11" E 7"
Backplate DIA 5.5"
60 Watt Medium Base

THATCHER

FEATURES

- Down Wall Mount
- Damp Rated

FINISHES



FLAT BLACK



FLAT BLACK
& SATIN BRASS



3 Light Vanity
50403-FB

W 24" H 9.5" E 7"
Backplate W 24" H 4.63"
60 Watt Medium Base
5.13" Clear Seeded Glass



1 Light Wall Sconce
50401-BNK

W 5.13" H 9.5" E 7"
Backplate DIA 4.75"
60 Watt Medium Base
5.13" Clear Seeded Glass

GWYNETH


FEATURES

- Available in Clear Seeded Glass or White Frosted Glass
Add -WG to end of Model Number for White Frosted Glass
- Up or Down Wall Mount
- See Full Gwyneth Collection on Page 102
- Damp Rated

FINISHES



BRUSHED POLISHED
NICKEL



FLAT BLACK



2 Light Vanity
50402-FB-WG

W 18" H 9.5" E 7"
Backplate W 18" H 4.63"
60 Watt Medium Base
5.13" White Frosted Glass



4 Light Vanity
50404-BNK-WG

W 30" H 9.5" E 7"
Backplate W 30" H 4.63"
60 Watt Medium Base
5.13" White Frosted Glass



3 Light Vanity
56903-FBSB

W 20.5" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



1 Light Wall Sconce
56901-FBSB


W 5" H 8.75" E 7"
Backplate W 4.5" H 6.5"
60 Watt Medium Base
5" Clear Glass

AVANTE GRAND


FEATURES

- Clear Glass
- Up or Down Wall Mount
- See Full Avante Grand Collection on Page 50
- Damp Rated

FINISHES



FLAT BLACK
& SATIN BRASS



2 Light Vanity
56902-FBSB

W 12.68" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



4 Light Vanity
56904-FBSB

W 28.38" H 9" E 7"
Backplate W 6.5" H 4.5"
60 Watt Medium Base
5" Clear Glass



1 Light Wall Sconce
58261-SB

W 5.13" H 11" E 8.25"
Backplate DIA 5"
60 Watt Candelabra
5.13" White Linen Drum



2 Light Wall Sconce
58262-SB

W 12.75" H 11" E 7"
Backplate DIA 5"
60 Watt Candelabra
5.13" White Linen Drum

FORTUNA

FEATURES

- White Linen Drum Shade with Clear Acrylic Accents
- Up Wall Mount
- See Full Fortuna Collection on Page 92
- Indoor Rated

FINISHES




SATIN BRASS



1 Light Mini Pendant
58291-SB

W 8" H 13"
Canopy DIA 5.12"
10' Cord
1 x 6" & 3 x 12" Downrods
60 Watt Medium Base
8" White Linen Drum




MODINA

FEATURES

- Clear Glass Cylinder Shades
- Horizontal or Vertical Wall Mount
- 2 x 6 Watt Dimmable LED Filament Bulbs Included
- Damp Rated

FINISHES




Lyndsey
Page 219




Flushmounts

Visual Index	240
Lookbook	242
Antler	246
Avante Grand	246
Bolden	246
Danbury	246
Dardyn	246
Elliot	247
Fenn	245
Fortuna	246
Foxwood	246
Glenda	246
Grace	246
Gwyneth	245
Hailie	245
Kensey	247
LED Disk	244
LED	244
Livingston	244
Low Profile	244
Oak Street	245
Peri	245
Reveal	246
Serene	245
Slim Line II	244
Soul	245
Tyler	245
Ventura Dome	247
Whittley	246

FLUSHMOUNTS VISUAL INDEX




ANTLER
X16XX
Page 246



AVANTE GRAND
569XX
Page 246



BOLDEN
505XX
Page 246



DANBURY
367XX
Page 246

NEW



LIVINGSTON
X33XX
Page 244



LOW PROFILE
X91XX
Page 244



OAK STREET
X32XX
Page 245



PERI
X31XX
Page 245



DARDYN
498XX
Page 246



ELLIOT
553XX
Page 247




FENN
X67XX
Page 245



FORTUNA
582XX
Page 246



REVEAL
592XX
Page 246




SERENE
499XX
Page 245

NEW



SLIM LINE II
X94XX
Page 244



SOUL
X68XX
Page 245



FOXWOOD
536XX
Page 246




GLENDA
562XX
Page 246




GRACE
419XX
Page 246



GWYNETH
504XX
Page 245




TYLER
502XX
Page 245



VENTURA DOME
591XX
Page 247



WHITTELY
601XX
Page 246




HAILIE
556XX
Page 245



KENSEY
590XX
Page 247

NEW



LED DISK
X93XX
Page 244



LED FLUSHMOUNTS
X66XX
Page 244



Livingston
Page 244



Slim Line II
Page 244



Slim Line II
Page 244

NEW



Livingston 3 Light Flushmount
X3313-FB
DAMP RATED

W 13" H 5.6"
60W Candelabra Base
Frosted White Glass
Finishes Available: SB & FB

NEW



Livingston 3 Light Flushmount
X3313-SB

W 13" H 5.6"
60W Candelabra Base
Frosted White Glass
Finishes Available: SB & FB

NEW



Slim Line II LED Flushmount
X9407-FB-LED-5CCT
WET RATED

W 7" H 0.9"
Adjustable 2700-5000K
1000 Lumens
Finishes Available: FB & W

NEW



Slim Line II LED Flushmount
X9409-W-LED-5CCT
WET RATED

W 9" H 0.9"
Adjustable 2700-5000K
1200 Lumens
Finishes Available: FB & W

NEW



Slim Line II LED Flushmount
X9412-FB-LED-5CCT
WET RATED

W 12" H 0.9"
Adjustable 2700-5000K
1600 Lumens
Finishes Available: FB & W

NEW



Slim Line II LED Flushmount
X9415-W-LED-5CCT
WET RATED

W 15" H 0.9"
Adjustable 2700-5000K
2200 Lumens
Finishes Available: FB & W

NEW




4" LED Disk
X9304-W-LED
W 6" H 1.1"
3000K, 660 Lumens

Also Available:
X9304-FB-LED
4" LED Disk 3000K

X9304-W-LED-5CCT
X9304-FB-LED-5CCT
4" LED Disk Adjustable
2700K - 5000K

WET RATED

NEW




6" LED Disk
X9306-FB-LED
W 7.5" H 1.1"
3000K, 922 Lumens

Also Available:
X9306-W-LED
6" LED Disk 3000K

X9306-W-LED-5CCT
X9306-FB-LED-5CCT
6" LED Disk Adjustable
2700K - 5000K

WET RATED



Low Profile LED Downlight
X9105-W-LED
WET RATED

W 4.63" H 1"
Frosted Polycarbonate Lens
11 Watt Dimmable LED
3000K, 700 Lumens
Finishes Available: W



11" LED Flushmount
X6611-BNK-LED

W 11" H 1.5"
Frosted Lens Cover
18 Watt Dimmable LED
3000K, 900 Lumens
Finishes Available: BNK, OB, & SB



13" LED Flushmount
X6613-OB-LED

W 13" H 1.5"
Frosted Lens Cover
22 Watt Dimmable LED
3000K, 1050 Lumens
Finishes Available: BNK, OB, & SB



Fenn 9" LED Flushmount
X6709-SB-LED

W 9" H 3"
Frosted Acrylic Lens
10 Watt Dimmable LED
3000K, 468 Lumens
Finishes Available: FB & SB



Fenn 11" LED Flushmount
X6711-FB-LED

W 11" H 3"
Frosted Acrylic Lens
15 Watt Dimmable LED
3000K, 870 Lumens
Finishes Available: FB & SB



Fenn 13" LED Flushmount
X6713-SB-LED

W 13" H 3"
Frosted Acrylic Lens
20 Watt Dimmable LED
3000K, 1076 Lumens
Finishes Available: FB & SB




Oak Street 2 Light Flushmount
X3212-FB

W 11" H 5"
White Frosted Glass
60 Watt Medium Base
Finishes Available: FB
Includes BNK, FB, & SB Knobs



Oak Street 2 Light Flushmount
X3214-FB

W 13" H 6"
White Frosted Glass
60 Watt Medium Base
Finishes Available: FB
Includes BNK, FB, & SB Knobs



Oak Street 2 Light Convertible
XS3213-FB

W 13" H 13"
Canopy DIA 5.19"
60 Watt Medium Base
Finishes Available: FB
Includes BNK, FB, & SB Knobs



Soul LED Flushmount
X6813-FBBNK-LED

W 12.5" H 3.88"
Canopy DIA 7.87"
20 Watt Dimmable LED
3000K, 1100 Lumens
Finishes Available: FB, FBBNK, & FBSB



Peri 12" Flushmount
X3112-FB

W 12" H 8"
Canopy DIA 8.66"
Clear Glass
60 Watt Medium Base
Finishes Available: FB, & SB



Gwyneth 2 Light Convertible
50452-BNK

W 13" H 15"
Canopy DIA 5.13"
60 Watt Medium Base
Full Collection on Page 102
Finishes Available: BNK & FB



Serene 2 Light Flushmount
49982-ESP

W 14.5" H 7"
Canopy DIA 11.71"
60 Watt Medium Base
Finishes Available: BNK & ESP



Tyler 2 Light Semi Flush
50252-FB

W 13" H 9"
Canopy DIA 5.25"
60 Watt Medium Base
Full Collection on Page 52
Finishes Available: BNK & FB



Hailie 4 Light Flushmount
55684-FB

W 15" H 6.5"
Canopy DIA 15"
60 Watt Candelabra
Full Collection on Page 54
Finishes Available: FB & SN



Grace
2 Light Flushmount
41982-BNK
W 13" H 7.5"
Canopy DIA 9"
60 Watt Medium Base
Full Collection on Page 70
Finishes Available: BNK & ESP



Grace
2 Light Convertible
41952-ESP
W 13" H 12.5"
Canopy DIA 5.03"
60 Watt Medium Base
Full Collection on Page 70
Finishes Available: BNK & ESP



Antler
2 Light Flushmount
X1611-EB
W 12.25" H 8.5"
Canopy DIA 5.12"
60 Watt Medium Base
10.88" Alabaster Glass
Finishes Available: EB



Dardyn
3 Light Convertible
49853-BNK
W 13" H 15"
Canopy DIA 5.51"
60 Watt Medium Base
Full Collection on Page 68
Finishes Available: BNK & FB



Bolden
2 Light Convertible
50552-FB
W 13" H 15"
Canopy DIA 4.75"
60 Watt Medium Base
Full Collection on Page 64
Finishes Available: BNK, FB, & SB



Reveal 3 Light
Semi Flush
59253-CH
W 16.38" H 15.63"
Canopy DIA 5.88"
60 Watt Medium Base
Full Collection on Page 22
Finishes Available: CH
DAMP RATED



Glenda
3 Light Semi Flush
56253-FB
W 14.25" H 14"
Canopy DIA 10"
60 Watt Medium Base
Full Collection on Page 100
Finishes Available: BNK & FB



Foxwood
3 Light Semi Flush
53653-FBDT
W 21.75" H 17.13"
Canopy DIA 5.5"
60 Watt Medium Base
Full Collection on Page 72
Finishes Available: FBDT




Danbury
4 Light Semi Flush
36754-MBK
W 18" H 13.39"
Canopy DIA 6"
60 Watt Candelabra
Full Collection on Page 60
Finishes Available: MBK



Fortuna
2 Light Flushmount
58282-SB
W 12" H 7.87"
Canopy DIA 10.25"
60 Watt Medium Base
Full Collection on Page 92
Finishes Available: SB



Whittley
3 Light Flushmount
60183-SB
W 13.75" H 6"
Canopy DIA 12.6"
60 Watt Medium Base
Full Collection on Page 84
Finishes Available: SB



Avante Grand
3 Light Convertible
56953-FBSB
W 11.25" H 14.25"
Canopy DIA 5"
60 Watt Candelabra
Full Collection on Page 50
Finishes Available: FBSB



Elliot
3 Light Flushmount
55383-BNK
W 13" H 6.13"
Canopy DIA 13"
60 Watt Medium Base
Full Collection on Page 63
Finishes Available: BNK, FB, & SB



Elliot
3 Light Semi Flush
55353-FB
W 13" H 10.5"
Canopy DIA 5"
60 Watt Medium Base
Full Collection on Page 63
Finishes Available: BNK, FB, & SB



Ventura Dome
1 Light Flushmount
59181-BCY
W 10.5" H 7"
Canopy DIA 6.1"
60 Watt Medium Base
Full Collection on Page 28
Finishes Available: BCY, CW, DB, & FB
DAMP RATED







Kensley
2 Light Semi Flush
59052-FB
W 14.13" H 8"
Canopy DIA 5.12"
60 Watt Medium Base
Full Collection on Page 48
Finishes Available: FB & SB



LED Mirrors

Visual Index	250
Lookbook	251
Back Lit	260
Edge Lit	261
Front Lit	258
Front & Back Lit	256

LED MIRRORS VISUAL INDEX



Medicine Cabinet
Page 258



Rachel
Page 261



Meredith
Page 256



MIR3601SQ
Page 360



Ross
Page 259



Monica
Page 261



MIR112
Page 260



MIR113
Page 258



Dwight Front/Back Lit LED Mirror
MIR3610SQ-W3C W 36" H 36"
 32 Watt Dimmable LED, 1121 Lumens.
*Additional Sizes Available:
 24x36", 48x36", and 60x36"*
DAMP RATED




Meredith Front/Back Lit LED Mirror
MIR2409RT-W3C W 24" H 36"
 27 Watt Dimmable LED, 910 Lumens
*Finishes Available: W & FB
 Additional Sizes Available: 36x36", 48x36", and 60x36"*
DAMP RATED

Slim Lite Independent Front/Back Lit LED Mirror
MIR2410RT-FB3C W 24" H 36"
 81 Watt Dimmable LED
 1250 Lumens
DAMP RATED

FEATURES

- Damp Rated
- Light sources are positioned behind the mirror illuminating the wall and edge of the mirror also enclosed within the chassis to project light forward
- Touch Button Dimming and Adjustable
 3000K/4000K/5000K Light Color Temperature
- Plug-in or Hardwire Installation
- Horizontal or Vertical Mounting

FINISHES



Pam Front/Back Lit LED Mirror
MIR6012RT-W3C
DAMP RATED

W 60" H 36"
 41 Watt Dimmable LED
 1290 Lumens



Cristine Front/Back Lit LED Mirror
MIR4802RT-W3C
DAMP RATED

W 48" H 36"
 36 Watt Dimmable LED
 1194 Lumens

NEW



Front Lit LED Mirror Medicine Cabinet **MIR2413M-W3C** W 24" H 30"
3CCT, GFCI, Defogger
Interior/Exterior Front Lit, Wall Mounted or Recessed,
USB & USBC Charging Ports, Photocell Night Light, On/Off switch
DAMP RATED



Front Lit Rectangle Framed LED Mirror **MIR113-FB** W 24" H 36"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
DAMP RATED 47 Watt Dimmable LED, 3000K/4000K/5000K, 1160 Lumens



Ross Front Lit Round Frameless LED Mirror **MIR3201CL-BNK3C**
W 32" H 32"
Horizontal or Vertical Touch Button Control with Defogger
Adjustable CCT
35 Watt Dimmable LED
3000K/4000K/5000K
880 Lumens

DAMP RATED



Ross Front Lit Round Frameless LED Mirror **MIR3201CL-FB3C**
W 32" H 32"
Horizontal or Vertical Touch Button Control with Defogger
Adjustable CCT
35 Watt Dimmable LED
3000K/4000K/5000K
880 Lumens

DAMP RATED



Front Lit Rectangle Frameless LED Mirror **MIR104-W** W 60" H 32"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
DAMP RATED 44 Watt Dimmable LED, 3000K/4000K/5000K, 1050 Lumens



Front Lit Rectangle Frameless LED Mirror **MIR115-W**
W 48" H 32"
Horizontal or Vertical Touch Button Control with Defogger
55 Watt Dimmable LED
3000K, 600 Lumens

DAMP RATED




Front Lit Square Frameless LED Mirror **MIR102-W**
W 30" H 30"
Horizontal or Vertical Touch Button Control with Defogger
Adjustable CCT
29 Watt Dimmable LED
3000K/4000K/5000K
696 Lumens

DAMP RATED

FEATURES

- Damp Rated
- Light source is enclosed within the chassis and light only projects forward
- Plug-in or Hardwire Installation

FINISHES



Front Lit Rectangle Framed LED Mirror **MIR6001RT-FB3C** W 36" H 60"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
DAMP RATED 79 Watt Dimmable LED, 3000K/4000K/5000K, 2322 Lumens



Front Lit Rectangle Framed LED Mirror **MIR6002RT-BNK3C** W 36" H 60"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
DAMP RATED 79 Watt Dimmable LED, 3000K/4000K/5000K, 2322 Lumens



Back Lit Square Frameless LED Mirror
MIR3601SQ-W3C

W 36" H 36"
Touch Button Control with Defogger
Adjustable CCT
50 Watt Dimmable LED
3000K/4000K/5000K
1414 Lumens


DAMP RATED



Back Lit Rectangle Frameless LED Mirror
MIR111-W

W 24" H 30"
Horizontal or Vertical
Touch Button Control with Defogger
Adjustable CCT
40 Watt Dimmable LED
3000K/4000K/5000K
1510 Lumens

DAMP RATED



Back Lit Rectangle Frameless LED Mirror
MIR106-W

W 24" H 30"
Horizontal or Vertical
Touch Button Control with Defogger
39 Watt Dimmable LED
3000K, 1080 Lumens


DAMP RATED



Back Lit Round Frameless LED Mirror
MIR112-W

DIA 28"
Touch Button Control with Defogger
Adjustable CCT
35 Watt Dimmable LED
3000K/4000K/5000K
1270 Lumens


DAMP RATED



Back Lit Oval Frameless LED Mirror
MIR101-W

W 24" H 30"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
32 Watt Dimmable LED
3000K/4000K/5000K
950 Lumens

DAMP RATED



Back Lit Rectangle Frameless LED Mirror
MIR4801RT-W3C


W 48" H 36"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
57 Watt Dimmable LED
3000K/4000K/5000K
1456 Lumens

DAMP RATED

FEATURES

- Damp Rated
- Light source is positioned behind the mirror illuminating the wall and the edge of the mirror
- Plug-in or Hardwire Installation

FINISHES




Monica Edge Lit Rectangle Framed LED Mirror
MIR2403RRT-FB3C

W 24" H 36"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
40 Watt Dimmable LED, 3000K/4000K/5000K, 1943 Lumens

DAMP RATED



Monica Edge Lit Rectangle Framed LED Mirror
MIR2403RRT-SB3C

W 24" H 36"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
40 Watt Dimmable LED, 3000K/4000K/5000K, 1943 Lumens

DAMP RATED



Rachel Edge Lit Oval Framed LED Mirror
MIR2405OVL-FB3C

W 24" H 40"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
40 Watt Dimmable LED, 3000K/4000K/5000K, 1696 Lumens

DAMP RATED



Rachel Edge Lit Oval Framed LED Mirror
MIR2405OVL-SB3C


W 24" H 40"
Horizontal or Vertical Wall Mount
Touch Button Adjustable CCT Control with Defogger
40 Watt Dimmable LED, 3000K/4000K/5000K, 1696 Lumens

DAMP RATED

FEATURES

- Damp Rated
- Light source is only at the edges of the mirror within the frame

FINISHES





KEEVA FLOOR LAMP
Page 275

Portable Lighting

Visual Index	264
Lookbook	266
Table Lamps	270
Floor Lamps	275
Outdoor Rechargeable LED Lamps	277

PORTABLE LIGHTING VISUAL INDEX

NEW



TABLE LAMPS
870XXX, 862XX
Page 270-274

NEW



FLOOR LAMPS
87XXX-F, 86XXX
Page 275-276



OUTDOOR LED LAMPS
8629XXX
Page 277



Cameron
Page 274



Ingraham
Page 276



Sea Scape
Page 277



3 Light Table Lamp
Page 272



Shelby
Page 271




Travis
Page 274



Keeva
Page 274




LED Table Lamp
Page 272



Indiana Table Lamp
87011FB-T
W 29.13" H 24.09"
5' Cord
60 Watt Medium Base
Flat Black




Olive Table Lamp
87012FBSB-T
W 7.91" H 11.57"
5' Cord
60 Watt Medium Base
Flat Black & Satin Brass



Shelby 2 Light Table Lamp
87014FBSB-T
W 9.06" H 14.55"
5' Cord
60 Watt Medium Base
Flat Black & Satin Brass



Keeper Table Lamp
87013FB-T
W 15.98" H 25.39"
5' Cord
60 Watt Medium Base
USB Charging Port



Indiana Table Lamp
87011SB-T
W 29.13" H 24.09"
5' Cord
60 Watt Medium Base
Satin Brass



Olive Table Lamp
87012WSB-T
W 7.91" H 11.57"
5' Cord
60 Watt Medium Base
White & Satin Brass



Leri Table Lamp
87004SB-T
W 15.77" H 28.8"
5' Cord
60 Watt Medium Base
Satin Brass



Leri Table Lamp
87004BNK-T
W 15.77" H 28.8"
5' Cord
60 Watt Medium Base
Brushed Polished Nickel



Jones Table Lamp
87009FB-T
W 16" H 27"
5' Cord
60 Watt Medium Base
Flat Black



Jones Table Lamp
87009SB-T
W 16" H 27"
5' Cord
60 Watt Medium Base
Satin Brass



Neely 2 Light Table Lamp
87003BNK-T
W 17.01" H 30"
5' Cord
60 Watt Medium Base
Brushed Polished Nickel



Neely 2 Light Table Lamp
87003SB-T
W 17.01" H 30"
5' Cord
60 Watt Medium Base
Satin Brass



3 Light Table Lamp
87002FB-T

W 15" H 23"
5' Braided Cloth Covered Cord
In-Line On/Off Switch
60 Watt Medium Base
Flat Black

DAMP RATED



3 Light Table Lamp
87002W-T

W 15" H 23"
5' Braided Cloth Covered Cord
In-Line On/Off Switch
60 Watt Medium Base
White

DAMP RATED



LED Table Lamp
87001WN-T

W 15" H 17.72"
5' Braided Cloth Covered Cord
In-Line On/Off & Dimming Controls, Frosted Glass Shade
9 Watt Dimmable LED, 2700K, 360 Lumens
Walnut

DAMP RATED



LED Table Lamp
87001BNK-T

W 15" H 17.72"
5' Braided Cloth Covered Cord
In-Line On/Off & Dimming Controls, Frosted Glass Shade
9 Watt Dimmable LED, 2700K, 360 Lumens
Brushed Polished Nickel

DAMP RATED




Table Lamp
86237

W 14" H 25.75"
5' Cord
60 Watt Medium Base
Concrete & Brass




Table Lamp
86258

W 14" H 21"
5' Cord
60 Watt Medium Base
Cream Ceramic &
Brushed Polished Nickel




Table Lamp
86226

W 8" H 17.25"
5' Cord
60 Watt Medium Base
Brushed Polished Nickel



Table Lamp
86235


W 12" H 25"
5' Cord
60 Watt Medium Base
Brushed Polished Nickel



Table Lamp
86222

W 15" H 28"
5' Cord
60 Watt Medium Base
Flat Black & Satin Brass

NEW



Gloria Table Lamp
87020FBSB-T

W 8.66" H 18.03"
60" Cord
60 Watt Medium Base
Flat Black & Satin Brass

NEW



Pallo Table Lamp
86226FB-T


W 8" H 17.25"
60 Watt Medium Base
60" Cord
Flat Black

NEW



Keeva LED Table Lamp
87019SB-T
W 11.02" H 17.2"
16 Watt LED
3000K
974 Lumens
60" Cord Included
On/Off Dimming Touch Button Control
Satin Brass

NEW



Keeva LED Table Lamp
87019FB-T
W 11.02" H 17.2"
16 Watt LED
3000K
974 Lumens
60" Cord Included
On/Off Dimming Touch Button Control
Flat Black


NEW



Cameron LED Natural Wood Table Lamp
87030FBWAL-T

W 6.3" H 21.46"
60" Cord
Dimmable 8 Watt LED
3000K, 400 Lumens
Flat Black & Walnut


NEW



Keeva LED Floor Lamp
87025SB-F

W 14.96" H 57.05"
72" Cord
16 Watt LED, On/Off Dimming Touch Button Control
3000K, 1100 Lumens
Satin Brass

NEW



Keeva LED Floor Lamp
87025FB-F

W 14.96" H 57.05"
72" Cord
16 Watt LED, On/Off Dimming Touch Button Control
3000K, 1100 Lumens
Flat Black

NEW



Misha Table Lamp
87028FB-T

W 15.94" H 28.07"
60" Cord
100 Watt Medium Base
Flat Black

NEW



Travis Table Lamp
87024DW-T

W 14.96" H 27.87"
60" Cord
100 Watt Medium Base
Dark Wood

NEW



Cameron LED Natural Wood Floor Lamp
87031FBWAL-F

W 8.66" H 62.8"
72" Cord
Dimmable 24 Watt LED
3000K, 2200 Lumens
Flat Black & Walnut

NEW



Floor Lamp
86203

W 15" H 61.75"
6" Cord
60 Watt Medium Base
Flat Black



Jones Floor Lamp
87010FB-F W 17.95" H 65"
6' Cord
60 Watt Medium Base
Flat Black



Jones Floor Lamp
87010SB-F W 17.95" H 65"
6' Cord
60 Watt Medium Base
Satin Brass



Girard Floor Lamp
87006SB-F W 13.5" H 71.78"
6' Cord
60 Watt Medium Base
Satin Brass & Natural White Marble Base



Ingraham Floor Lamp
87008FBSB-F W 21.97" H 65.5"
6' Cord
60 Watt Medium Base
Flat Black & Satin Brass



Sea Scape Solar LED
Outdoor Rechargeable Lamp
86295MN-OTR W 13.13" H 14.50"
3' USB-C Cord Included
Solar & USB Charging
3 Watt LED, 3000K, 500 Lumens
Midnight

WET RATED




Sea Scape Solar LED
Outdoor Rechargeable Lamp
86296SS-OTR W 13.13" H 22"
3' USB-C Cord Included
Solar & USB Charging
3 Watt LED, 3000K, 500 Lumens
Stainless Steel

WET RATED



Sea Scape Solar LED
Outdoor Rechargeable Lamp
86297SS-OTR W 9" H 19"
3' USB-C Cord Included
Solar & USB Charging
3 Watt LED, 3000K, 500 Lumens
Stainless Steel

WET RATED



Teak Solar LED Outdoor
Rechargeable Lamp
86298TKTG-OTR W 8.25" H 20"
3' USB-C Cord Included
Solar & USB Charging
3 Watt LED, 3000K, 500 Lumens
Teak & Textured Grey

WET RATED



Chimes & Buttons


Chimes	280
Buttons	284
Transformers	282



Designer Chime
CH1515-BK
W 8.13" H 10" D 4"
Vertical Hanging, 2 Note Chime
T1610 Required, 2 Button Locations
Compatible with most Video Door Bell Systems with T1630



Designer Chime
CH1305-WW
W 6.5" H 8.5" D 2.5"
Vertical or Horizontal Hanging
2 Note Chime, T1610 Required, 2 Button Locations
Compatible with most Video Door Bell Systems with T1630



Designer Chime
CBR-W
W 5.5" H 8.25" D 2.38"
Vertical or Horizontal Hanging
2 Note Chime, T1610 Required, 2 Button Locations
Compatible with most Video Door Bell Systems with T1630





Paintable Recessed Chime
CH-REC-W
W 5.75" H 7.75" D 2.5"
Vertical Hanging
2 Note Chime, 2 Button Locations
Compatible with most Video Door Bell Systems with T1630

CHIMES

FEATURES

- All 2 Note Chimes Feature Distinctive Sounds for Each Door: 2 Notes for the Front Door and 1 Note for the Second Door
- All Chimes Require a Transformer and Push Button(s) (Sold Separately)
- Chimes are Compatible with Most Video Door Bell Systems with the T1630 Transformer

FINISHES



Designer Chime
CH2401-UO
W 6.13" H 8.5" D 2.38"
Vertical or Horizontal Hanging, Paintable
2 Note Chime, T1610 Required, 2 Button Locations
Compatible with most Video Door Bell Systems with T1630



Designer Chime
CTPW-W
W 7" H 8.38" D 2.25"
Vertical Hanging
2 Note Chime
T1610 Required
2 Button Locations
Compatible with most Video Doorbell Systems with T1630
Finishes Available:
CTPAB-BK
CTPW-DW
CTPW-W



Designer Chime
CH1901-SS
W 7.25" H 10.25" D 2.63"
Vertical or Horizontal
2 Note Chime
T1610 Required
2 Button Locations
Compatible with most Video Doorbell Systems with T1630



Loud Chime
CL-W
W 7.88" H 7.88" D 2.5"
Vertical Hanging, 2 Note Chime
Video Door Bell Compatible with T1630
Finishes Available: DW & W



Loud Chime
CL6400-W
W 9.25" H 7.32" D 2.78"
Vertical or Horizontal Hanging, 2 Note Chime
Video Door Bell Compatible with T1630
Finishes Available: FB & W

LOUD CHIMES

FEATURES

- All 2 Note Chimes Feature Distinctive Sounds for Each Door: 2 Notes for the Front Door and 1 Note for the Second Door
- All Chimes Require a Transformer and Push Button(s) (Sold Separately)
- Chimes are Compatible with Most Video Door Bell Systems with the T1630 Transformer



Transformer
T1610
W 2" H 2.25" D 1.9"
Input: 120V60Hz
Output: 16 Volt, 10 Watt



Transformer
T1630
W 2.75" H 2.25" D 2.5"
Input: 120V60Hz
Output: 16 Volt, 30 Watt
Compatible with most Video Door Bell Systems



Transformer
T1615
W 2" H 2.5" D 1.9"
Input: 120V60Hz
Output: 16 Volt, 15 Watt




Chime Kit
CK6000-W
W 7.79" H 5.51" D 2.16"
Vertical or Horizontal Hanging
Includes Chime, T1630, & 2 White Buttons
Compatible with Most Video Door Bell Systems



2 Chime Kit
CK6002-W
W 7.79" H 5.51" D 2.16"
Vertical or Horizontal Hanging
Includes 2 Chimes, T1630, & 2 White Buttons
Compatible with Most Video Door Bell Systems



Chime Kit
CK6001-W
W 7.79" H 5.51" D 2.16"
Vertical or Horizontal Hanging
Includes Chime, T1630, & 2 Matte Black Buttons
Compatible with Most Video Door Bell Systems, Finishes Available: FB & W



Chime Kit
CK6201-FB
W 8.25" H 4.9" D 2.59"
Vertical or Horizontal
Includes:
Chime
T1630 Transformer
2 Matte Black Buttons
Compatible with Most Video Door Bell Systems



Chime Kit
CK6200-W
W 8.25" H 4.9" D 2.59"
Vertical or Horizontal
Includes:
Chime
T1630 Transformer
2 White Buttons
Compatible with Most Video Door Bell Systems








Push Button PB5003-FB
Page 285

BUTTONS

FEATURES

- LED Illuminated
- Standard 2-Wire Button Installation
- Can be used with all Craftmade Chimes & Most Other Low Voltage Chime Installations

FINISHES





Lighting Accessories

Post Head Adapters	288
Flood Lights & Par Holders	290
Smart Controls	291



Post Head Adapter
Z200-TB

W 5.88" H 3.5"
Finishes Available: TB

WET RATED

POST HEAD ADAPTERS

FINISHES



TB - TEXTURED BLACK



OBO - OILED BRONZE



Post Head Adapter
Z202-OBO

W 5.88" H 3.4"
Finishes Available:
TB & OBO

WET RATED



**1 Light LED Flood Light
Z421-W-LED**

Max Extension 6.24"
Backplate DIA 4.45"
13 Watt LED
3000K, 900 Lumens

Optional 3" Extension Rod Included

Finishes Available:
BZ, MN, & W

WET RATED



**2 Light LED Flood Light
Z422-W-LED**

Max Extension 6.22"
Backplate DIA 4.45"
25 Watt LED
3000K, 1850 Lumens


3" Extension Available
Order RP-847-XX

Motion Sensor with Adjustable Arm Available
Order Z42-MS-XX

Finishes Available:
BZ, MN, & W

WET RATED

NEW



**2 Light Bullet
Z402-DTZ**

Max Extension 10.5"
Backplate DIA 4.88"
60 Watt Medium Base

Finishes Available:
DTZ, TB, & TW

WET RATED




**2 Light PAR Holder
PH-2BZ**

Max Extension 5.5"
Backplate DIA 4.38"
150 Watt Medium Base

Finishes Available:
BLK, BZ, NAT, W

WET RATED



**2 Light Bullet with Motion Sensor
Z402PM-TB**

Max Extension 11"
Backplate DIA 4.88"
60 Watt Medium Base

Finishes Available:
TB

WET RATED



**Motion Sensor
Z42-MS-MN**









L 8.25" W 2.63" H 2"
180 Degree Swivel
Maximum Load for Sensor:
40 Watt LED or
100 Watt Incandescent
0.7 Standby Watts


Finishes Available:
MN & W

WET RATED

FLOOD LIGHTS & PAR HOLDERS

FINISHES

 BLK - BLACK	 TW - TEXTURED WHITE	 TB - TEXTURED BLACK
 MN - MIDNIGHT	 BZ - BRONZE	 W - WHITE
 NAT - NATURAL ALUMINUM	 DTZ - DARK TEXTURED BRONZE	




**Smart Wi-Fi On/Off Indoor Wall Plug
WPS-100**

Plug-In Light On/Off
Max 1200 Watts Incandescent/LED



**Smart Wi-Fi Switch Wall Control
WCS-100**

Hard-Wired
Requires 2 Lead Wires, Neutral to Fan, & Ground Wire
Light On/Off
Max 150 Watts LED, Max 600 Watts Incandescent



**Smart Wi-Fi Dimmer Switch Wall Control
WCSD-100**

Hard-Wired
Requires 2 Lead Wires, Neutral to Fan, & Ground Wire
Light On/Off & Dimming
Max 150 Watts LED, Max 300 Watts Incandescent

SMART CONTROLS

Ceiling Fans



Contemporary	294
Transitional	392
Traditional	418
Contractor	432
Ceiling Fan Accessories	472




Contemporary Fans

Visual Index	296	Phaze 52" 4 Blade	384
Lookbook	301	Phaze 52" 5 Blade	385
Acadian 56"	356	Phaze II 52" 3 Blade	386
Amigo 52"	317	Phaze II 52" 4 Blade	387
Axel 57"	318	Phaze II 52" 5 Blade	388
Axel 80"	319	Phaze Energy Star 52" 3 Blade	389
Bandeaux 60"	325	Phaze Energy Star 52" 4 Blade	390
Beltre 52"	365	Phaze Energy Star 52" 5 Blade	391
Bordeaux 52"	360	Phoebe 52"	340
Canto 52"	308	Phoebe 60"	341
Captivate 52"	361	Propel II 24"	369
Champion 60"	363	Prost 78"	328
Charming 52"	312	Prost 102"	329
Chilz 72"	326	Prost 120"	330
Cipriani 57"	314	Prost 144"	331
Cole 44"	372	Provision 52"	343
Cole 52"	373	Quell 52"	359
Energy Star McCoy 52" 4 Blade	380	Rafiki 52"	316
Envy 60"	335	Reveal 28"	337
Envy 72"	336	Rhett 52"	310
Fonz 65"	309	Ricasso 60"	354
Force XL 60"	358	Rosalie 52"	311
Frazier 56"	306	Rush 65"	345
Frye 52"	307	Rush 72"	346
Insight 52"	327	Rush 84"	347
Inspo 54"	350	Sea Scape 56"	342
Inspo 62"	351	Sleek 56"	320
Keen 48"	349	Sonnet 52"	338
Laval 44"	370	Stellar 52"	355
Laval 52"	371	Sterling 60"	339
McCoy 52"	374	Targas 52"	368
McCoy 42" 3 Blade	376	Tate 65"	322
McCoy 52" 4 Blade	378	Teana 52"	352
McCoy 52" 4 Blade Pull Chain	379	Tempo Hugger 44"	366
McCoy 52" 5 Blade	377	Tempo Hugger 52"	367
McCoy Hugger 52" 3 Blade	381	Tern 52"	321
McCoy 52" Outdoor	375	Theo 42"	324
Mobi 60"	344	Trevor 52"	348
Mondo 54"	332	Utility 56"	364
Mondo 72"	333	Velocity 58"	357
Mondo 80"	334	Ventura 52"	362
Nitro 54"	323	Venn 58"	313
Phaze 52" 3 Blade	382	Viva 72"	315

CONTEMPORARY CEILING FANS VISUAL INDEX



ACADIAN
ACA56XX
Page 356 **WET RATED**



AMIGO
AMG52XX
Page 317 **DAMP RATED**



AXEL
AXL(57/80)XX
Page 318-319 **DAMP RATED**




BANDEAUX
BDX60XX
Page 325 **DAMP RATED**

NEW




FORCE XL
FXL60XX
Page 358 **WET RATED**

NEW




FRAZIER
FRZ56XX
Page 306 **DAMP RATED**


NEW




FRYE
FRY52XX
Page 307



INSIGHT
IST52XX
Page 327




BELTRE
BEL52XX
Page 365



BORDEAUX
BRD52XX
Page 360


NEW




CANTO
CTO52XX
Page 308 **DAMP RATED**




CAPTIVATE
CPT52XX
Page 361



INSPO
INS(54/62)XX
Page 350-351 **DAMP/WET RATED**



KEEN
KNE48XX
Page 349



LAVAL
LAV(44/52)XX
Page 370-371



McCOY
MCY52XX
Page 374



CHAMPION
CHP60XX
Page 363 **DAMP RATED**


NEW



CHARMING
CHM52XX
Page 312 **DAMP RATED**



CHILZ
CLZ72XX
Page 326 **DAMP RATED**




CIPRIANI
CPN57XX
Page 314



McCOY 3 BLADE
MCY42XX
Page 376



McCOY 4 BLADE
MCY52XX
Page 378



McCOY 4 BLADE PULL CHAIN
MCY52XX-PC
Page 379



McCOY 5 BLADE
MCY52XX
Page 377



COLE
CLE(44/52)XX
Page 372-373 **DAMP RATED**

NEW



ENERGY STAR McCOY 4 BLADE
EMCY52XX-PC
Page 380




ENVY
EVY(60/72)XX
Page 335-336 **DAMP RATED**

NEW



FONZ
FON65XX
Page 309


NEW



McCOY HUGGER 3 BLADE
MCYH52XX
Page 381



McCOY OUTDOOR
OMCY52XX
Page 375 **WET RATED**



MOBI
MOB60XX
Page 344 **WET RATED**



MONDO
MND(54/72/80)XX
Page 332-334 **DAMP RATED**

CONTEMPORARY CEILING FANS VISUAL INDEX CONTINUED



NITRO
NT054XX
Page 323 **WET RATED**



PHAZE 3 BLADE
PHA52XX3
Page 382




PHAZE 4 BLADE
PHA52XX4
Page 384




PHAZE 5 BLADE
PHA52XX5
Page 385

NEW




REVEAL
RVL28XX
Page 337

NEW




RHETT
RHT52XX
Page 310 **DAMP RATED**



RICASSO
RIC60XX
Page 354

NEW



ROSALIE
RSL52XX
Page 311



PHAZE II 3 BLADE
PHZ52XX3
Page 386



PHAZE II 4 BLADE
PHZ52XX4
Page 387




PHAZE II 5 BLADE
PHZ52XX5
Page 388



PHAZE ENERGY STAR 3 BLADE
EPHA52XX3
Page 389



RUSH
RSH(65/72/84)XX
Page 345-347 **WET RATED**



SEA SCAPE
SEA56XX
Page 342 **WET RATED**




SLEEK
SLK56XX
Page 320 **WET RATED**



SONNET
SON52XX
Page 338



PHAZE ENERGY STAR 4 BLADE
EPHA52XX4
Page 390



PHAZE ENERGY STAR 5 BLADE
EPHA52XX5
Page 391


NEW



PHOEBE
PHB(52/60)XX
Page 340-341



PROPEL II
PPT24XX
Page 369 **DAMP RATED**



STELLAR
STE52XX
Page 355



STERLING
STL60XX
Page 339 **WET RATED**



TARGAS
TG52XX
Page 368



TATE
TTE65XX
Page 322 **WET RATED**



PROST
PRT(78/102/120/144)XX
Page 328-331 **DAMP RATED**



PROVISION
PRV52XX
Page 343 **DAMP RATED**



QUELL
QUL52XX
Page 359 **DAMP RATED**



RAFIKI
RFK52XX
Page 316 **DAMP RATED**



TEANA
TEA52XX
Page 352



TEMPO HUGGER
TMPH(44/52)XX
Page 366-367



TERN
TRN52XX
Page 321



THEO
THO42XX
Page 324 **DAMP RATED**

CONTEMPORARY CEILING FANS VISUAL INDEX CONTINUED



TREVOR
TRV52XX
Page 348 **DAMP RATED**



UTILITY
UT56XX
Page 364



VELOCITY
VE58XX
Page 357



VENTURA
VEN52XX
Page 362 **DAMP RATED**



NEW
VENN
VNN58XX
Page 313 **DAMP RATED**



VIVA
VIA72XX
Page 315



McCoy Hugger
Page 381



Rosalie
Page 311



Viva
Page 315



Frazier
Page 306



Reveal
Page 337




Rhett
Page 310



Sleek
Page 320



Force XL
Page 358




FRAZIER 56" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire DC-WALL2 Wall Control Included for Easy Installation
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Frazier 56" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Flat Black Indoor/Outdoor Damp Rated; Satin Brass Indoor Only
- Available Optional LED Light Kit for the Frazier 56" Ceiling Fan FRZ56LK-XX-LED (Sold Separately)


CEILING DROP DIMENSIONS



SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	18°
Motor Size (MM)	123x67.3
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	30
Watts (Hi Speed)	20.79
Energy Guide Watts	14
Energy Guide CFM	3898
Energy Guide CFM Watts	271
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	5780
Low Speed (CFM)	1765
Carton Size (CU FT)	1.64
Shipping Wt. (lbs)	16.09
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
DC-WALL2

DC MOTOR **DAMP RATED**

SHIPS TO CANADA **cULus LISTED**




FRYE 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- Integrated 20 W, 3-CCT LED Light Included
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Frye 52" ABS Blades Included
- Indoor Rated

CEILING DROP DIMENSIONS



cETLus LISTED

DC MOTOR **INTEGRATED LED**

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.49
Watts (Hi Speed)	29.2
Energy Guide Watts	19
Energy Guide CFM	3120
Energy Guide CFM Watts	167
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	4383
Low Speed (CFM)	1688
Carton Size (CU FT)	2
Shipping Wt. (lbs)	15.4
UPS Oversized	No


LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	82
Lumens	1296
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Wall Control (Included)
TSDC-WALL



Flat Black
CT052FB3

Flat Black Blades

CANTO 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- CRDC-Remote Control (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Optional 20W 3000-5000 CCT Dimmable LED Light Kit with Optional Lens Cover Included
- 6" Downrod Included
- Custom Canto 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Damp Rated

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	123x15
Included Control	CRDC-REMOTE
Compatible Control Types	N/A
Amps (Hi Speed)	0.31
Watts (Hi Speed)	36.71
Energy Guide Watts	21
Energy Guide CFM	3383
Energy Guide CFM Watts	158
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4899
Low Speed (CFM)	1667
Carton Size (CU FT)	2.54
Shipping Wt. (lbs)	16.53
UPS Oversized	No

LED SPECS


Bulb CCT	3000-5000
Bulb Wattage	20
CRI	86
Lumens	1320
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS

A	13.98"
B	9.65"
C	7.15"
D	5.63"
E	3.72"
DR	6"




DC MOTOR **cETLus LISTED** **DAMP RATED**



Satin Brass
FON65SBW5

White Blades



Satin Brass
FON65SBFB5

Flat Black Blades


FONZ 65" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire DC-Wall2 Control Included for Easy Installation
- Optional 20W 3000K Dimmable LED Light Kit with Optional Lens Cover Included
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom 65" Blades Included
- Indoor Rated

CEILING DROP DIMENSIONS

A	14.19"
B	10.65"
C	8.99"
D	5.98"
E	2.24"
DR	6"



DC MOTOR **cETLus LISTED**


SPECS

Blade Sweep	65"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	168x30
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	0.45
Watts (Hi Speed)	32.09
Energy Guide Watts	22
Energy Guide CFM	5412
Energy Guide CFM Watts	252
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	7572
Low Speed (CFM)	2965
Carton Size (CU FT)	2.51
Shipping Wt. (lbs)	33.29
UPS Oversized	No


LED SPECS

Bulb CCT	3000
Bulb Wattage	20
CRI	90
Lumens	1308
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control (Included)
DC-WALL2




RHETT 52" NEW

FEATURES

- Quiet, 4-Speed Reversible AC Motor
- CM-7W-LED Wall Control Included
- Integrated LED Light Kit Included, 3000K
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom 52" Blades Included
- Flat Black is Damp Rated, Satin Brass is Indoor Rated

CEILING DROP DIMENSIONS



- DAMP RATED**
- AC MOTOR** **INTEGRATED LED**
- SHIPS TO CANADA** **cULus LISTED**

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	N/A
Amps (Hi Speed)	0.57
Watts (Hi Speed)	68.84
Energy Guide Watts	40
Energy Guide CFM	3906
Energy Guide CFM Watts	98
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5968
Low Speed (CFM)	1570
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	17.64
UPS Oversized	No


LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	80
Lumens	1000
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control (Included)
CM-7W-LED




ROSALIE 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- 20W Multi-CCT LED Light Included
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Rosalie 52" ABS Blades Included
- Indoor Rated

CEILING DROP DIMENSIONS



- DAMP RATED**
- DC MOTOR** **INTEGRATED LED**
- SHIPS TO CANADA** **cETLus LISTED**


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.57
Watts (Hi Speed)	33.7
Energy Guide Watts	21
Energy Guide CFM	3636
Energy Guide CFM Watts	169
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4802
Low Speed (CFM)	2314
Carton Size (CU FT)	2.5
Shipping Wt. (lbs)	15.4
UPS Oversized	No

LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	82
Lumens	1324
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Wall Control (Included)
TSDC-WALL



CHARMING 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Charming 52" ABS Blades Included
- Flat Black is Damp Rated, Satin Brass is Indoor Rated
- Available Optional LED Light Kit for the Charming 52" Ceiling Fan CHM52LK-XX-LED (Sold Separately)


SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12°
Motor Size (MM)	106x16
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.56
Watts (Hi Speed)	34.7
Energy Guide Watts	22
Energy Guide CFM	4120
Energy Guide CFM Watts	191
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5964
Low Speed (CFM)	2006
Carton Size (CU FT)	1.12
Shipping Wt. (lbs)	11.4
UPS Oversized	No

FINISH AND BLADE PAIRINGS




CEILING DROP DIMENSIONS



DC MOTOR

SHIPS TO CANADA

cETLus LISTED



VENN 58" NEW


FEATURES

- Exclusive 2-Wire DC-WALL2 Wall Control Included for Easy Installation
- Venn 58" Indoor/Outdoor Ceiling Fan
ABS Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Light Kit VNN58LK-XX-LED (Sold Separately)
- Energy Saving, 6-Speed Reversible DC Motor
- 6 inch Downrod Included
- Energy Guide 4054 CFM, High Speed 6162 CFM
- Flat Black & White are Damp Rated
- Flat Black/Satin Brass is Indoor Only

SPECS

Blade Sweep	58"
Number of Blades	4
Blade Pitch	10°
Motor Size (MM)	123x67.3
Included Control	DC-WALL2
Amps (Hi Speed)	0.45
Watts (Hi Speed)	33.29
Energy Guide Watts	20
Energy Guide CFM	4054
Energy Guide CFM Watts	199
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	6162
Low Speed (CFM)	1665
Light Kit	Optional
Carton Size (CU FT)	2.62
Shipping Wt. (lbs)	19.51
UPS Oversized	No

CEILING DROP DIMENSIONS



DC MOTOR


SHIPS TO CANADA

cULus LISTED

FINISH AND BLADE PAIRINGS



Wall Control (Included)
DC-WALL2



Flat Black
CPN57FB4
Clear Polycarbonate Blades




Modern Bronze
CPN57MB4
Clear Polycarbonate Blades

CIPRIANI 57"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Polycarbonate Blades Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	48"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	123x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.29
Watts (Hi Speed)	20.17
Energy Guide Watts	15
Energy Guide CFM	2713
Energy Guide CFM Watts	181
Energy Guide 1st. Yearly Energy Cost	4
High Speed (CFM)	4270
Low Speed (CFM)	950
Carton Size (CU FT)	8.02
Shipping Wt. (lbs)	65.43
UPS Oversized	Yes

LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	8
CRI	80
Lumens	1990
Light Kit	Integrated

FINISH AND BLADE PAIRINGS




Handheld Remote (Included)
WIDC-CCT


SHIPS TO CANADA

DC MOTOR cULus LISTED

INTEGRATED LED SMART BY BOND



Flat Black & Satin Brass
VIA72FBSB3
Flat Black Fabric Textured Blades



Polished Nickel
VIA72PLN3
Flat Black Fabric Textured Blades


Shown with Optional Lens Cover

VIVA 72"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Fabric Texture ABS Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC-CCT Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	72"
Number of Blades	3
Blade Pitch	5° - 16°
Motor Size (MM)	123x30
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.3
Watts (Hi Speed)	22.38
Energy Guide Watts	15
Energy Guide CFM	4113
Energy Guide CFM Watts	277
Energy Guide 1st. Yearly Energy Cost	4
High Speed (CFM)	6023
Low Speed (CFM)	1948
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	23.17
UPS Oversized	No

LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	90
Lumens	1225
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT

SHIPS TO CANADA

DC MOTOR cULus LISTED

SMART BY BOND JAB TITLE 24



RAFIKI 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- Exclusive 2-Wire CRDC-WALL Wall Control Included for Easy Installation
- Damp Rated

CEILING DROP DIMENSIONS

A	12.99"
B	11.22"
C	5.84"
D	5.75"
E	1"
DR	6"

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	123x15
Included Control	CRDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.44
Watts (Hi Speed)	27.67
Energy Guide Watts	18
Energy Guide CFM	3947
Energy Guide CFM Watts	224
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	5292
Low Speed (CFM)	2424
Carton Size (CU FT)	2.58
Shipping Wt. (lbs)	14.4
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
CRDC-WALL

DC MOTOR **SHIPS TO CANADA**

DAMP RATED **cETLus LISTED**



AMIGO 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional Light Kit Sold Separately
Compatible with AMG52LK-XX-LED
- Exclusive 2-Wire CRDC-WALL Wall Control Included for Easy Installation
- Damp Rated

CEILING DROP DIMENSIONS

A	11.61"
B	10.24"
C	4.86"
D	5.61"
E	1.25"
DR	6"

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	123x15
Included Control	CRDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.44
Watts (Hi Speed)	27.78
Energy Guide Watts	18
Energy Guide CFM	4004
Energy Guide CFM Watts	226
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	5412
Low Speed (CFM)	2409
Carton Size (CU FT)	1.7
Shipping Wt. (lbs)	13.25
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
CRDC-WALL

DC MOTOR **cETLus LISTED**

DAMP RATED **SHIPS TO CANADA**



AXEL 57"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Integrated 35 Watt Dimmable LED Light Ring
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- BNK Finish is Indoor Rated
FB Finish is Damp Rated

CEILING DROP DIMENSIONS

A	16.24"
B	14.47"
C	6.54"
D	6.02"
E	6.42"
DR	6"


SPECS

Blade Sweep	52"
Number of Blades	8
Blade Pitch	14°
Motor Size (MM)	DC/123x15
Included Control	WIDC-CCT
Compatible Control Types	N/A
Amps (Hi Speed)	0.48
Watts (Hi Speed)	34.69
Energy Guide Watts	24
Energy Guide CFM	3906
Energy Guide CFM Watts	165
Energy Guide Yearly Energy Cost	7
High Speed (CFM)	5593
Low Speed (CFM)	1992
Carton Size (CU FT)	4.77
Shipping Wt. (lbs)	36.82
UPS Oversized	No

LED SPECS


Bulb CCT	Adjustable
Bulb Wattage	35
CRI	80
Lumens	2067
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT

- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- INTEGRATED LED



AXEL 80"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Integrated 42 Watt Dimmable LED Light Kit
- WIDC-CCT Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

CEILING DROP DIMENSIONS

A	17.96"
B	15.81"
C	8.15"
D	6.02"
E	6.42"
DR	6"


SPECS

Blade Sweep	72"
Number of Blades	9
Blade Pitch	14°
Motor Size (MM)	168x30
Included Control	WIDC-CCT
Compatible Control Types	N/A
Amps (Hi Speed)	0.42
Watts (Hi Speed)	30.32
Energy Guide Watts	20
Energy Guide CFM	6514
Energy Guide CFM Watts	324
Energy Guide 1st. Yearly Energy Cost	6
High Speed (CFM)	8694
Low Speed (CFM)	4157
Carton Size (CU FT)	8.38
Shipping Wt. (lbs)	76.06
UPS Oversized	Yes

LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	42
CRI	80
Lumens	2894
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT

- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- INTEGRATED LED



SLEEK 56"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- WIDC3-Handheld Pre-Paired Control Included
- FB Finish is Wet Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS

A	14.68"
B	14.29"
C	5.91"
D	5.91"
E	6.26"
DR	6"

SPECS

Blade Sweep	56"
Number of Blades	2
Blade Pitch	30°
Motor Size (MM)	120x20
Included Control	WIDC3
Compatible Control Types	Type I
Amps (Hi Speed)	0.44
Watts (Hi Speed)	32.25
Energy Guide Watts	20
Energy Guide CFM	3584
Energy Guide CFM Watts	180
Energy Guide 1st. Yearly Energy Cost	6
High Speed (CFM)	5127
Low Speed (CFM)	1836
Carton Size (CU FT)	1.65
Shipping Wt. (lbs)	15.21
UPS Oversized	No


FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	FLAT BLACK
FLAT BLACK	FLAT BLACK



Remote (Included)
WIDC3

SHIPS TO CANADA cETLus LISTED
DC MOTOR WET RATED



TERN 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Flush Mount
- Custom ABS Blades Included
- Not Light Kit Adaptable
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

CEILING DROP DIMENSIONS

F	12.75"
G	10.82"
H	7.87"
I	5.47"

SPECS

Blade Sweep	52"
Number of Blades	2
Blade Pitch	0-49°
Motor Size (MM)	123x15
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.32
Watts (Hi Speed)	24.14
Energy Guide Watts	16
Energy Guide CFM	2169
Energy Guide CFM Watts	136
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	3021
Low Speed (CFM)	1205
Carton Size (CU FT)	1.55
Shipping Wt. (lbs)	14.55
UPS Oversized	No


FINISH AND BLADE PAIRINGS

POLISHED NICKEL	FLAT BLACK
SATIN BRASS	WHITE



Remote (Included)
WIDC

DC MOTOR cULus LISTED
SMART BY BOND SHIPS TO CANADA




TATE 65"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount, Flat Ceilings
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC3-Handheld Control Included
- BNK Finish is Indoor Rated
FB & W Finishes are Wet Rated

CEILING DROP DIMENSIONS



DC MOTOR **WET RATED** **eULus LISTED**
JAB TITLE 24 **SHIPS TO CANADA**


SPECS

Blade Sweep	65"
Number of Blades	6
Blade Pitch	3.5°
Motor Size (MM)	168x25
Included Control	WIDC3
Compatible Control Types	Type I
Amps (Hi Speed)	0.41
Watts (Hi Speed)	31.15
Energy Guide Watts	19
Energy Guide CFM	6604
Energy Guide CFM Watts	339
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	9665
Low Speed (CFM)	3135
Carton Size (CU FT)	2.52
Shipping Wt. (lbs)	33.29
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	93
Lumens	1308
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC3




NITRO 54"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 22 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Wall and Remote Controls Included
- Wet Rated

CEILING DROP DIMENSIONS



WET RATED **eETLus LISTED** **AC MOTOR**
JAB TITLE 24 **SHIPS TO CANADA**

SPECS

Blade Sweep	54"
Number of Blades	3
Blade Pitch	13°
Motor Size (MM)	153x17
Included Control	UCI-2000-2
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.48
Watts (Hi Speed)	57.95
Energy Guide Watts	39
Energy Guide CFM	3477
Energy Guide CFM Watts	89
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4568
Low Speed (CFM)	2240
Carton Size (CU FT)	1.58
Shipping Wt. (lbs)	18.08
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	22
CRI	90
Lumens	1204
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
UCI




THEO 42"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Wall and Remote Controls Included
- FB & W Finishes are Damp Rated
SB Finish is Indoor Rated

CEILING DROP DIMENSIONS



- AC MOTOR**
- DAMP RATED**
- cETLus LISTED**
- JAB TITLE 24**
- SHIPS TO CANADA**


SPECS

Blade Sweep	42"
Number of Blades	4
Blade Pitch	18°
Motor Size (MM)	153x12
Included Control	UCI-2000-2
Compatible Control Types	Types A, G, J
Amps (Hi Speed)	0.42
Watts (Hi Speed)	50.85
Energy Guide Watts	35
Energy Guide CFM	2374
Energy Guide CFM Watts	68
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	2990
Low Speed (CFM)	1573
Carton Size (CU FT)	1.61
Shipping Wt. (lbs)	16.31
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	910
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS




Wall Control and Remote (Included)
UCI

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 10" Downrod Included
- Custom ABS Blades Included
- Optional Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Damp Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



- SHIPS TO CANADA**
- DC MOTOR**
- DAMP RATED**
- cULus LISTED**
- JAB TITLE 24**

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	125x30
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.43
Watts (Hi Speed)	31.02
Energy Guide Watts	19
Energy Guide CFM	4189
Energy Guide CFM Watts	217
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	5930
Low Speed (CFM)	2217
Carton Size (CU FT)	3.36
Shipping Wt. (lbs)	22.05
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	832
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Flat Black
CLZ72FB6-NWF

Flat Black Blades


DAMP RATED

CHILZ 72"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Damp Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR **DAMP RATED**

cULus LISTED **JAB TITLE 24**

SPECS

Blade Sweep	72"
Number of Blades	6
Blade Pitch	12.7°
Motor Size (MM)	165x25
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.4
Watts (Hi Speed)	29.5
Energy Guide Watts	19
Energy Guide CFM	6300
Energy Guide CFM Watts	333
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	8489
Low Speed (CFM)	3819
Carton Size (CU FT)	2.66
Shipping Wt. (lbs)	26.68
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	983
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



FLAT BLACK

FLAT BLACK



Remote (Included)
WIDC



White & Satin Brass
IST52WSB5


Reversible White + Washed Oak Blades

INSIGHT 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 2 Bulb 4 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



AC MOTOR **SHIPS TO CANADA**

cETLus LISTED **INTEGRATED LED**

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	Type G
Amps (Hi Speed)	0.45
Watts (Hi Speed)	54.45
Energy Guide Watts	36
Energy Guide CFM	2476
Energy Guide CFM Watts	69
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3237
Low Speed (CFM)	1613
Carton Size (CU FT)	3.53
Shipping Wt. (lbs)	23.59
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	4
CRI	84
Lumens	750
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



WHITE & SATIN BRASS

WHITE + WASHED OAK




PROST 78"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 12" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Optional Stabilizing Guide Wire Cables and Mounting Hardware Included for use in High Wind Outdoor Applications
- WIDC2 Controls Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- JAB TITLE 24

SPECS

Blade Sweep	78"
Number of Blades	6
Blade Pitch	3.5°
Motor Size (MM)	168x30
Included Control	WIDC2
Compatible Control Types	Type D
Amps (Hi Speed)	0.61
Watts (Hi Speed)	42.31
Energy Guide Watts	29
Energy Guide CFM	9087
Energy Guide CFM Watts	318
Energy Guide Yearly Energy Cost	8
High Speed (CFM)	15412
Low Speed (CFM)	1918
Carton Size (CU FT)	3.94
Shipping Wt. (lbs)	45.42
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	809
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
WIDC2




PROST 102"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 12" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Optional Stabilizing Guide Wire Cables and Mounting Hardware Included for use in High Wind Outdoor Applications
- WIDC2 Controls Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- JAB TITLE 24

SPECS

Blade Sweep	102"
Number of Blades	6
Blade Pitch	3.5°
Motor Size (MM)	168x30
Included Control	WIDC2
Compatible Control Types	Type D
AMCA CFM Speed 1	18943
AMCA CFEI Nearest 40%	15.13
Carton Size (CU FT)	5.02
Shipping Wt. (lbs)	48.28
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	809
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
WIDC2



PROST 120"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 12" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Optional Stabilizing Guide Wire Cables and Mounting Hardware Included for use in High Wind Outdoor Applications
- WIDC2 Controls Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

SPECS

Blade Sweep	120"
Number of Blades	6
Blade Pitch	3.5°
Motor Size (MM)	168x30
Included Control	WIDC2
Compatible Control Types	Type D
AMCA CFM Speed 1	22241
AMCA CFEI Nearest 40%	13.25
Carton Size (CU FT)	6.3
Shipping Wt. (lbs)	51.37
UPS Oversized	Yes

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS

A	23.18"
B	19.29"
C	12.13"
D	5.75"
E	7.30"
DR	12"

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	809
Light Kit	Included (Opt.)



Wall Control and Remote (Included)
WIDC2

- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- JAS TITLE 24



PROST 144"


FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount, Flat Ceilings Only
Blades Must be Mounted at Least 10' Above the Floor for Safety & Must Use Safety Cables
- Custom 1.25" Diameter 12" & 24" Downrods with Coupler Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC-WALL2 Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

SPECS

Blade Sweep	144"
Number of Blades	6
Blade Pitch	3.5°
Motor Size (MM)	190x30
Included Control	WIDC-WALL2
Compatible Control Types	N/A
AMCA CFM Speed 1	29324
Carton Size (CU FT)	6.93
Shipping Wt. (lbs)	78.51
UPS Oversized	Yes

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS

A	38.5" / 50.5"
B	22" / 46"
C	12.13"
D	6.65"
E	7.30"
DR	12" / 24"

- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- SMART BY BOND
- JAS TITLE 24

LED SPECS


Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	809
Light Kit	Included (Opt.)

CUSTOM DOWNROD & COUPLER

- For 1.25" DIA Downrod Order DRPXXFB
Available in 12", 18", 24", 36", 48", 60", & 72"
- For Coupler Order DRP-COUPLER-FB



Wall Control (Included)
WIDC-WALL2



MONDO 54"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- IDC Wall and Remote Controls Included
- BNK & SBFB Finishes are Indoor Rated
FB Finish is Damp Rated


SPECS

Blade Sweep	54"
Number of Blades	3
Blade Pitch	13°
Motor Size (MM)	125x30
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.43
Watts (Hi Speed)	31.3
Energy Guide Watts	21
Energy Guide CFM	3857
Energy Guide CFM Watts	185
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	6000
Low Speed (CFM)	1429
Carton Size (CU FT)	1.73
Shipping Wt. (lbs)	14.4
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



DC MOTOR DAMP RATED
cETLus LISTED SHIPS TO CANADA



MONDO 72"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional Light Kit Sold Separately
See MNDLK-XX-LED on Page 474
- IDC Remote and Wall Controls Included
- BNK & SBFB Finishes are Indoor Rated
ESP & FB Finishes are Damp Rated


SPECS

Blade Sweep	72"
Number of Blades	6
Blade Pitch	21°
Motor Size (MM)	165x25
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.42
Watts (Hi Speed)	29.74
Energy Guide Watts	21
Energy Guide CFM	5606
Energy Guide CFM Watts	271
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	7467
Low Speed (CFM)	3497
Carton Size (CU FT)	2.71
Shipping Wt. (lbs)	22.13
UPS Oversized	No

FINISH AND BLADE PAIRINGS




CEILING DROP DIMENSIONS



DC MOTOR DAMP RATED
cETLus LISTED SHIPS TO CANADA



Wall Control and Remote (Included)
IDC



Wall Control and Remote (Included)
IDC



Flat Black
MND80FB6-NWF

Flat Black Blades

DAMP RATED



Satin Brass & Flat Black
MND80SBFB6-NWF

Flat Black Blades


Shown with Optional Lens Cover

MONDO 80"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Handheld Control Included
- FBSB Finish is Indoor Rated
FB Finish is Damp Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI-CCT (Sold Separately)

CEILING DROP DIMENSIONS



- DC MOTOR
- DAMP RATED
- cETLus LISTED
- SHIPS TO CANADA


SPECS

Blade Sweep	80"
Number of Blades	6
Blade Pitch	21°
Motor Size (MM)	165x25
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.43
Watts (Hi Speed)	31.91
Energy Guide Watts	23
Energy Guide CFM	6258
Energy Guide CFM Watts	271
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	8194
Low Speed (CFM)	4063
Carton Size (CU FT)	3.08
Shipping Wt. (lbs)	25.79
UPS Oversized	No

LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1136
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT



Flat Black
EVY60FB3-NWF

Flat Black Blades

DAMP RATED



Flat Black & Satin Brass
EVY60FBSB3-NWF

Flat Black Blades

Shown with Optional Lens Cover



White & Satin Brass
EVY60WSB3-NWF


White Blades

ENVY 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- FB Finish is Damp Rated
FBSB & WSB Finishes are Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cULus LISTED
- JA8 TITLE 24

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	DC/153x15
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.37
Watts (Hi Speed)	28.82
Energy Guide Watts	18
Energy Guide CFM	5189
Energy Guide CFM Watts	288
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	7535
Low Speed (CFM)	2530
Carton Size (CU FT)	2.85
Shipping Wt. (lbs)	17.86
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	879
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC




ENVY 72"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- FB & W Finishes are Damp Rated
FBSB and WSB Finishes are Indoor Rated
- Optional Wi-Fi Enabled Module Available
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR DAMP RATED

cULus LISTED JAB TITLE 24


SPECS

Blade Sweep	72"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	165x25
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.43
Watts (Hi Speed)	31.78
Energy Guide Watts	21
Energy Guide CFM	6382
Energy Guide CFM Watts	309
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	8411
Low Speed (CFM)	4081
Carton Size (CU FT)	3.48
Shipping Wt. (lbs)	22.05
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	879
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC




REVEAL 24" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Integrated 5 x 4 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module Available
RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA INTEGRATED LED

DC MOTOR cULus LISTED

SPECS

Blade Sweep	24"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	123x10
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.11
Watts (Hi Speed)	7.43
Energy Guide Watts	9
Energy Guide CFM	806
Energy Guide CFM Watts	87
Energy Guide Yearly Energy Cost	3
High Speed (CFM)	1121
Low Speed (CFM)	447
Carton Size (CU FT)	6.83
Shipping Wt. (lbs)	39.68
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	4
CRI	80
Lumens	1472
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC




Satin Brass
SON52SB3-CAP-NWF
Clear Acrylic Blades

SONNET 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Polycarbonate Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



DC MOTOR **cETLus LISTED**
JAB TITLE 24 **SHIPS TO CANADA**

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	165x25
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.25
Watts (Hi Speed)	16.39
Energy Guide Watts	11
Energy Guide CFM	3926
Energy Guide CFM Watts	353
Energy Guide Yearly Energy Cost	3
High Speed (CFM)	5977
Low Speed (CFM)	1602
Carton Size (CU FT)	1.43
Shipping Wt. (lbs)	18.08
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	940
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Flat Black
STL60FB3-NWF
Flat Black Blades

WET RATED



White
STL60W3-NWF
White Blades


WET RATED

STERLING 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 12 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wet Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA
DC MOTOR **WET RATED**
cETLus LISTED **JAB TITLE 24**

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	8.6°
Motor Size (MM)	100x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.34
Watts (Hi Speed)	23.65
Energy Guide Watts	16
Energy Guide CFM	3394
Energy Guide CFM Watts	217
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4990
Low Speed (CFM)	1586
Carton Size (CU FT)	1.39
Shipping Wt. (lbs)	13.01
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	588
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC




PHOEBE 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control for Easy Installation (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Phoebe 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Damp Rated
- Available Optional 20 Watt LED, 3000K-5000K Light Kit for the Phoebe 52" Ceiling Fan PHB52XXLK-LED (Sold Separately)

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cETLus LISTED
- JAS TITLE 24

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	30°
Motor Size (MM)	DC 106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.32
Watts (Hi Speed)	19.65
Energy Guide Watts	14
Energy Guide CFM	2842
Energy Guide CFM Watts	207
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	3817
Low Speed (CFM)	1738
Carton Size (CU FT)	1.8
Shipping Wt. (lbs)	13.89
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
TSDC-WALL




PHOEBE 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 12 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- FB Finish is Damp Rated
FBSB, SB & WPLN Finishes are Indoor Rated
- Optional Wi-Fi Enabled Module Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- DAMP RATED
- cETLus LISTED
- JAS TITLE 24


SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	30°
Motor Size (MM)	120x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.32
Watts (Hi Speed)	21.55
Energy Guide Watts	14
Energy Guide CFM	2831
Energy Guide CFM Watts	198
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4273
Low Speed (CFM)	1197
Carton Size (CU FT)	1.8
Shipping Wt. (lbs)	13.89
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	645
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Flat Black
SEA56FB3
Light Wood Grain Blades


WET RATED

SEA SCAPE 56"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Sea Scape ABS Blades Included
- Included (Optional) 22 Watt LED Light Kit (Dimmable); Optional Lens Cover Included
- Included WIDC3-Handheld Pre-Paired Control
- Wet Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	13°
Motor Size (MM)	DC 153x8
Included Control	WIDC3
Compatible Control Types	N/A
Amps (Hi Speed)	0.4
Watts (Hi Speed)	30.35
Energy Guide Watts	19
Energy Guide CFM	3790
Energy Guide CFM Watts	19
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	5681
Low Speed (CFM)	1647
Carton Size (CU FT)	2.41
Shipping Wt. (lbs)	15.52
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	22
CRI	91
Lumens	1300
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS




Remote (Included)
WIDC3

SHIPS TO CANADA


DC MOTOR cETLus LISTED

JAB TITLE 24 WET RATED



Flat Black
PRV52FB3-NWF
Flat Black Blades

DAMP RATED



Matte White
PRV52MWW3-NWF
White Blades


DAMP RATED

PROVISION 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Not Light Kit Adaptable
- WIDC Handheld Control Included
- Damp Rated
- Optional Wi-Fi Enabled Module Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA DAMP RATED

DC MOTOR cETLus LISTED

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12°
Motor Size (MM)	100x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.46
Watts (Hi Speed)	31.55
Energy Guide Watts	20
Energy Guide CFM	2339
Energy Guide CFM Watts	119
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	3563
Low Speed (CFM)	953
Carton Size (CU FT)	1.21
Shipping Wt. (lbs)	10.63
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Flat Black
MOB60FB3

Flat Black Blades

WET RATED



Oiled Bronze
MOB600B3

Mahogany Blades

WET RATED


MOBI 60"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" & 6" Downrods Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- ICS Remote and Wall Controls Included
- Wet Rated

CEILING DROP DIMENSIONS

A - 4"	13.59"
A - 6"	16.33"
B - 4"	10.32"
B - 6"	12.24"
C	8.03"
D	5.98"
E	4.53"
DR	4" & 6"



WET RATED cETLus LISTED
JAB TITLE 24 SHIPS TO CANADA

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	188x18
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.55
Watts (Hi Speed)	65.8
Energy Guide Watts	42
Energy Guide CFM	3935
Energy Guide CFM Watts	94
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	5579
Low Speed (CFM)	2072
Carton Size (CU FT)	2.06
Shipping Wt. (lbs)	22.93
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	601
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
ICS



Flat Black
RSH65FB8-NWF

Flat Black Blades

WET RATED


RUSH 65"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wet Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS

A	15.04"
B	12.01"
C	9.53"
D	5.87"
E	5.71"
DR	6"



SHIPS TO CANADA
DC MOTOR WET RATED
cULus LISTED JAB TITLE 24


SPECS

Blade Sweep	65"
Number of Blades	8
Blade Pitch	3.5°
Motor Size (MM)	168x25
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.54
Watts (Hi Speed)	40.11
Energy Guide Watts	25
Energy Guide CFM	6646
Energy Guide CFM Watts	268
Energy Guide Yearly Energy Cost	7
High Speed (CFM)	9570
Low Speed (CFM)	3331
Carton Size (CU FT)	2.35
Shipping Wt. (lbs)	33.73
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	1040
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Flat Black
RSH72FB8-NWF

Flat Black Blades

Shown with Optional Lens Cover


WET RATED

RUSH 72"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wet Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR **WET RATED**

cULus LISTED **JA8 TITLE 24**

SPECS

Blade Sweep	72"
Number of Blades	8
Blade Pitch	3.5°
Motor Size (MM)	168x25
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.56
Watts (Hi Speed)	42.09
Energy Guide Watts	28
Energy Guide CFM	7451
Energy Guide CFM Watts	264
Energy Guide Yearly Energy Cost	8
High Speed (CFM)	10142
Low Speed (CFM)	4400
Carton Size (CU FT)	2.67
Shipping Wt. (lbs)	35.27
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	1040
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



FLAT BLACK

FLAT BLACK



Remote (Included)
WIDC



Flat Black
RSH84FB8-NWF

Flat Black Blades


WET RATED

RUSH 84"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Aluminum Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wet Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR **WET RATED**

cULus LISTED **JA8 TITLE 24**


SPECS

Blade Sweep	84"
Number of Blades	8
Blade Pitch	3.5°
Motor Size (MM)	168x30
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.5
Watts (Hi Speed)	36.63
Energy Guide Watts	23
Energy Guide CFM	8211
Energy Guide CFM Watts	363
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	12305
Low Speed (CFM)	3570
Carton Size (CU FT)	3.14
Shipping Wt. (lbs)	37.26
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	1040
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS




FLAT BLACK

FLAT BLACK



Remote (Included)
WIDC



Flat Black
TRV52FB6-NWF

Reversible Flat Black + Greywood Blades


DAMP RATED

TREVOR 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Handheld Control Included
- Damp Rated
- Optional Wi-Fi Enabled Module
Available WUCI-1000 (Sold Separately)

CEILING DROP DIMENSIONS



AC MOTOR

DAMP RATED

cETLus LISTED

JAB TITLE 24

SHIPS TO CANADA


SPECS

Blade Sweep	52"
Number of Blades	6
Blade Pitch	11°
Motor Size (MM)	153x17
Included Control	UCI-Handheld
Compatible Control Types	Types A, G, S
Amps (Hi Speed)	0.46
Watts (Hi Speed)	54.95
Energy Guide Watts	35
Energy Guide CFM	2602
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3514
Low Speed (CFM)	1568
Carton Size (CU FT)	1.20
Shipping Wt. (lbs)	19.18
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	791
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
UCI




KEEN 48"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Wall and Remote Controls Included
- Indoor Rated


CEILING DROP DIMENSIONS



AC MOTOR

cETLus LISTED

JAB TITLE 24



Brushed Polished Nickel
KNE48BNK3
Reversible Flat Black
+ Greywood Blades
Shown with Optional Lens Cover

White
KNE48W3
Reversible RGB
+ White Blades

White
KNE48W3
Reversible RGB
+ White Blades

SPECS

Blade Sweep	48"
Number of Blades	3
Blade Pitch	10°
Motor Size (MM)	153x12
Included Control	UCI-2000-2
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.45
Watts (Hi Speed)	55.15
Energy Guide Watts	37
Energy Guide CFM	2599
Energy Guide CFM Watts	70
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3313
Low Speed (CFM)	1789
Carton Size (CU FT)	1.69
Shipping Wt. (lbs)	15.65
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1119
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
UCI




INSPO 54"

FEATURES

- Heavy-Duty, 4-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- Hard Wired, 4 Speed Control Included
- FB & W Finishes are Damp Rated
BNK Finish is Indoor Rated


CEILING DROP DIMENSIONS



SPECS

Blade Sweep	54"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	172x17
Included Control	CM-6W
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.58
Watts (Hi Speed)	69.97
Energy Guide Watts	41
Energy Guide CFM	4342
Energy Guide CFM Watts	107
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	6648
Low Speed (CFM)	1728
Carton Size (CU FT)	1.82
Shipping Wt. (lbs)	22.66
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
CM-6W

AC MOTOR **SHIPS TO CANADA**
DAMP RATED **cULus LISTED**




INSPO 62"

FEATURES

- Heavy-Duty, 4-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- Hard Wired, 4 Speed Control Included
- FB & W Finishes are Wet Rated
BNK Finish is Indoor Rated


CEILING DROP DIMENSIONS



SPECS

Blade Sweep	62"
Number of Blades	3
Blade Pitch	12.5°
Motor Size (MM)	172x20
Included Control	CM-6W
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.49
Watts (Hi Speed)	58.88
Energy Guide Watts	35
Energy Guide CFM	4592
Energy Guide CFM Watts	131
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	6857
Low Speed (CFM)	2025
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	21.83
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
CM-6W

AC MOTOR **SHIPS TO CANADA**
WET RATED **cULus LISTED**



TEANA 52"

















FEATURES

- Standard, 3-Speed Reversible AC Motor
- Tri-Mount, Flat, Semi-Flush, or Angled Ceilings up to 23"
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 22 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.5
Watts (Hi Speed)	59.9
Energy Guide Watts	35
Energy Guide CFM	2101
Energy Guide CFM Watts	59
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3348
Low Speed (CFM)	688
Carton Size (CU FT)	1.18
Shipping Wt. (lbs)	16.76
UPS Oversized	No


FINISH AND BLADE PAIRINGS

 BRUSHED POLISHED NICKEL	 BRUSHED NICKEL + WALNUT
 CHROME	 BRUSHED NICKEL + WALNUT
 ESPRESSO	 ESPRESSO + WALNUT
 FLAT BLACK	 FLAT BLACK + GREYWOOD
 FLAT BLACK & SATIN BRASS	 FLAT BLACK + MESQUITE
 SATIN BRASS	 FLAT BLACK + MESQUITE
 WHITE	 WHITE
 WHITE & SATIN BRASS	 WHITE

LED SPECS

Bulb CCT	3000K
Bulb Wattage	22
CRI	90
Lumens	1045
Light Kit	Included (Opt.)

CEILING DROP DIMENSIONS



AC MOTOR

cETLus LISTED

JA8 TITLE 24



Dual Slide Fan & Light Control (Included)
CM-7W-LED





Satin Brass
RIC60SB4

Driftwood Blades



Satin Brass
RIC60SB4

Driftwood Blades

Shown with Optional Lens Cover

RICASSO 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- 2 or 4 Blade Configurations
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- IDC Remote and Wall Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS

A	16.62"
B	15.69"
C	8.23"
D	5.51"
E	12.83"
DR	6"

SPECS

Blade Sweep	60"
Number of Blades	4 or 2
Blade Pitch	16°
Motor Size (MM)	125x30
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.44
Watts (Hi Speed)	33.43
Energy Guide Watts	21
Energy Guide CFM	4331
Energy Guide CFM Watts	206
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	6372
Low Speed (CFM)	2017
Carton Size (CU FT)	2.29
Shipping Wt. (lbs)	22.40
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1005
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
IDC

SHIPS TO CANADA **JA8 TITLE 24**
DC MOTOR **cULus LISTED**



Satin Brass
STE52SB5

Reversible Flat Black + Walnut Blades

STELLAR 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4.5" Downrod Included
- Custom Reversible Blades Included
- Integrated 12 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS

A	16"
B	10.54"
C	8.66"
D	5.98"
E	10"
DR	4.5"

AC MOTOR **SHIPS TO CANADA**
cULus LISTED **INTEGRATED LED**


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13.5°
Motor Size (MM)	172x17
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.64
Watts (Hi Speed)	75.78
Energy Guide Watts	45
Energy Guide CFM	3657
Energy Guide CFM Watts	81
Energy Guide Yearly Energy Cost	13
High Speed (CFM)	5408
Low Speed (CFM)	1673
Carton Size (CU FT)	1.67
Shipping Wt. (lbs)	22.27
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	982
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control (Included)
CM-7W-LED



ACADIAN 56"

FEATURES

- Standard, 4-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" & 6" Downrods Included
- Custom ABS Blades Included
- Integrated 14 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- FB Finish is Wet Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS

A - 4"	13.39"
A - 6"	14.56"
B - 4"	11.81"
B - 6"	11.44"
C	8.78"
D	5.59"
E	9.13"
DR	4" & 6"

- AC MOTOR** **SHIPS TO CANADA**
- WET RATED** **cETLus LISTED**
- JAB TITLE 24** **INTEGRATED LED**


SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	16°
Motor Size (MM)	153x17
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	56.2
Energy Guide Watts	36
Energy Guide CFM	2733
Energy Guide CFM Watts	77
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3785
Low Speed (CFM)	1541
Carton Size (CU FT)	1.49
Shipping Wt. (lbs)	17.77
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	14
CRI	90
Lumens	502
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control
CM-7W-LED



VELOCITY 58"

FEATURES

- Heavy-Duty, 4-Speed Non-Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 12" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS

A	21.25"
B	18.50"
C	7.50"
D	4.75"
E	7.01"
DR	12"

- SHIPS TO CANADA**
- AC MOTOR** **cULus LISTED**


SPECS

Blade Sweep	58"
Number of Blades	3
Blade Pitch	19.5°
Motor Size (MM)	188x20
Included Control	CM-4SDH
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.66
Watts (Hi Speed)	78.4
Energy Guide Watts	46
Energy Guide CFM	4691
Energy Guide CFM Watts	103
Energy Guide Yearly Energy Cost	13
High Speed (CFM)	7053
Low Speed (CFM)	2015
Carton Size (CU FT)	1.27
Shipping Wt. (lbs)	18.96
UPS Oversized	No

FINISH AND BLADE PAIRINGS



4 Speed Fan Control
CM-4SDH



Dark Graphite
FXL60DGT3
Dark Greywood Blades


WET RATED

FORCE XL 60" NEW

FEATURES

- Heavy-duty, 3-Speed Reversible AC Motor
- ICS Remote and Wall Controls (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" & 6" Downrod Included
- Custom Wet-Rated ABS Blades Included
- 18 Watt Integrated LED, 3000K, 600 Lumens, Dimmable and Optional Lens Cover (Included)
- Indoor/Outdoor Wet Rated
- JA8/Title24 Compliant

CEILING DROP DIMENSIONS



SHIPS TO CANADA

AC MOTOR WET RATED JA8/Title24
INTEGRATED LED cETLus LISTED

SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	188x18
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.55
Watts (Hi Speed)	65.8
Energy Guide Watts	42
Energy Guide CFM	3935
Energy Guide CFM Watts	94
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	5579
Low Speed (CFM)	2072
Carton Size (CU FT)	2.06
Shipping Wt. (lbs)	23
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Lighting Wattage	18
CRI	93
Lumens	600
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
ICS



Flat Black
QUL52FB4-NWF
Flat Black Blades


DAMP RATED

QUELL 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 12 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Damp Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR DAMP RATED
cETLus LISTED JA8 TITLE 24


SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	12°
Motor Size (MM)	100x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.44
Watts (Hi Speed)	30.55
Energy Guide Watts	19
Energy Guide CFM	3174
Energy Guide CFM Watts	163
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	3731
Low Speed (CFM)	1409
Carton Size (CU FT)	1.23
Shipping Wt. (lbs)	13.49
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	595
Light Kit	Included (Opt.)


FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Satin Brass
BRD52SB3
Clear Acrylic Blades




Satin Brass
BRD52SB3
Clear Acrylic Blades
Shown in Flush Mount Configuration

BORDEAUX 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Tri-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Polycarbonate Blades Included
- Optional 17 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA
cULus LISTED JAS TITLE 24 AC MOTOR

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	16°
Motor Size (MM)	172x17
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.4
Watts (Hi Speed)	46.04
Energy Guide Watts	30
Energy Guide CFM	3707
Energy Guide CFM Watts	125
Energy Guide Yearly Energy Cost	8
High Speed (CFM)	5182
Low Speed (CFM)	2035
Carton Size (CU FT)	2.01
Shipping Wt. (lbs)	21.78
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	17
CRI	90
Lumens	766
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control
CM-7W-LED



Flat Black
CPT52FB5
Flat Black Blades


DAMP RATED

CAPTIVATE 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Not Light Kit Adaptable
- IDC Wall and Remote Controls Included
- Damp Rated

CEILING DROP DIMENSIONS




DC MOTOR DAMP RATED
cETLus LISTED

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	16°
Motor Size (MM)	DC/153x8
Included Control	IDC Controls
Compatible Control Types	Type D
Amps (Hi Speed)	0.56
Watts (Hi Speed)	38.21
Energy Guide Watts	24
Energy Guide CFM	5431
Energy Guide CFM Watts	231
Energy Guide Yearly Energy Cost	7
High Speed (CFM)	7670
Low Speed (CFM)	2895
Carton Size (CU FT)	2.33
Shipping Wt. (lbs)	15.37
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
IDC




VENTURA 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 19 Watt Dimmable LED Light Kit
- IDC Wall and Remote Controls Included
- Damp Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	125x20
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.47
Watts (Hi Speed)	35.78
Energy Guide Watts	22
Energy Guide CFM	3608
Energy Guide CFM Watts	161
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5372
Low Speed (CFM)	1609
Carton Size (CU FT)	1.99
Shipping Wt. (lbs)	16.98
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	19
CRI	90
Lumens	1095
Light Kit	Integrated

FINISH AND BLADE PAIRINGS





Wall Control and Remote (Included)
IDC

SHIPS TO CANADA

DC MOTOR **DAMP RATED**

cULus LISTED **INTEGRATED LED**




CHAMPION 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- IDC Wall and Remote Controls Included
- FB & MWW Finishes are Damp Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR **DAMP RATED**

cETLus LISTED **JA8 TITLE 24**


SPECS

Blade Sweep	60"
Number of Blades	9
Blade Pitch	13°
Motor Size (MM)	153x16
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.42
Watts (Hi Speed)	32
Energy Guide Watts	20
Energy Guide CFM	3948
Energy Guide CFM Watts	197
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5642
Low Speed (CFM)	2028
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	21.56
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	967
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
IDC




UTILITY 56"

FEATURES

- Heavy-Duty, 4-Speed Non-Reversible AC Motor
- Downrod Mount
See Page 496 for Compatible Slope Mount Adapters
- 12" Downrod Included
- Custom Blades Included
- Not Light Kit Adaptable
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	9°
Motor Size (MM)	170x12
Included Control	CM-6W
Compatible Control Types	Type G
Amps (Hi Speed)	0.54
Watts (Hi Speed)	64.15
Energy Guide Watts	39
Energy Guide CFM	2909
Energy Guide CFM Watts	75
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4224
Low Speed (CFM)	1419
Carton Size (CU FT)	1.23
Shipping Wt. (lbs)	15.24
UPS Oversized	No

FINISH AND BLADE PAIRINGS



4 Speed Fan Control
CM-6W

ETLus LISTED AC MOTOR




BELTRE 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 20 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA

cULus LISTED INTEGRATED LED
JAB TITLE 24 AC MOTOR

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12.5°
Motor Size (MM)	153x18
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.44
Watts (Hi Speed)	52.56
Energy Guide Watts	32
Energy Guide CFM	2792
Energy Guide CFM Watts	87
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	4142
Low Speed (CFM)	1261
Carton Size (CU FT)	1.54
Shipping Wt. (lbs)	18.92
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	939
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control
CM-7W-LED

ETLus LISTED AC MOTOR




TEMPO HUGGER 44"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Reversible Blades Included
- Optional 16 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- ICS Wall and Remote Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	44"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	153x15
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.51
Watts (Hi Speed)	60.79
Energy Guide Watts	39
Energy Guide CFM	2910
Energy Guide CFM Watts	74
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3843
Low Speed (CFM)	1854
Carton Size (CU FT)	2.10
Shipping Wt. (lbs)	20.58
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	16
CRI	80
Lumens	657
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
ICS

SHIPS TO CANADA

cULus LISTED AC MOTOR




TEMPO HUGGER 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Reversible Blades Included
- Optional 16 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- ICS Wall and Remote Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	172x17
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.67
Watts (Hi Speed)	79.09
Energy Guide Watts	50
Energy Guide CFM	3862
Energy Guide CFM Watts	78
Energy Guide Yearly Energy Cost	14
High Speed (CFM)	5637
Low Speed (CFM)	1849
Carton Size (CU FT)	2.11
Shipping Wt. (lbs)	23.56
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	16
CRI	80
Lumens	657
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
ICS

SHIPS TO CANADA

cULus LISTED AC MOTOR




	<p>Brushed Polished Nickel TG52BNK3</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel TG52BNK3-52BN</p> <p>Brushed Nickel Blades</p> <p>Shown in Flush Mount Configuration</p>
	<p>Gloss Black TG52GBK3</p> <p>Gloss Black Blades</p>
	<p>White TG52W3</p> <p>White Blades</p>

TARGAS 52"

FEATURES

- Standard, 4-Speed Reversible AC Motor
- Tri-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 22 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



cETLus LISTED **INTEGRATED LED**
JAS TITLE 24 **AC MOTOR**

SPECS


Blade Sweep	52"
Number of Blades	3
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.43
Watts (Hi Speed)	57.05
Energy Guide Watts	34
Energy Guide CFM	1844
Energy Guide CFM Watts	55
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	3010
Low Speed (CFM)	523
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	22
CRI	90
Lumens	1150
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	BRUSHED NICKEL
BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
GLOSS BLACK	GLOSS BLACK
WHITE	WHITE



Dual Slide Fan & Light Control (Included)
CM-7W-LED




	<p>Brushed Polished Nickel PPT24BNK6</p> <p>Brushed Nickel Blades</p>
	<p>Flat Black PPT24FB6</p> <p>Flat Black Blades</p> <p>DAMP RATED</p>
	<p>White PPT24W6</p> <p>White Blades</p> <p>DAMP RATED</p>

PROPEL II 24"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Integrated 12 Watt Dimmable LED Light Kit
- Standard Pull Chain Speed Control
- FB & W Finishes are Damp Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS



AC MOTOR **DAMP RATED** **cETLus LISTED**
INTEGRATED LED **JAS TITLE 24**

SPECS

Blade Sweep	24"
Number of Blades	6
Blade Pitch	25°
Motor Size (MM)	153x12
Included Control	Pull Chain
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.22
Watts (Hi Speed)	25.8
Energy Guide Watts	18
Energy Guide CFM	984
Energy Guide CFM Watts	56
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	1308
Low Speed (CFM)	617
Carton Size (CU FT)	0.87
Shipping Wt. (lbs)	12.79
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	439
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	BRUSHED NICKEL
FLAT BLACK	FLAT BLACK
WHITE	WHITE



LAVAL 44"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

SPECS

Blade Sweep	44"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.46
Watts (Hi Speed)	55.81
Energy Guide Watts	35
Energy Guide CFM	2947
Energy Guide CFM Watts	84
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4279
Low Speed (CFM)	1439
Carton Size (CU FT)	2.07
Shipping Wt. (lbs)	18.70
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1195
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



cULus LISTED **INTEGRATED LED**
JAB TITLE 24 **AC MOTOR**



LAVAL 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	172x17
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.62
Watts (Hi Speed)	74.91
Energy Guide Watts	46
Energy Guide CFM	3862
Energy Guide CFM Watts	85
Energy Guide Yearly Energy Cost	13
High Speed (CFM)	5494
Low Speed (CFM)	2012
Carton Size (CU FT)	2.07
Shipping Wt. (lbs)	21.10
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1195
Light Kit	Integrated


FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



cULus LISTED **INTEGRATED LED**
JAB TITLE 24 **AC MOTOR**




COLE 44"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Wall and Remote Controls Included
- Damp Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	44"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x12
Included Control	UCI-2000-2
Compatible Control Types	Types A & J
Amps (Hi Speed)	0.42
Watts (Hi Speed)	50.65
Energy Guide Watts	36
Energy Guide CFM	2021
Energy Guide CFM Watts	57
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	2592
Low Speed (CFM)	1374
Carton Size (CU FT)	1.45
Shipping Wt. (lbs)	16.91
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1084
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
UCI

SHIPS TO CANADA

DAMP RATED cETLus LISTED

JAB TITLE 24 AC MOTOR




COLE 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- UCI Wall and Remote Controls Included
- Damp Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	UCI-2000-2
Compatible Control Types	Types A & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	57.3
Energy Guide Watts	40
Energy Guide CFM	2515
Energy Guide CFM Watts	64
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3279
Low Speed (CFM)	1649
Carton Size (CU FT)	1.73
Shipping Wt. (lbs)	17.86
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1084
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS




Wall Control and Remote (Included)
UCI


SHIPS TO CANADA

DAMP RATED cETLus LISTED

JAB TITLE 24 AC MOTOR



Brushed Polished Nickel
MCY52BNK3
Brushed Nickel Blades



Flat Black
MCY52FB3
Flat Black Blades
Shown with Optional Lens Cover




White
MCY52W3
White Blades

McCOY 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



AC MOTOR SHIPS TO CANADA
cETLus LISTED JAB TITLE 24


SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.46
Watts (Hi Speed)	56.15
Energy Guide Watts	34
Energy Guide CFM	2568
Energy Guide CFM Watts	76
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	3753
Low Speed (CFM)	1224
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	15.98
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control
CM-7W-LED



Classic Bronze
OMCY52CBZ4-PC
Classic Bronze Blades

WET RATED



Flat Black
OMCY52FB4-PC
Flat Black Blades
Shown with Optional Lens Cover

WET RATED



White
OMCY52W4-PC
White Blades


WET RATED

McCOY OUTDOOR 52"

FEATURES

- Standard, 3-Speed AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA
WET RATED AC MOTOR
cETLus LISTED JAB TITLE 24

SPECS


Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.44
Watts (Hi Speed)	54.05
Energy Guide Watts	35
Energy Guide CFM	3136
Energy Guide CFM Watts	89
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4194
Low Speed (CFM)	1936
Carton Size (CU FT)	1.68
Shipping Wt. (lbs)	21.61
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS






McCOY 42" 3 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.39
Watts (Hi Speed)	47.35
Energy Guide Watts	29
Energy Guide CFM	2109
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	8
High Speed (CFM)	2961
Low Speed (CFM)	1143
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	14.99
UPS Oversized	No

LED SPECS




Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control (Included)
CM-7W-LED

AC MOTOR SHIPS TO CANADA
cETLus LISTED JAB TITLE 24




McCOY 52" 5 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.46
Watts (Hi Speed)	56.25
Energy Guide Watts	34
Energy Guide CFM	2451
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	3538
Low Speed (CFM)	1219
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	17.42
UPS Oversized	No

LED SPECS



Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control (Included)
CM-7W-LED

AC MOTOR SHIPS TO CANADA
cETLus LISTED JAB TITLE 24




McCOY 52" 4 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.46
Watts (Hi Speed)	55.65
Energy Guide Watts	33
Energy Guide CFM	2461
Energy Guide CFM Watts	74
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	3584
Low Speed (CFM)	1188
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16.31
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS




Dual Slide Fan & Light Control
CM-7W-LED

AC MOTOR SHIPS TO CANADA
cETLus LISTED JA8 TITLE 24

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Integrated 18W Dimmable LED Light Kit
- Standard Pull Chain
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.47
Watts (Hi Speed)	57.25
Energy Guide Watts	37
Energy Guide CFM	3228
Energy Guide CFM Watts	86
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4334
Low Speed (CFM)	1975
Carton Size (CU FT)	1.24
Shipping Wt. (lbs)	15.54
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



AC MOTOR SHIPS TO CANADA
cETLus LISTED JA8 TITLE 24




ENERGY STAR McCOY 52" 4 BLADE **NEW**

FEATURES

- Standard Pull Chain Speed Control
- McCoy 52 Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible DC Motor
- Included Integrated 18W LED Light
- 6 inch Downrod Included
- Energy Star
- Indoor Rated

CEILING DROP DIMENSIONS



- ENERGY STAR
- INTEGRATED LED
- cETLus LISTED
- JA8 TITLE 24
- DC MOTOR
- SHIPS TO CANADA

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x8
Included Control	Pull Chain
Compatible Control Types	N/A
Amps (Hi Speed)	0.36
Watts (Hi Speed)	23.58
Energy Guide Watts	15
Energy Guide CFM	3388
Energy Guide CFM Watts	226
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4521
Low Speed (CFM)	2104
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL
FLAT BLACK	FLAT BLACK
WHITE	WHITE




McCOY HUGGER 52" 3 BLADE **NEW**

FEATURES

- Standard 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom McCoy Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



- INTEGRATED LED
- cETLus LISTED
- JA8 TITLE 24
- AC MOTOR
- SHIPS TO CANADA

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, I, S
Amps (Hi Speed)	0.45
Watts (Hi Speed)	54.75
Energy Guide Watts	36
Energy Guide CFM	2580
Energy Guide CFM Watts	72
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3413
Low Speed (CFM)	1673
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

FLAT BLACK	FLAT BLACK
------------	------------



Brushed Polished Nickel
PHA52BNK3
Reversible Walnut + Dark Oak Blades



Brushed Polished Nickel
PHA52BNK3
Reversible Walnut
+ Dark Oak Blades



Brushed Polished Nickel
PHA52BNK3-BNGW
Reversible Brushed Nickel
+ Greywood Blades



Flat Black
PHA52FB3
Reversible Flat Black
+ Greywood Blades




White
PHA52W3
White Blades

PHAZE 52" 3 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 3 Custom Reversible Blades Included
- Integrated 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.4
Watts (Hi Speed)	56.9
Energy Guide Watts	38
Energy Guide CFM	3088
Energy Guide CFM Watts	81
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4047
Low Speed (CFM)	2002
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	943
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
FLAT BLACK	FLAT BLACK + GREYWOOD
WHITE	WHITE

AC MOTOR SHIPS TO CANADA
cETLus LISTED INTEGRATED LED



	<p>Brushed Polished Nickel PHA52BNK4</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel PHA52BNK4-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black PHA52FB4</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White PHA52W4</p> <p>White Blades</p>

PHAZE 52" 4 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 4 Custom Reversible Blades Included
- Integrated 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated


SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	57.6
Energy Guide Watts	38
Energy Guide CFM	3108
Energy Guide CFM Watts	83
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4196
Low Speed (CFM)	1874
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	943
Light Kit	Integrated

CEILING DROP DIMENSIONS



AC MOTOR SHIPS TO CANADA
cETLus LISTED INTEGRATED LED



	<p>Brushed Polished Nickel PHA52BNK5</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel PHA52BNK5-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black PHA52FB5</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White PHA52W5</p> <p>White Blades</p>

PHAZE 52" 5 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 5 Custom Reversible Blades Included
- Integrated 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	57.4
Energy Guide Watts	37
Energy Guide CFM	2951
Energy Guide CFM Watts	79
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3972
Low Speed (CFM)	1793
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	18.87
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	943
Light Kit	Integrated

CEILING DROP DIMENSIONS



AC MOTOR SHIPS TO CANADA
cETLus LISTED INTEGRATED LED

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
FLAT BLACK	FLAT BLACK + GREYWOOD
WHITE	WHITE



	<p>Brushed Polished Nickel PHZ52BNK3</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel PHZ52BNK3-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black PHZ52FB3</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White PHZ52W3</p> <p>White Blades</p>

PHAZE II 52" 3 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 3 Custom Reversible Blades Included
- Integrated 9 Watt 2 Bulb Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	56.45
Energy Guide Watts	35
Energy Guide CFM	2682
Energy Guide CFM Watts	77
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3711
Low Speed (CFM)	1515
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	16.76
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	955
Light Kit	Integrated


FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
FLAT BLACK	FLAT BLACK + GREYWOOD
WHITE	WHITE



Dual Slide Fan & Light Control (Included)
CM-7W-LED

CEILING DROP DIMENSIONS



AC MOTOR **SHIPS TO CANADA**
cETLus LISTED **INTEGRATED LED**



	<p>Brushed Polished Nickel PHZ52BNK4</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel PHZ52BNK4-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black PHZ52FB4</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White PHZ52W4</p> <p>White Blades</p>

PHAZE II 52" 4 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 4 Custom Reversible Blades Included
- Integrated 2 Bulb 9 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	57.45
Energy Guide Watts	36
Energy Guide CFM	2614
Energy Guide CFM Watts	72
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3650
Low Speed (CFM)	1440
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	18.3
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	955
Light Kit	Integrated


FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
FLAT BLACK	FLAT BLACK + GREYWOOD
WHITE	WHITE



Dual Slide Fan & Light Control (Included)
CM-7W-LED

CEILING DROP DIMENSIONS



AC MOTOR **SHIPS TO CANADA**
cETLus LISTED **INTEGRATED LED**



	<p>Brushed Polished Nickel PHZ52BNK5</p> <p>Reversible Walnut + Dark Oak Blades</p>
	<p>Brushed Polished Nickel PHZ52BNK5-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black PHZ52FB5</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White PHZ52W5</p> <p>White Blades</p>

PHAZE II 52" 5 BLADE

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 5 Custom Reversible Blades Included
- Integrated 2 Bulb 9 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated









SPECS


Blade Sweep	52"
Number of Blades	5
Blade Pitch	10.5°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	56.2
Energy Guide Watts	35
Energy Guide CFM	2557
Energy Guide CFM Watts	72
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3612
Low Speed (CFM)	1361
Carton Size (CU FT)	1.94
Shipping Wt. (lbs)	18.3
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	955
Light Kit	Integrated

FINISH AND BLADE PAIRINGS


	
BRUSHED POLISHED NICKEL	WALNUT + DARK OAK
	
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
	
FLAT BLACK	FLAT BLACK + GREYWOOD
	
WHITE	WHITE



Dual Slide Fan & Light Control (Included)
CM-7W-LED




CEILING DROP DIMENSIONS

A	17.72"
B	12.99"
C	10.24"
D	5.12"
E	7.17"
DR	6"



- AC MOTOR
- SHIPS TO CANADA
- cETLus LISTED
- INTEGRATED LED



	<p>Brushed Polished Nickel EPHA52BNK3-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black EPHA52FB3</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>White EPHA52W3</p> <p>White Blades</p>

PHAZE ENERGY STAR 52" 3 BLADE

FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 3 Custom Reversible Blades Included
- Integrated 2 Bulb 8 Watt Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	10.5°
Motor Size (MM)	100x20
Included Control	Pull Chain
Compatible Control Types	N/A
Amps (Hi Speed)	0.36
Watts (Hi Speed)	22.81
Energy Guide Watts	15
Energy Guide CFM	3708
Energy Guide CFM Watts	249
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4758
Low Speed (CFM)	2459
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

LED SPECS


Bulb CCT	3000K
Bulb Wattage	8
CRI	80
Lumens	1221
Light Kit	Integrated

FINISH AND BLADE PAIRINGS


	
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
	
FLAT BLACK	FLAT BLACK + GREYWOOD
	
WHITE	WHITE

CEILING DROP DIMENSIONS

A	16.73"
B	11.79"
C	10.24"
D	5.12"
E	8.96"
DR	6"



- SHIPS TO CANADA
- DC MOTOR
- cETLus LISTED
- ENERGY STAR
- INTEGRATED LED



Brushed Polished Nickel
EPHA52BNK4
Reversible Walnut
+ Dark Oak Blades

Brushed Polished Nickel
EPHA52BNK4-BNGW
Reversible Brushed Nickel
+ Greywood Blades

Flat Black
EPHA52FB4
Reversible Flat Black
+ Greywood Blades

White
EPHA52W4
White Blades

PHAZE ENERGY STAR 52" 4 BLADE


FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 4 Custom Reversible Blades Included
- Integrated 2 Bulb 8 Watt Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated


SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	10.5°
Motor Size (MM)	100x20
Included Control	Pull Chain
Compatible Control Types	N/A
Amps (Hi Speed)	0.36
Watts (Hi Speed)	22.93
Energy Guide Watts	15
Energy Guide CFM	3664
Energy Guide CFM Watts	245
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4649
Low Speed (CFM)	2423
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS




SHIPS TO CANADA

DC MOTOR cETLus LISTED

ENERGY STAR INTEGRATED LED

LED SPECS

Bulb CCT	3000K
Bulb Wattage	8
CRI	80
Lumens	1221
Light Kit	Integrated



Brushed Polished Nickel
EPHA52BNK5
Reversible Walnut
+ Dark Oak Blades

Brushed Polished Nickel
EPHA52BNK5-BNGW
Reversible Brushed Nickel
+ Greywood Blades

Flat Black
EPHA52FB5
Reversible Flat Black
+ Greywood Blades

White
EPHA52W5
White Blades

PHAZE ENERGY STAR 52" 5 BLADE


FEATURES

- Energy Saving, 3-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- 5 Custom Reversible Blades Included
- Integrated 2 Bulb 8 Watt Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	10.5°
Motor Size (MM)	100x20
Included Control	Pull Chain
Compatible Control Types	N/A
Amps (Hi Speed)	0.36
Watts (Hi Speed)	22.99
Energy Guide Watts	15
Energy Guide CFM	3614
Energy Guide CFM Watts	242
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4644
Low Speed (CFM)	2474
Carton Size (CU FT)	2.13
Shipping Wt. (lbs)	17.53
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



SHIPS TO CANADA

DC MOTOR cETLus LISTED

ENERGY STAR INTEGRATED LED

LED SPECS








Bulb CCT	3000K
Bulb Wattage	8
CRI	80
Lumens	1221
Light Kit	Integrated



Transitional Fans

Visual Index	394
Lookbook	396
Bellows I 16"	414
Bellows I 16" Hard-Wired	415
Bellows III 21"	416
Bellows IV 14"	417
Braxton 52"	410
Dominick 52"	406
Drew 54"	408
Fuller 52"	405
Garrick 56"	412
Gibson 52"	407
Kensey 52"	402
Merit 52"	413
Moto 52"	409
Presley 52"	403
Taylor 24"	404
Theiry 52"	400
Topper 52"	401
Winton 56"	411

TRANSITIONAL CEILING FANS VISUAL INDEX





Theyry
Page 400



Presley
Page 403



Kensley
Page 402



Bellows IV
Page 417



Bellows I
Page 415



Taylor Fandelier
Page 404




Flat Black & Satin Brass
TRY52FBSB5-NWF
Reversible Flat Black + Black Walnut Blades
Shown with Optional Lens Cover

THEIRY 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI-CCT (Sold Separately)

CEILING DROP DIMENSIONS



DC MOTOR **cULus LISTED**
JAB TITLE 24 **SHIPS TO CANADA**


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	155.5x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.4
Watts (Hi Speed)	28.77
Energy Guide Watts	20
Energy Guide CFM	3846
Energy Guide CFM Watts	192
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5809
Low Speed (CFM)	1622
Carton Size (CU FT)	1.82
Shipping Wt. (lbs)	22.27
UPS Oversized	No

LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1083
Light Kit	Included (Opt.)


FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT



Brushed Polished Nickel
TOP52BNK5
Brushed Nickel Blades



Flat Black
TOP52FB5
Flat Black Blades
Shown with Optional Lens Cover


WET RATED

TOPPER 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- FB Finish is Wet Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA
DC MOTOR **cULus LISTED**
JAB TITLE 24 **SMART BY BOND**


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	155.5x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.32
Watts (Hi Speed)	21.97
Energy Guide Watts	16
Energy Guide CFM	3656
Energy Guide CFM Watts	224
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	5525
Low Speed (CFM)	1538
Carton Size (CU FT)	2.75
Shipping Wt. (lbs)	25.35
UPS Oversized	No


LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1177
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC-CCT




KENSEY 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 2 x 6 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.47
Watts (Hi Speed)	57.75
Energy Guide Watts	37
Energy Guide CFM	3374
Energy Guide CFM Watts	90
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4455
Low Speed (CFM)	2149
Carton Size (CU FT)	1.86
Shipping Wt. (lbs)	18.96
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	6
CRI	82
Lumens	1250
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



AC MOTOR cETLus LISTED
INTEGRATED LED SHIPS TO CANADA




PRESLEY 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC3-Handheld Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA
DC MOTOR cETLus LISTED
INTEGRATED LED JA8 TITLE 24


SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	12°
Motor Size (MM)	120x20
Included Control	WIDC3-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.44
Watts (Hi Speed)	33.5
Energy Guide Watts	20
Energy Guide CFM	3464
Energy Guide CFM Watts	173
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5239
Low Speed (CFM)	1452
Carton Size (CU FT)	1.68
Shipping Wt. (lbs)	16.98
UPS Oversized	No

LED SPECS





Bulb CCT	3000K
Bulb Wattage	18
CRI	91
Lumens	1000
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC3




	White & Polished Nickel TYL24WPLN3-NWF Clear Acrylic Blades
	Flat Black TYL24FB3-NWF Clear Acrylic Blades DAMP RATED
	Flat Black & Satin Brass TYL24FBSB3-NWF Clear Acrylic Blades <i>Shown with Optional Lens Cover</i>
	White & Satin Brass TYL24WSB3-NWF Clear Acrylic Blades

TAYLOR 24" FANDELIER

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Polycarbonate Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- FB Finish is Damp Rated
FBSB, WPLN, & WSB Finishes are Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH787-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



- SHIPS TO CANADA
- DC MOTOR
- cULus LISTED
- DAMP RATED
- JA8 TITLE 24
- INTEGRATED LED


SPECS

Blade Sweep	20"
Number of Blades	3
Blade Pitch	14°
Motor Size (MM)	123x10
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.21
Watts (Hi Speed)	14.5
Energy Guide Watts	11
Energy Guide CFM	923
Energy Guide CFM Watts	86
Energy Guide Yearly Energy Cost	3
High Speed (CFM)	1505
Low Speed (CFM)	263
Carton Size (CU FT)	4.85
Shipping Wt. (lbs)	26.46
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1167
Light Kit	Included (Opt.)




FINISH AND BLADE PAIRINGS

	
FLAT BLACK	CLEAR ACRYLIC
	
FLAT BLACK & SATIN BRASS	CLEAR ACRYLIC
	
WHITE & POLISHED NICKEL	CLEAR ACRYLIC
	
WHITE & SATIN BRASS	CLEAR ACRYLIC



Remote (Included)
WIDC




	Flat Black & Satin Brass FUL52FBSB3 Flat Black Blades <i>Shown with Optional Lens Cover</i>
	White & Polished Nickel FUL52WPLN3 White Blades
	White & Satin Brass FUL52WSB3 White Blades

FULLER 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



- cULus LISTED
- JA8 TITLE 24
- INTEGRATED LED
- SHIPS TO CANADA

SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.5
Watts (Hi Speed)	59.91
Energy Guide Watts	36
Energy Guide CFM	2949
Energy Guide CFM Watts	82
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4278
Low Speed (CFM)	1442
Carton Size (CU FT)	1.29
Shipping Wt. (lbs)	15.87
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	820
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS


	
FLAT BLACK & SATIN BRASS	FLAT BLACK
	
WHITE & POLISHED NICKEL	WHITE
	
WHITE & SATIN BRASS	WHITE



Dual Slide Fan & Light Control (Included)
CM-7W-LED



Satin Brass
DMK52SB5-NWF
Reversible Flat Black + Black Walnut Blades



Satin Brass
DMK52SB5-NWF
Reversible Flat Black + Black Walnut Blades




Flat Black
GBN52FB5-NWF
Reversible Flat Black + Greywood Blades

DOMINICK 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 3 Bulb 8.5 Watt Dimmable LED Light Kit
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	100x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.42
Watts (Hi Speed)	29.75
Energy Guide Watts	19
Energy Guide CFM	3011
Energy Guide CFM Watts	160
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	4493
Low Speed (CFM)	1332
Carton Size (CU FT)	1.89
Shipping Wt. (lbs)	17.31
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	8.5
CRI	82
Lumens	1682
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC


DC MOTOR **cETLus LISTED**
INTEGRATED LED **SHIPS TO CANADA**

GIBSON 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 3 Bulb 7 Watt Dimmable LED Light Kit
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.7°
Motor Size (MM)	123x15
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.4
Watts (Hi Speed)	28.26
Energy Guide Watts	17
Energy Guide CFM	3582
Energy Guide CFM Watts	208
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	5824
Low Speed (CFM)	1041
Carton Size (CU FT)	1.95
Shipping Wt. (lbs)	19.73
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	7
CRI	80
Lumens	2105
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC

DC MOTOR **cULus LISTED**
INTEGRATED LED **SHIPS TO CANADA**



Satin Brass
DRW54SB5-NWF
Reversible Flat Black + Walnut Blades

DREW 54"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 20 Watt Dimmable LED Light Kit
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS

A	16.59"
B	12.65"
C	10"
D	5.83"
E	4.21"
DR	6"


SPECS

Blade Sweep	54"
Number of Blades	5
Blade Pitch	12.7°
Motor Size (MM)	123x15
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.48
Watts (Hi Speed)	33.68
Energy Guide Watts	20
Energy Guide CFM	3944
Energy Guide CFM Watts	196
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5856
Low Speed (CFM)	1778
Carton Size (CU FT)	2.32
Shipping Wt. (lbs)	19.84
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	20
CRI	90
Lumens	1234
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC

SHIPS TO CANADA

DC MOTOR cULus LISTED

INTEGRATED LED JAS TITLE 24



MOTO 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- Standard Pull Chain Control
- BNK Finish is Indoor Rated
FB Finish is Damp Rated

CEILING DROP DIMENSIONS

A	13.92"
B	10.76"
C	6.87"
D	5.96"
E	8.07"
DR	6"

SHIPS TO CANADA

DAMP RATED cULus LISTED



Brushed Polished Nickel
MOT52BNK3
Reversible Brushed Nickel + Driftwood Blades



Brushed Polished Nickel
MOT52BNK3
Reversible Brushed Nickel + Driftwood Blades



Flat Black
MOT52FB3
Reversible Flat Black + Greywood Blades


DAMP RATED

SPECS


Blade Sweep	52"
Number of Blades	3
Blade Pitch	13°
Motor Size (MM)	172x17
Included Control	Pull Chain
Compatible Control Types	Types A, G, J, S
Amps (Hi Speed)	0.51
Watts (Hi Speed)	60.68
Energy Guide Watts	38
Energy Guide CFM	3820
Energy Guide CFM Watts	102
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5429
Low Speed (CFM)	1996
Carton Size (CU FT)	1.21
Shipping Wt. (lbs)	15.43
UPS Oversized	No

FINISH AND BLADE PAIRINGS





Brushed Copper
BRX52BCP5
Reversible Dark Cedar + Chestnut Blades



Satin Brass
BRX52SB5
Reversible Flat Black + Mesquite Blades


Shown with Optional Lens Cover

BRAXTON 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 19 Watt Dimmable LED Light Kit with Optional Lens Cover Included
- ICS Wall & Remote Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	172x17
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.626
Watts (Hi Speed)	74.42
Energy Guide Watts	47
Energy Guide CFM	3481
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	13
High Speed (CFM)	4952
Low Speed (CFM)	1813
Carton Size (CU FT)	2.23
Shipping Wt. (lbs)	24.64
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	19
CRI	90
Lumens	1647
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
ICS

cULus LISTED **SHIPS TO CANADA**




Aged Bronze Brushed & Weathered Pine
WIN56ABZWP5
Weathered Pine Blades

WINTON 56"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 8" Downrod Included
- Custom Blades Included
- Integrated 4 Bulb 4 Watt Dimmable LED Light Kit
- IDC Wall and Remote Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	56"
Number of Blades	5
Blade Pitch	13.5°
Motor Size (MM)	125x30
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.46
Watts (Hi Speed)	31.9
Energy Guide Watts	22
Energy Guide CFM	3775
Energy Guide CFM Watts	175
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5284
Low Speed (CFM)	2065
Carton Size (CU FT)	2.66
Shipping Wt. (lbs)	21.02
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	4
CRI	80
Lumens	1200
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
IDC

DC MOTOR **cETLus LISTED**
INTEGRATED LED **SHIPS TO CANADA**



Flat Black
GAR56FB5

Flat Black Blades

WET RATED

GARRICK 56"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Integrated 3 Bulb 6 Watt Dimmable LED Light Kit
- UCI Wall and Remote Controls Included
- Wet Rated

CEILING DROP DIMENSIONS

A	18.92"
B	12.95"
C	8.43"
D	5.87"
E	4.09"
DR	6"

SPECS

Blade Sweep	56"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	188x22
Included Control	UCI-2000-2
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.56
Watts (Hi Speed)	67.17
Energy Guide Watts	44
Energy Guide CFM	4841
Energy Guide CFM Watts	110
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	6618
Low Speed (CFM)	2827
Carton Size (CU FT)	3.25
Shipping Wt. (lbs)	35.05
UPS Oversized	No

LED SPECS

Bulb CCT	2700K
Bulb Wattage	6
CRI	80
Lumens	1446
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



FLAT BLACK


FLAT BLACK



Wall Control and Remote (Included)
UCI

WET RATED cULus LISTED

INTEGRATED LED SHIPS TO CANADA



White
MER52W5

Reversible White + Washed Oak Blades



Flat Black
MER52FB5

Reversible Flat Black + Greywood Blades

MERIT 52"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

F	11.35"
G	7.32"
H	11.02"
I	11.35"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	172x17
Included Control	Pull Chain
Compatible Control Types	Types A, G, J, S
Amps (Hi Speed)	0.6
Watts (Hi Speed)	70.89
Energy Guide Watts	44
Energy Guide CFM	3636
Energy Guide CFM Watts	82
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	5076
Low Speed (CFM)	2004
Carton Size (CU FT)	2.30
Shipping Wt. (lbs)	22.08
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1002
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



FLAT BLACK

FLAT BLACK
+ GREYWOOD

WHITE

WHITE
+ WASHED OAK

cULus LISTED INTEGRATED LED

JAB TITLE 24 SHIPS TO CANADA



BELLOWS | 16"

FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
Pre-Wired 40" Cord & 3-Prong Plug with Replaceable Fuse
- Can be Hardwired Directly to Junction Box
- Custom Blades Included
- Not Light Kit Adaptable
- Separate Knobs for Speed and Oscillation Controls
- Damp Rated


SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	N/A
Compatible Control Types	N/A
Carton Size (CU FT)	4.78
Shipping Wt. (lbs)	19.62
UPS Oversized	No


FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



DAMP RATED cETLus LISTED



BELLOWS | 16" HARD-WIRED

FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
- Custom Blades Included
- Not Light Kit Adaptable
- CM-8W Wall Control Included
- Damp Rated


SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	CM-8W
Compatible Control Types	CM-8W
Carton Size (CU FT)	4.78
Shipping Wt. (lbs)	19.62
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS



DAMP RATED cETLus LISTED



Hard-Wired Slide Control (Included)
CM-8W




BELLOWS III 21"

FEATURES

- Heavy-Duty, 3-Speed AC Motor, On/Off Rotation
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- 90° Tilt Feature on Both Motor Head Units
- Custom Blades Included
- Not Light Kit Adaptable
- Bellows Wall & Remote Controls Included
- Damp Rated

CEILING DROP DIMENSIONS



SPECS



Blade Sweep	18"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x65
Included Control	Bellows
Compatible Control Types	Bellows
Amps (Hi Speed)	0.44
Watts (Hi Speed)	51.03
Energy Guide Watts	42
Energy Guide CFM	1950
Energy Guide CFM Watts	47
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	2379
Low Speed (CFM)	1463
Carton Size (CU FT)	5.38
Shipping Wt. (lbs)	21.58
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
BELLOWS III ONLY

DAMP RATED **cETLus LISTED**




BELLOWS IV 14"

FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
- Custom Blades Included
- Not Light Kit Adaptable
- CM-8W Wall Control Included
- Hard-Wired Directly to Junction Box
- BNK Finish is Indoor Rated
AG & FB Finishes are Damp Rated


CEILING DROP DIMENSIONS



SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	CM-8W
Compatible Control Types	CM-8W
Carton Size (CU FT)	4.18
Shipping Wt. (lbs)	17.2
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Hard-Wired Slide Control (Included)
CM-8W

DAMP RATED **cETLus LISTED**



Traditional Fans

Visual Index	420
Lookbook	421
Augusta 60"	430
Chandler 52"	427
Getaway 52"	424
Gregory 56"	426
Santori 60"	428
Santori 72"	429
Sofia 42" Hidden Blade	425
Tiger Shark 48"	431

TRADITIONAL CEILING FANS VISUAL INDEX



AUGUSTA
AUG60XX
Page 430



CHANDLER
CHS52XX
Page 427



NEW
GETAWAY
GTY52XX
Page 424 **WET RATED**




GREGORY
GRG56XX
Page 426




SANTORI
SNT(60/72)XX
Page 428-429 **DAMP RATED**



NEW
SOFIA HIDDEN BLADE
SOF42XX
Page 425



NEW
TIGER SHARK
WB348XX
Page 431



Sofia Hidden Blade
Page 425



Chandler
Page 427



Santori
Page 428




Flat Black
GTY52FB5
Walnut Blades

GETAWAY 52" NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- DC-Wall2 Control (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Getaway 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Wet Rated


CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	DC 123x82
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	0.47
Watts (Hi Speed)	31.38
Energy Guide Watts	20
Energy Guide CFM	3385
Energy Guide CFM Watts	170
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5125
Low Speed (CFM)	1414
Carton Size (CU FT)	2.7
Shipping Wt. (lbs)	26
UPS Oversized	No

FINISH AND BLADE PAIRINGS



Wall Control (Included)
DC-WALL2

SHIPS TO CANADA WET RATED
DC MOTOR cULus LISTED



Brushed Polished Nickel
SOF42BNK3
Cleary Acrylic Blades




Satin Brass
SOF42SB3
Cleary Acrylic Blades

SOFIA 42" HIDDEN BLADE NEW

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Integrated 6 x 4 Watt Dimmable LED Light Kit
- WIDC2-S Handheld Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	155x8
Included Control	WIDC2-S
Compatible Control Types	Type Q
Amps (Hi Speed)	0.26
Watts (Hi Speed)	17.91
Energy Guide Watts	18
Energy Guide CFM	2709
Energy Guide CFM Watts	150
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	2939
Low Speed (CFM)	2449
Carton Size (CU FT)	3.78
Shipping Wt. (lbs)	33.51
UPS Oversized	No

LED SPECS


Bulb CCT	3000K
Bulb Wattage	4
CRI	80
Lumens	1920
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Handheld Remote (Included)
WIDC2-S-HANDHELD

SHIPS TO CANADA
DC MOTOR cSGS LISTED



Satin Brass & Flat Black
GRG56SBFB4-NWF


Reversible **Flat Black** + Black Walnut Blades

GREGORY 56"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



DC MOTOR
JAB TITLE 24 **cETLus LISTED**


SPECS

Blade Sweep	56"
Number of Blades	4
Blade Pitch	12°
Motor Size (MM)	153x8
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.47
Watts (Hi Speed)	33.55
Energy Guide Watts	21
Energy Guide CFM	2944
Energy Guide CFM Watts	141
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4395
Low Speed (CFM)	1300
Carton Size (CU FT)	1.53
Shipping Wt. (lbs)	16.93
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	958
Light Kit	Optional

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



Satin Brass
CHS52SB5-NWF


Reversible **Flat Black** + Black Walnut Blades

CHANDLER 52"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- WIDC Handheld Control Included
- Indoor Rated
- Optional Wi-Fi Enabled Module
Available RH790-WIFI (Sold Separately)

CEILING DROP DIMENSIONS



SHIPS TO CANADA
DC MOTOR **cETLus LISTED**
INTEGRATED LED **JAB TITLE 24**


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	DC/153x12
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.46
Watts (Hi Speed)	32.35
Energy Guide Watts	20
Energy Guide CFM	2889
Energy Guide CFM Watts	143
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4370
Low Speed (CFM)	1210
Carton Size (CU FT)	1.42
Shipping Wt. (lbs)	16.67
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	1120
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Remote (Included)
WIDC



	<p>Brushed Polished Nickel SNT60BNK5 Coffee Blades</p>
	<p>Espresso SNT60ESP5 Walnut Blades DAMP RATED</p>
	<p>Flat Black SNT60FB5 Flat Black Blades DAMP RATED</p>
	<p>Matte White SNT60MWW5 White Blades DAMP RATED</p>

SANTORI 60"









FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- IDC Wall and Remote Controls Included
- ESP, FB, & W Finishes are Damp Rated
BNK Finish is Indoor Rated

SPECS

Blade Sweep	60"
Number of Blades	5
Blade Pitch	16°
Motor Size (MM)	155.5x20
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.47
Watts (Hi Speed)	34.47
Energy Guide Watts	21
Energy Guide CFM	5063
Energy Guide CFM Watts	236
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	7229
Low Speed (CFM)	2607
Carton Size (CU FT)	3.05
Shipping Wt. (lbs)	22.47
UPS Oversized	No

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	COFFEE
	
ESPRESSO	WALNUT
	
FLAT BLACK	FLAT BLACK
	
MATTE WHITE	WHITE



Wall Control and Remote (Included)
IDC

SHIPS TO CANADA cULus LISTED
DC MOTOR DAMP RATED



	<p>Brushed Polished Nickel SNT72BNK5 Coffee Blades</p>
	<p>Espresso SNT72ESP5 Walnut Blades DAMP RATED</p>
	<p>Flat Black SNT72FB5 Flat Black Blades DAMP RATED</p>
	<p>Matte White SNT72MWW5 White Blades DAMP RATED</p>

SANTORI 72"









FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- IDC Wall and Remote Control Included
- ESP, FB, & W Finishes are Damp Rated
BNK Finish is Indoor Rated

SPECS

Blade Sweep	72"
Number of Blades	5
Blade Pitch	16°
Motor Size (MM)	165x25
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.42
Watts (Hi Speed)	31.01
Energy Guide Watts	21
Energy Guide CFM	5957
Energy Guide CFM Watts	288
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	7586
Low Speed (CFM)	4110
Carton Size (CU FT)	3.72
Shipping Wt. (lbs)	24.47
UPS Oversized	No

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	COFFEE
	
ESPRESSO	WALNUT
	
FLAT BLACK	FLAT BLACK
	
MATTE WHITE	WHITE



Wall Control and Remote (Included)
IDC

SHIPS TO CANADA cULus LISTED
DC MOTOR DAMP RATED




Cottage White
AUG60CW4
Driftwood Blades

AUGUSTA 60"

FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Blades Included
- Integrated 4 Watt 4 Bulb Dimmable LED Light Kit
- IDC Wall and Remote Controls Included
- Indoor Rated

CEILING DROP DIMENSIONS



DC MOTOR **cULus LISTED**
INTEGRATED LED **SHIPS TO CANADA**

SPECS

Blade Sweep	60"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	125x30
Included Control	IDC Controls
Compatible Control Types	Type E
Amps (Hi Speed)	0.43
Watts (Hi Speed)	32.2
Energy Guide Watts	20
Energy Guide CFM	4347
Energy Guide CFM Watts	214
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	6217
Low Speed (CFM)	2227
Carton Size (CU FT)	3.5
Shipping Wt. (lbs)	25
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	4
CRI	80
Lumens	1200
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Wall Control and Remote (Included)
IDC




Tiger Shark
WB348TS3
Black & Orange Blades

TIGER SHARK 48"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 4.5 Watt Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SHIPS TO CANADA
cULus LISTED **INTEGRATED LED**


SPECS

Blade Sweep	48"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	153x8
Included Control	Pull Chain
Compatible Control Types	Pull Chain
Amps (Hi Speed)	0.46
Watts (Hi Speed)	55
Energy Guide Watts	33
Energy Guide CFM	2911
Energy Guide CFM Watts	87
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	4099
Low Speed (CFM)	1564
Carton Size (CU FT)	2.23
Shipping Wt. (lbs)	17.16
UPS Oversized	No

LED SPECS

Bulb CCT	2700K
Bulb Wattage	4.5
CRI	83
Lumens	396
Light Kit	Integrated

FINISH AND BLADE PAIRINGS





Contractor Fans

Visual Index	434
Lookbook	436
Cozy 52"	441
Enduro ABS 52"	458
Enduro ABS 52" with Light	459
EOS 52"	464
EOS 104 52"	466
EOS 111 52"	468
EOS 114 52"	463
EOS 119 52"	462
EOS 201 52"	460
EOS 211 52"	461
Intrepid 52"	456
Kate 52"	455
Kelsey 52"	440
Nikia 52"	454
Outdoor Pro Plus 52"	450
Outdoor Pro Plus 104 52"	451
Outdoor Pro Plus 119 52"	452
Outdoor Pro Plus 211 52"	453
Outdoor Super Pro 60"	449
Pro Plus 112 52"	446
Pro Plus Hugger 52"	447
Super Pro 112 60"	448
Twist N Click 52"	470
Twist N Click 52" 4-Light	471
Wheeler Hugger 42"	442
Wheeler Hugger 52"	444

CONTRACTOR CEILING FANS VISUAL INDEX


NEW




COZY
CZY52XX
Page 441



ENDURO ABS HOUSING
END52XX
Page 458-459 **WET RATED**




EOS
ECF52XX
Page 464




EOS 104
ECF104XX
Page 466




OUTDOOR PRO PLUS 211
OP211XX
Page 453 **WET RATED**




OUTDOOR SUPER PRO
OS60XX
Page 449 **WET RATED**



PRO PLUS 112
P112XX
Page 446



PRO PLUS HUGGER
PPH52XX
Page 447




EOS 111
ECF111XX
Page 468




EOS 114
ECF114XX
Page 463

NEW




EOS 119
ECF119XX
Page 462


NEW



EOS 201
ECF201XX
Page 460




SUPER PRO 112
S112XX
Page 448



TWIST N CLICK
TCE52XX
Page 470-471

NEW



WHEELER HUGGER BOWL
WHL(42/52)XX
Page 442, 444

NEW




WHEELER HUGGER 3 LIGHT
WHL(42/52)XX
Page 443, 445


NEW



EOS 211
ECF211XX
Page 461




INTREPID
INT52XX
Page 456




KATE
KTE52XX
Page 455


NEW



KELSEY
KLS52XX
Page 440




NIKIA
NIK52XX
Page 454



OUTDOOR PRO PLUS
OP52XX
Page 450 **WET RATED**



OUTDOOR PRO PLUS 104
OP104XX
Page 451 **WET RATED**



OUTDOOR PRO PLUS 119
OP119XX
Page 452 **WET RATED**






EOS
Page 464







Kelsey
Page 440



Cozy
Page 441




	Flat Black KLS52FB4 Flat Black Blades
	Satin Brass KLS52SB4 Flat Black Blades
	White KLS52W4 White Blades
	Brushed Polished Nickel KLS52BNK4 Brushed Polished Nickel Blades

KELSEY 52" NEW

FEATURES

- 3-Wire, 4 Speed Wall Control Included
- Kelsey 52" Blades Included
- Dual Moun, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible AC Motor
- Included Integrated 18W LED Light
- 6 inch Downrod Included
- Indoor Rated

CEILING DROP DIMENSIONS











SPECS


Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	N/A
Amps (Hi Speed)	0.43
Watts (Hi Speed)	50.19
Energy Guide Watts	31
Energy Guide CFM	3029
Energy Guide CFM Watts	96
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	4529
Low Speed (CFM)	1636
Carton Size (CU FT)	1.59
Shipping Wt. (lbs)	19.44
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	93
Lumens	1005
Light Kit	Integrated

FINISH AND BLADE PAIRINGS




	
FLAT BLACK	FLAT BLACK
	
SATIN BRASS	FLAT BLACK
	
WHITE	WHITE
	
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL



Dual Slide Fan & Light Control (Included)
CM-7W-LED

INTEGRATED LED AC MOTOR
cULus LISTED SHIPS TO CANADA




	Flat Black CZY52FB3 Flat Black Blades
	White CZY52W3 White Blades
	Brushed Polished Nickel CZY52BNK3 Brushed Nickel Blades

COZY 52" NEW

FEATURES

- Standard Pull Chain Speed Control
- Patent Pending Quick Connect Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible AC Motor
- Included Integrated 20W 3CCT (3000/4000/5000K) LED Light
- 6 inch Downrod Included
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, I, S
Amps (Hi Speed)	0.45
Watts (Hi Speed)	55.25
Energy Guide Watts	36
Energy Guide CFM	3544
Energy Guide CFM Watts	97
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4658
Low Speed (CFM)	2282
Carton Size (CU FT)	1.63
Shipping Wt. (lbs)	18.87
UPS Oversized	No

LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	92
Lumens	950
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	BRUSHED NICKEL
	
FLAT BLACK	FLAT BLACK
	
WHITE	WHITE

INTEGRATED LED AC MOTOR
cETLus LISTED SHIPS TO CANADA



WHEELER 42" BOWL LIGHT HUGGER ^{NEW}

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 2 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

F	13.43"
G	7.05"
H	9.84"
I	6.3"







SPECS

Blade Sweep	42"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x12
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.4
Watts (Hi Speed)	54
Energy Guide Watts	32
Energy Guide CFM	1748
Energy Guide CFM Watts	54
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	2266
Low Speed (CFM)	1167
Carton Size (CU FT)	1.6
Shipping Wt. (lbs)	15.65
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	80
Lumens	1727
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

 BRUSHED POLISHED NICKEL	 DRIFTWOOD + WALNUT
 FLAT BLACK	 FLAT BLACK + GREYWOOD
 WHITE	 WHITE + WASHED OAK

INTEGRATED LED
cETLus LISTED AC MOTOR



WHEELER 42" 3-LIGHT HUGGER ^{NEW}

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 3 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

F	15.31"
G	7.05"
H	9.84"
I	6.3"







SPECS

Blade Sweep	42"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x12
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	48.55
Energy Guide Watts	38
Energy Guide CFM	1802
Energy Guide CFM Watts	56
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	2325
Low Speed (CFM)	1210
Carton Size (CU FT)	1.58
Shipping Wt. (lbs)	16.96
UPS Oversized	No



LED SPECS

Bulb CCT	3000K
Bulb Wattage	27
CRI	80
Lumens	2520
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

 BRUSHED POLISHED NICKEL	 DRIFTWOOD + WALNUT
 FLAT BLACK	 FLAT BLACK + GREYWOOD
 WHITE	 WHITE + WASHED OAK

INTEGRATED LED
cETLus LISTED AC MOTOR




WHEELER 52" BOWL LIGHT HUGGER ^{NEW}

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 2 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	58.8
Energy Guide Watts	38
Energy Guide CFM	2246
Energy Guide CFM Watts	59
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3001
Low Speed (CFM)	1389
Carton Size (CU FT)	1.55
Shipping Wt. (lbs)	16.98
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	1727
Light Kit	Integrated

FINISH AND BLADE PAIRINGS




INTEGRATED LED
cETLus LISTED AC MOTOR

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 3 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	58.25
Energy Guide Watts	38
Energy Guide CFM	2330
Energy Guide CFM Watts	62
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3126
Low Speed (CFM)	1426
Carton Size (CU FT)	1.60
Shipping Wt. (lbs)	17.2
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	2520
Light Kit	Integrated

INTEGRATED LED
cETLus LISTED AC MOTOR




PRO PLUS 112 52" SLIM LIGHT

FEATURES

- Standard, 4-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x13
Included Control	CM-7W-LED
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.54
Watts (Hi Speed)	65.1
Energy Guide Watts	38
Energy Guide CFM	3082
Energy Guide CFM Watts	81
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4662
Low Speed (CFM)	1291
Carton Size (CU FT)	1.79
Shipping Wt. (lbs)	17.38
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1010
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



Dual Slide Fan & Light Control (Included)
CM-7W-LED

ULus LISTED **INTEGRATED LED**
JAB TITLE 24 **AC MOTOR**




PRO PLUS HUGGER 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Reversible Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.54
Watts (Hi Speed)	64.88
Energy Guide Watts	39
Energy Guide CFM	2552
Energy Guide CFM Watts	65
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3749
Low Speed (CFM)	1196
Carton Size (CU FT)	1.21
Shipping Wt. (lbs)	14.44
UPS Oversized	No

FINISH AND BLADE PAIRINGS



cULus LISTED **AC MOTOR**



SUPER PRO 112 60" SLIM LIGHT

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Hard Wired, 4 Speed Control Included
- Indoor Rated

SPECS

Blade Sweep	60"
Number of Blades	5
Blade Pitch	12.5°
Motor Size (MM)	188x20
Included Control	CM-7W-LED
Compatible Control Types	A, B, G, J, & S
Amps (Hi Speed)	0.67
Watts (Hi Speed)	79.24
Energy Guide Watts	45
Energy Guide CFM	3981
Energy Guide CFM Watts	88
Energy Guide Yearly Energy Cost	13
High Speed (CFM)	6289
Low Speed (CFM)	1366
Carton Size (CU FT)	2.04
Shipping Wt. (lbs)	24.76
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS

A	13.71"
B	10.77"
C	11.56"
D	5.51"
E	4.54"
DR	4"

LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1010
Light Kit	Integrated



Dual Slide Fan & Light Control (Included)
CM-7W-LED

ULus LISTED INTEGRATED LED
JAB TITLE 24 AC MOTOR

OUTDOOR SUPER PRO 60"

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- Standard Pull Chain Control
- Wet Rated

SPECS

Blade Sweep	60"
Number of Blades	5
Blade Pitch	12.5°
Motor Size (MM)	188x20
Included Control	Pull Chain
Compatible Control Types	A, B, G, J, & S
Amps (Hi Speed)	0.68
Watts (Hi Speed)	80.71
Energy Guide Watts	49
Energy Guide CFM	4758
Energy Guide CFM Watts	97
Energy Guide Yearly Energy Cost	14
High Speed (CFM)	6976
Low Speed (CFM)	2244
Carton Size (CU FT)	1.95
Shipping Wt. (lbs)	25.29
UPS Oversized	No

FINISH AND BLADE PAIRINGS



CEILING DROP DIMENSIONS

A	13.32"
B	10.61"
C	11.56"
D	5.51"
E	4.54"
DR	6"

ULus LISTED WET RATED AC MOTOR



OUTDOOR PRO PLUS 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional Light Kit Sold Separately
See Options on Page 474
- Standard Pull Chain Control
- Wet Rated


CEILING DROP DIMENSIONS

A	15.50"
B	13.13"
C	11.56"
D	5.51"
E	4.54"
DR	6"


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.53
Watts (Hi Speed)	63.94
Energy Guide Watts	40
Energy Guide CFM	3861
Energy Guide CFM Watts	97
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5260
Low Speed (CFM)	2275
Carton Size (CU FT)	1.75
Shipping Wt. (lbs)	17.64
UPS Oversized	No

FINISH AND BLADE PAIRINGS



AC MOTOR
WET RATED ULus LISTED



OUTDOOR PRO PLUS 104 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Integrated 7 Watt 3 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS

A	20.64"
B	13.13"
C	11.56"
D	5.51"
E	4.54"
DR	6"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, J, & S
Amps (Hi Speed)	0.53
Watts (Hi Speed)	63.54
Energy Guide Watts	40
Energy Guide CFM	3850
Energy Guide CFM Watts	97
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5263
Low Speed (CFM)	2249
Carton Size (CU FT)	2.02
Shipping Wt. (lbs)	21.34
UPS Oversized	No

FINISH AND BLADE PAIRINGS



LED SPECS

Bulb CCT	3000K
Bulb Wattage	7
CRI	80
Lumens	2400
Light Kit	Integrated

WET RATED ULus LISTED
INTEGRATED LED AC MOTOR



OUTDOOR PRO PLUS 119 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit Included
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS

A	18.39"
B	13.13"
C	11.56"
D	5.51"
E	4.54"
DR	6"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.53
Watts (Hi Speed)	63.54
Energy Guide Watts	40
Energy Guide CFM	3837
Energy Guide CFM Watts	96
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5291
Low Speed (CFM)	2188
Carton Size (CU FT)	1.75
Shipping Wt. (lbs)	20.61
UPS Oversized	No


LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1032
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



AC MOTOR JAS TITLE 24
WET RATED ULus LISTED



OUTDOOR PRO PLUS 211 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS

A	20.72"
B	13.13"
C	11.56"
D	5.51"
E	4.54"
DR	6"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, J, & S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	58.17
Energy Guide Watts	37
Energy Guide CFM	3869
Energy Guide CFM Watts	103
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5140
Low Speed (CFM)	2429
Carton Size (CU FT)	2.32
Shipping Wt. (lbs)	22.05
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	1500
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS



AC MOTOR JAS TITLE 24
WET RATED ULus LISTED



NIKIA 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 4 Watt 2 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- ESP Finish is Damp Rated
BNK Finish is Indoor Rated

CEILING DROP DIMENSIONS

A	15.94"
B	11.02"
C	11.25"
D	5.11"
E	8.07"
DR	4"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	10.5°
Motor Size (MM)	153x18
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.51
Watts (Hi Speed)	62.4
Energy Guide Watts	40
Energy Guide CFM	3176
Energy Guide CFM Watts	80
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4432
Low Speed (CFM)	1752
Carton Size (CU FT)	2.12
Shipping Wt. (lbs)	19.82
UPS Oversized	No

LED SPECS

Bulb CCT	2700K
Bulb Wattage	4
CRI	80
Lumens	592
Light Kit	Integrated


FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	BRUSHED NICKEL + WALNUT
ESPRESSO	ESPRESSO + WALNUT

SHIPS TO CANADA

DAMP RATED cETLus LISTED

INTEGRATED LED AC MOTOR



KATE 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 4 Watt 3 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

A	21.57"
B	13.31"
C	9.88"
D	5.51"
E	5.51"
DR	6"

SHIPS TO CANADA

cETLus LISTED AC MOTOR

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.52
Watts (Hi Speed)	60
Energy Guide Watts	39
Energy Guide CFM	2904
Energy Guide CFM Watts	74
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3967
Low Speed (CFM)	1700
Carton Size (CU FT)	1.95
Shipping Wt. (lbs)	21.23
UPS Oversized	No

LED SPECS

Bulb CCT	2700K
Bulb Wattage	4
CRI	80
Lumens	983
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	DRIFTWOOD + GREY WALNUT
FLAT BLACK	BLACK WALNUT + GREY WALNUT




Espresso
INT52ESP3
Reversible Espresso + Walnut Blades

INTREPID 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12.5°
Motor Size (MM)	153x10
Included Control	Pull Chain
Compatible Control Types	A, J, & S
Amps (Hi Speed)	0.4
Watts (Hi Speed)	56.9
Energy Guide Watts	37
Energy Guide CFM	3081
Energy Guide CFM Watts	84
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4153
Low Speed (CFM)	1865
Carton Size (CU FT)	1.56
Shipping Wt. (lbs)	15.87
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	600
Light Kit	Integrated

FINISH AND BLADE PAIRINGS



AC MOTOR

cETLus LISTED

INTEGRATED LED



Brushed Polished Nickel
INT52BNK3
Reversible Brushed Nickel
+ Walnut Blades



White
INT52W3
Reversible White
+ Ash Blades



White
INT52W3
Reversible White
+ Ash Blades



ENDURO 52" ABS HOUSING

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom ABS Blades Included
- Optional Light Kit Sold Separately
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS

A	13.38"
B	10.92"
C	12.09"
D	5.91"
E	6.75"
DR	4"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	172x14
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.47
Watts (Hi Speed)	56.68
Energy Guide Watts	35
Energy Guide CFM	3636
Energy Guide CFM Watts	103
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	5143
Low Speed (CFM)	1928
Carton Size (CU FT)	1.76
Shipping Wt. (lbs)	18.08
UPS Oversized	No

FINISH AND BLADE PAIRINGS

MATTE BLACK	MATTE BLACK
WHITE	WHITE

WET RATED ULus LISTED AC MOTOR



ENDURO 52" ABS HOUSING WITH LIGHT

FEATURES

- Heavy-Duty, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom ABS Blades Included
- Optional 9 Watt 2 Bulb Non-Dimmable LED Light Kit
- Standard Pull Chain Control
- Wet Rated

CEILING DROP DIMENSIONS

A	20.41"
B	13.02"
C	12.09"
D	5.91"
E	6.81"
DR	4"

SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	172x14
Included Control	Pull Chain
Compatible Control Types	A & J
Amps (Hi Speed)	0.49
Watts (Hi Speed)	58.8
Energy Guide Watts	36
Energy Guide CFM	3829
Energy Guide CFM Watts	106
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	5323
Low Speed (CFM)	2136
Carton Size (CU FT)	2.04
Shipping Wt. (lbs)	22.38
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	1500
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS

ESPRESSO	ESPRESSO
MATTE BLACK	MATTE BLACK
WHITE	WHITE

WET RATED ULus LISTED AC MOTOR




	<p>Brushed Polished Nickel ECF201BNK5-BNGW</p> <p>Reversible Brushed Polished Nickel + Greywood Blades</p>
	<p>Flat Black ECF201FB5-FBGW</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>Classic Bronze ECF201CBZ5-CBZWLN</p> <p>Reversible Classic Bronze + Walnut Blades</p>
	<p>Satin Brass ECF201SB5-BWNFB</p> <p>Reversible Flat Black + Black Walnut Blades</p>

EOS 201 52" CLEAR BOWL 2-LIGHT NEW

FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated
- Included (Optional) 2x6 Watt Dimmable LED Light Kit

CEILING DROP DIMENSIONS











SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.05
Energy Guide Watts	38
Energy Guide CFM	3145
Energy Guide CFM Watts	83
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4227
Low Speed (CFM)	1920
Carton Size (CU FT)	1.81
Shipping Wt. (lbs)	21.61
UPS Oversized	No

LED SPECS





Bulb CCT	3000
Bulb Wattage	12
CRI	82
Lumens	1428
Light Kit	Included (opt.)

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL + GREYWOOD
	
CLASSIC BRONZE	CLASSIC BRONZE + WALNUT
	
FLAT BLACK	FLAT BLACK + GREYWOOD
	
SATIN BRASS	BLACK WALNUT + FLAT BLACK

AC MOTOR ETLus LISTED




	<p>Brushed Polished Nickel ECF211BNK5-BNGW</p> <p>Reversible Brushed Nickel + Greywood Blades</p>
	<p>Flat Black ECF211FB5-FBGW</p> <p>Reversible Flat Black + Greywood Blades</p>
	<p>Classic Bronze ECF211CBZ5-CBZWLN</p> <p>Reversible Classic Bronze + Walnut Blades</p>
	<p>Satin Brass ECF211SB5-BWNFB</p> <p>Reversible Flat Black + Black Walnut Blades</p>

EOS 211 52" WHITE BOWL 2-LIGHT NEW

FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated
- Included (Optional) 2x9 Watt Dimmable LED Light Kit

CEILING DROP DIMENSIONS











SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.05
Energy Guide Watts	38
Energy Guide CFM	3145
Energy Guide CFM Watts	83
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4227
Low Speed (CFM)	1920
Carton Size (CU FT)	1.81
Shipping Wt. (lbs)	21.61
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	83
Lumens	1856
Light Kit	Included (opt.)

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
	
CLASSIC BRONZE	CLASSIC BRONZE + WALNUT
	
FLAT BLACK	FLAT BLACK + GREYWOOD
	
SATIN BRASS	BLACK WALNUT + FLAT BLACK

AC MOTOR ETLus LISTED



Flat Black
ECF119FB5-FBGW
Reversible Flat Black
+ Greywood Blades



Brushed Polished Nickel
ECF119BNK5-DWWLN
Reversible Driftwood
+ Walnut Blades




Classic Bronze
ECF119CBZ5-CBZWLN
Reversible Classic Bronze
+ Walnut Blades

EOS 119 52" LED PAN LIGHT **NEW**

FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount, Flat or Angled Ceiling up to 23°
See Page 496 for Compatible Slope Mount Adapters
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated
- Included (Optional) 18 Watt Dimmable LED Light Kit

CEILING DROP DIMENSIONS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	58.85
Energy Guide Watts	38
Energy Guide CFM	3165
Energy Guide CFM Watts	84
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4273
Low Speed (CFM)	1908
Carton Size (CU FT)	1.7
Shipping Wt. (lbs)	20.9
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	92
Lumens	1000
Light Kit	Included

FINISH AND BLADE PAIRINGS




AC MOTOR ETLus LISTED



Brushed Polished Nickel
ECF114BNK5-BNGW
Reversible Brushed Nickel + Greywood
Blades



Brushed Polished Nickel
ECF114BNK5-DWWLN
Reversible Driftwood
+ Walnut Blades



Classic Bronze
ECF114CBZ5-CBZWLN
Reversible Classic Bronze
+ Walnut Blades
NEW




Flat Black
ECF114FB5-FBGW
Reversible Flat Black
+ Greywood Blades

EOS 114 52" FROSTED 4-LIGHT

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 9 Watt 4 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



AC MOTOR
ETLus LISTED INTEGRATED LED


SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.15
Energy Guide Watts	38
Energy Guide CFM	2765
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3675
Low Speed (CFM)	1733
Carton Size (CU FT)	1.68
Shipping Wt. (lbs)	19.31
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	2784
Light Kit	Integrated

FINISH AND BLADE PAIRINGS






Brushed Polished Nickel
ECF52BNK5-BNGW
Reversible **Brushed Nickel** + Greywood Blades

EOS 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.48
Watts (Hi Speed)	57.85
Energy Guide Watts	37
Energy Guide CFM	2790
Energy Guide CFM Watts	75
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3756
Low Speed (CFM)	1696
Carton Size (CU FT)	1.53
Shipping Wt. (lbs)	15.1
UPS Oversized	No

FINISH AND BLADE PAIRINGS

CLASSIC BRONZE	CLASSIC BRONZE + WALNUT
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
BRUSHED POLISHED NICKEL	DRIFTWOOD + WALNUT
FLAT BLACK	FLAT BLACK + GREYWOOD
SATIN BRASS	BLACK WALNUT + FLAT BLACK
WHITE	WHITE + WASHED OAK

ETLus LISTED AC MOTOR



Brushed Polished Nickel
ECF52BNK5-DWVLN
Reversible **Driftwood** + Walnut Blades



NEW

Classic Bronze
ECF52CBZ5-CBZVLN
Reversible **Classic Bronze** + Walnut Blades



Flat Black
ECF52FB5-FBGW
Reversible **Flat Black** + Greywood Blades



Satin Brass
ECF52SB5-BNWFB
Reversible **Flat Black** + Black Walnut Blades



White
ECF52W5-WWOK
Reversible **White** + Washed Oak Blades




Brushed Polished Nickel
ECF104BNK5-BNGW
 Reversible Brushed Nickel + Greywood Blades

EOS 104 52" CLEAR 4-LIGHT

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Integrated 4 Watt 4 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.15
Energy Guide Watts	38
Energy Guide CFM	2765
Energy Guide CFM Watts	73
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3675
Low Speed (CFM)	1733
Carton Size (CU FT)	1.68
Shipping Wt. (lbs)	19.62
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	4
CRI	82
Lumens	1603
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

CLASSIC BRONZE	CLASSIC BRONZE + WALNUT
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
BRUSHED POLISHED NICKEL	DRIFTWOOD + WALNUT
FLAT BLACK	FLAT BLACK + GREYWOOD
SATIN BRASS	BLACK WALNUT + FLAT BLACK

AC MOTOR
 ETLus LISTED INTEGRATED LED



NEW

Classic Bronze
ECF104CBZ5-CBZWLN
 Reversible Classic Bronze + Walnut Blades



NEW

Satin Brass
ECF104SB5-BWNFB
 Reversible Black Walnut + Flat Black Blades



Flat Black
ECF104FB5-FBGW
 Reversible Flat Black + Greywood Blades



Brushed Polished Nickel
ECF104BNK5-DWWLN
 Reversible Driftwood + Walnut Blades



Brushed Polished Nickel
ECF111BNK5-BNGW
 Reversible Brushed Nickel + Greywood Blades



Brushed Polished Nickel
ECF111BNK5-DWWLN
 Reversible Driftwood
 + Walnut Blades



NEW


Classic Bronze
ECF111CBZ5-CBZWLN
 Reversible Classic Bronze
 + Walnut Blades

EOS 111 52" FROSTED SLIM BOWL LIGHT

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 6" Downrod Included
- Custom Reversible Blades Included
- Optional 5 Watt 3 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x13
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.25
Energy Guide Watts	38
Energy Guide CFM	2933
Energy Guide CFM Watts	77
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	3907
Low Speed (CFM)	1829
Carton Size (CU FT)	1.62
Shipping Wt. (lbs)	17.04
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	5
CRI	82
Lumens	1620
Light Kit	Included (Opt.)

FINISH AND BLADE PAIRINGS

CLASSIC BRONZE	CLASSIC BRONZE + WALNUT
BRUSHED POLISHED NICKEL	BRUSHED NICKEL + GREYWOOD
BRUSHED POLISHED NICKEL	DRIFTWOOD + WALNUT
FLAT BLACK	FLAT BLACK + GREYWOOD
WHITE	WHITE + WASHED OAK



Flat Black
ECF111FB5-FBGW
 Reversible Flat Black
 + Greywood Blades




White
ECF111W5-WWOK
 Reversible White
 + Washed Oak Blades




Brushed Polished Nickel
TCE52BNK5C1-C
Reversible Ash + Mahogany Blades



White
TCE52W5C1-C
Reversible White + Washed Oak Blades



Brushed Polished Nickel
TCE52BNK5C4-C
Reversible Ash + Mahogany Blades



White
TCE52W5C4-C
Reversible White + Washed Oak Blades


TWIST N CLICK 52"

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 5.5 Watt 3 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

A	16.73"
B	8.98"
C	11.02"
D	5.12"
E	3.54"
DR	4"



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.95
Energy Guide Watts	38
Energy Guide CFM	3001
Energy Guide CFM Watts	79
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4159
Low Speed (CFM)	1688
Carton Size (CU FT)	2.25
Shipping Wt. (lbs)	20.72
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	5.5
CRI	80
Lumens	1707
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	ASH + MAHOGANY
WHITE	WHITE + WASHED OAK

AC MOTOR SHIPS TO CANADA
ETLus LISTED INTEGRATED LED


TWIST N CLICK 52" 4-LIGHT

FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
See Page 496 for Compatible Slope Mount Adapters
- 4" Downrod Included
- Custom Reversible Blades Included
- Integrated 5.5 Watt 4 Bulb Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

CEILING DROP DIMENSIONS

A	18.62"
B	8.98"
C	11.02"
D	5.12"
E	3.54"
DR	4"



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	A, G, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	60.5
Energy Guide Watts	38
Energy Guide CFM	3001
Energy Guide CFM Watts	79
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4086
Low Speed (CFM)	1770
Carton Size (CU FT)	2.57
Shipping Wt. (lbs)	22.71
UPS Oversized	No

LED SPECS

Bulb CCT	3000K
Bulb Wattage	5.5
CRI	80
Lumens	2438
Light Kit	Integrated

FINISH AND BLADE PAIRINGS

BRUSHED POLISHED NICKEL	ASH + MAHOGANY
WHITE	WHITE + WASHED OAK

AC MOTOR SHIPS TO CANADA
ETLus LISTED INTEGRATED LED



PHOEBE 52" WITH LIGHT KIT
Page 340

Ceiling Fan Accessories

Light Kits	474
Hardware Adapters	478
Downrods	479
Control Systems	480
Smart Controls	486
DC Motor Wi-Fi Enabled Tail End Modules	486
Smart Home System	487

NEW



Universal 2 Light Clear Glass Bowl Light Kit
LK2601-2L-FB
W 9.84" H 4.61"
2 x 6 Watt LED Bulbs
3000K, 1392 Lumens
Finishes Available: BNK, FB

NEW



Universal 2 Light Frosted Glass Bowl Light Kit
LK2601-2LWF-BNK
W 9.84" H 4.61"
2 x 9 Watt LED Bulbs
3000K, 1392 Lumens
Finishes Available: BNK, FB

LIGHT KITS

FINISHES



Universal Bowl LED Light Kit
LKE303WF-LED
W 11.87" H 4.51"
2 x 9 Watt LED Bulbs
3000K, 1170 Lumens
White Frosted Glass
Finials Included: ABZ, BNK, ESP, & W



Universal Bowl LED Light Kit
LKE201WF-LED
W 11.87" H 4.51"
2 x 9 Watt LED Bulbs
3000K, 1170 Lumens
White Frosted Glass
Finials Included: ABZ, BNK, ESP, & W



Universal LED Light Kit
LK414-WW-LED
W 14.5" H 6.25"
4 x 9 Watt LED Bulbs
3000K, 3000 Lumens
Adjustable Metal Shades



Universal LED Light Kit
LK301102-FB-LED
W 13.07" H 6.85"
3 x 4 Watt LED Bulbs
3000K, 1260 Lumens
Clear Glass
Finishes Available: BNK & FB



Universal Bowl Light Kit
LK2901-SB
W 6.54" H 3.07"
Integrated 18 Watt LED
3000K, 960 Lumens
White Frosted Glass
Finishes Available: BNK, FB, & SB



Universal Bowl Light Kit
LK2902-FB
W 10.78" H 4.76"
2 x 7 Watt LED Bulbs
3000K
1600 Lumens
Clear Glass
Finishes Available: BNK, FB, & SB



Universal LED Light Kit
LK3102-SB
W 8.9" H 3.65"
Integrated 20 Watt LED
3000K/4000K/5000K
1304 Lumens
Finishes Available: BNK, ESP, FB, & SB



Mondo 72" LED Light Kit
MNDLK-BNK-LED
 W 9.32" H 1.89"
 Integrated 20 Watt LED
 3000K, 1040 Lumens
 White Frosted Glass
 ESP & FB Finishes are Damp Rated
 Finishes Available: BNK, ESP, FB, & SB
 See Full Fan Collection on Page 333



Mondo 72" LED Light Kit
MNDLK-FB-LED
 W 9.32" H 1.89"
 Integrated 20 Watt LED
 3000K, 1040 Lumens
 White Frosted Glass
 ESP & FB Finishes are Damp Rated
 Finishes Available: BNK, ESP, FB, & SB
 See Full Fan Collection on Page 333



Mondo 72" LED Light Kit
MNDLK-SB-LED
 W 9.32" H 1.89"
 Integrated 20 Watt LED
 3000K, 1040 Lumens
 White Frosted Glass
 ESP & FB Finishes are Damp Rated
 Finishes Available: BNK, ESP, FB, & SB
 See Full Fan Collection on Page 333



Venn 58" LED Light Kit
VNN58LK-FB-LED
 W 5.59" H 2.14"
 Integrated 20 Watt LED
 3000K, 1505 Lumens
 White Frosted Polycarbonate
 Finishes Available: FB, FB/SB, W
 See Full Fan Collection on Page 313



Venn 58" LED Light Kit
VNN58LK-SB-LED
 W 5.59" H 2.14"
 Integrated 20 Watt LED
 3000K, 1505 Lumens
 White Frosted Polycarbonate
 Finishes Available: FB, FB/SB, W
 See Full Fan Collection on Page 313



Venn 58" LED Light Kit
VNN58LK-W-LED
 W 5.59" H 2.14"
 Integrated 20 Watt LED
 3000K, 1505 Lumens
 White Frosted Polycarbonate
 Finishes Available: FB, FB/SB, W
 See Full Fan Collection on Page 313



Amigo 52" LED Light Kit
AMG52LK-W-LED
 W 3.39" H 0.60"
 Integrated 20 Watt LED
 3000K, 789 Lumens
 White Frosted Glass
 Finishes Available: FB, W
 See Full Fan Collection on Page 317



Amigo 52" LED Light Kit
AMG52LK-FB-LED
 W 3.39" H 0.60"
 Integrated 20 Watt LED
 3000K, 789 Lumens
 White Frosted Glass
 Finishes Available: FB, W
 See Full Fan Collection on Page 317



Frazier 56" LED Light Kit
FRZ56LK-SB-LED
 W 6.7" H 2.6"
 Integrated 20 Watt LED
 3000K, 1384 Lumens
 White Frosted Glass
 Finishes Available: FB, SB
 See Full Fan Collection on Page 306



Frazier 56" LED Light Kit
FRZ56LK-FB-LED
 W 6.7" H 2.6"
 Integrated 20 Watt LED
 3000K, 1384 Lumens
 White Frosted Glass
 Finishes Available: FB, SB
 See Full Fan Collection on Page 306



Charming 52" LED Light Kit
CHM52LK-FB-LED
 W 6.5" H 2.25"
 Integrated 20 Watt Dimmable LED
 3000-5000K, 1263 Lumens
 White Frosted Glass
 Finishes Available: FB, SB
 See Full Fan Collection on Page 312



Charming 52" LED Light Kit
CHM52LK-SB-LED
 W 6.5" H 2.25"
 Integrated 20 Watt Dimmable LED
 3000-5000K, 1263 Lumens
 White Frosted Glass
 Finishes Available: FB, SB
 See Full Fan Collection on Page 312



Phoebe 52" LED Light Kit
PHB52LK-FB-LED
 W 5.88" H 1.75"
 Integrated 20 Watt LED
 3000-5000K, 1338 Lumens
 White Frosted Glass
 Finishes Available: FB, W
 See Full Fan Collection on Page 340




Phoebe 52" LED Light Kit
PHB52LK-W-LED
 W 5.88" H 1.75"
 Integrated 20 Watt LED
 3000-5000K, 1338 Lumens
 White Frosted Glass
 Finishes Available: FB, W
 See Full Fan Collection on Page 340



Slope Ceiling Adapter
SA130BNK
W 5.1" H 3.93"
Up to 30° Slope
Finishes Available:
BN, BNK, ESP, MBK, SB, & WW
DAMP RATED BNK & SB Finishes are Indoor Rated



Slope Mount Adapter
SMA39-FB
W 6.3" H 4"
Up to 39° Slope
Finishes Available:
FB, BNK, ESP, W
DAMP RATED BNK Finish is Indoor Rated



Slope Mount Adapter
SMA180-ABZ
W 7.1" H 5.47"
Up to 60° Slope
Finishes Available:
ABZ, AG, BNK, ESP, FB, OB, PN, SB, & W
DAMP RATED BNK & SB Finishes are Indoor Rated



1/2" Downrod Coupler
COUPLER-BNK
W 1.38" H 2.32"
Finishes Available:
BN, BNK, ESP,
FB, OB, SB, & W
DAMP RATED BNK & SB Finishes are Indoor Rated




Guide Wire System
GWS-FB
W 5.49" H 0.64"
Bracket System that attaches to the Yoke at the top of the Ceiling Fan Motor Housing and allows 3 Adjustable Cables up to 96" to securely mount the Fan to the Ceiling. Recommended for outdoor areas exposed to high winds/strong storms.
Finishes Available:
FB, PN, & W



Canopy Locking System
CLS-AG
W 5.75" H 2.36"
Finishes Available:
AG, BNK, ESP,
FB, OB, PN & W
WET RATED BNK Finish is Indoor Rated



Close Mount Adapter for Wi-Fi Enabled Fans
CMAWF-ABZ
W 5.85" H 2.36"
Finishes Available:
ABZ, AN, BN, BNK,
ESP, FB, PN, SB, & W
DAMP RATED BNK & SB Finishes are Indoor Rated



● FINISH AVAILABLE

















FINISH	MODEL #	LENGTH									
		3"	4"	6"	12"	18"	24"	36"	48"	60"	72"
Aged Bronze Brushed	DRXXABZ				●	●	●	●	●	●	●
Aged Bronze Textured	DRXXAG			●	●	●	●	●	●	●	●
Brushed Satin Nickel	DRXXBN	●	●	●	●	●	●	●	●	●	●
Brushed Polished Nickel	DRXXBNK	●	●	●	●	●	●	●	●	●	●
Chrome	DRXXCH	●	●	●	●	●	●	●			
Classic Bronze	DRXXCBZ				●	●	●	●	●	●	●
Cottage White	DRXXCW				●	●	●	●			
Dark Graphite	DRXXDGT			●	●	●	●	●	●	●	●
Espresso	DRXXESP	●	●	●	●	●	●	●	●	●	●
Flat Black	DRXXFB	●	●	●	●	●	●	●	●	●	●
Gloss Black	DRXXGBK				●	●	●	●	●	●	●
Matte White	DRXXMWW				●	●	●	●			
Modern Bronze	DRXXMBZ		●	●	●	●	●	●	●	●	●
Oiled Bronze	DRXXOB			●	●	●	●	●	●	●	●
Polished Nickel	DRXXPLN				●	●	●	●	●	●	●
Painted Nickel	DRXXPN				●	●	●	●	●	●	●
Satin Brass	DRXXSB	●	●	●	●	●	●	●	●	●	●
White	DRXXW	●	●	●	●	●	●	●	●	●	●

HARDWARE ADAPTERS & DOWNRODS

FEATURES

- View Full Compatibility Chart on Page 496
- SMA180-XX Slope Mount Adapter Replaces Dual Mount Canopy on Compatible Ceiling Fans to Allow Mounting on Ceilings with up to 60° Slope
- SMA39-XX Slope Mount Adapter is Compatible with TTE, PRT78, PRT102, PRT120, RSH, & AXL80 Ceiling Fans. Mounts Any Fan Equipped with a Hex Ball or Standard Downrod with 1/2" DIA Downrod. Allows for up to 39° Slope

FINISHES

 ABZ - AGED BRONZE BRUSHED	 AG - AGED BRONZE TEXTURED	 AN - ANTIQUE NICKEL	 BN - BRUSHED SATIN NICKEL
 BNK - BRUSHED POLISHED NICKEL	 CBZ - CLASSIC BRONZE	 DGT - DARK GRAPHITE	 ESP - ESPRESSO
 FB - FLAT BLACK	 MBK - MATTE BLACK	 MBZ - MODERN BRONZE	 OB - OILED BRONZE
 PLN - POLISHED NICKEL	 PN - PAINTED NICKEL	 SB - SATIN BRASS	 W - WHITE

TYPE A



FEATURES

- Universal Control Kit for Most AC Motor Fans, Can be configured as Wall Control or Handheld Remote See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Battery Operated
- Receiver Pre-Paired
- Canopy Mounted SMA39-XX, SMA180-XX or CMA-XX required for sloped ceilings
- Includes:
 - 1 Transmitter
 - 1 Intelligent Receiver
 - 1 23AE 12V Battery
 - 1 Black Handheld Remote Clamshell
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Handheld Or Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed
Fan Motor Type	AC Motor
Control Frequency	304
Power	Max 1 AC Fan Max 1.5 Amp Fan Max 150 Watts LED Max 300 Watts Incandescent
Finish	Clam Shell: BL Wall Plate: W Faceplates: AL, BL, W

FEATURES

- Universal Wall Control & Handheld Remote for Most AC Motor Fans See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Battery Operated
- Receiver Pre-Paired
- Canopy Mounted SMA39-XX, SMA180-XX or CMA-XX required for sloped ceilings
- Includes:
 - 2 Transmitters
 - 1 Intelligent Receiver
 - 2 23AE 12V Batteries
 - 1 Black Handheld Remote Clamshell
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Handheld & Wall Controls
Light Control	On/Off & Dimming
Fan Control	3 Speed
Fan Motor Type	AC Motor
Control Frequency	304
Power	Max 1 AC Fan Max 1.5 Amp Fan Max 150 Watts LED Max 300 Watts Incandescent
Finish	Clam Shell: BL Wall Plate: W Faceplates: AL, BL, W

FEATURES

- Wall Transmitter Replacement * Receiver Not Included See Page 500 for Detailed Compatibility
- Battery Operated
- Includes:
 - 1 Transmitter
 - 1 23AE 12V Battery
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed
Fan Motor Type	AC Motor
Control Frequency	304
Finish	Wall Plate: W Faceplate: AL, BL, W

TYPE B



FEATURES

- Universal Remote for AC Fans with Large Motors See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Battery Operated
- Canopy Mounted SMA39-XX, SMA180-XX or CMA-XX required for sloped ceilings
- Includes:
 - 1 Transmitter
 - 1 Intelligent Receiver
 - 1 23AE 12V Battery
 - 1 Black Handheld Remote Clamshell
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Handheld Or Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed
Fan Motor Type	AC Motor
Control Frequency	304
Power	Max 1 AC Fan Max 1.5 Amp Fan Max 150 Watts LED Max 300 Watts Incandescent
Finish	Clam Shell: BL Wall Plate: W Faceplates: AL, BL, W

TYPE D




FEATURES

- Wall Transmitter Replacement * Receiver Not Included See Page 500 for Detailed Compatibility
- Battery Operated
- Includes:
 - 1 Intelligent Transmitter
 - 1 23AE 12V Battery
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Wall Control
Light Control	Up & Down Light, On/Off & Dimming
Fan Control	6 Speed & Reverse
Fan Motor Type	DC Motor
Control Frequency	304
Finish	Wall Plate: W Faceplates: AL, BL, W

TYPE E




FEATURES

- Wall Transmitter Replacement * Receiver Not Included See Page 500 for Detailed Compatibility
- Battery Operated
- Includes:
 - 1 Intelligent Transmitter
 - 1 23AE 12V Battery
 - 1 White Wall Plate
 - Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Wall Control
Light Control	Up & Down Light On/Off & Dimming
Fan Control	6 Speed & Reverse
Fan Motor Type	DC Motor
Control Frequency	304
Finish	Wall Plate: W Faceplates: AL, BL, W

TYPE G



4 Speed Fan Control
CM-4SDH

FEATURES

- Hard-Wired 4 Speed Rotary Wall Control
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Single Pole
Requires 1 Lead Wire, Neutral to Fan, & Ground Wire
- Includes:
1 Hard-Wired Wall Control
1 White Wall Plate
Almond, Ivory, & White Knobs

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	No	
Fan Control	4 Speed	
Fan Motor Type	AC Motor	
Power	Max 1 AC Fan Max 1.5 Amp Fan	
Finish	Wall Plate:	W
	Knobs:	AL, IV, W



4 Speed Fan Control
CM-4SDH-5

FEATURES

- Hard-Wired, 5 Amp, 4 Speed, Rotary Wall Control
See Page 500 for Detailed Compatibility
- Controls up to 3 AC Motor Fans
- Single Pole
Requires 1 Lead Wire, Neutral to Fan, and Ground Wire
- Includes:
1 Hard-Wired Wall Control
1 White Wall Plate
Almond, Ivory, & White Knobs

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	No	
Fan Control	4 Speed	
Fan Motor Type	AC Motor	
Power	Max 3 AC Fans Max 5 Amp Fan	
Finish	Wall Plate:	W
	Knobs:	AL, IV, W



Slide Control with LED Switch
CM-601F

FEATURES

- Hard-Wired 3 Speed Slide Wall Control with LED Switch for Most AC Motor Fans
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Single Pole or 3 Way
Requires 2 Lead Wires, Neutral to Fan, and Ground Wire
- Includes:
1 Hard-Wired Wall Control
1 White Wall Plate
Almond, Ivory, & White Control Faceplates

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	No	
Fan Control	3 Speed	
3 Way	Yes	
Fan Motor Type	AC Motor	
Power	Max 1 AC Fan Max 1.5 Amp Fan	
Finish	Wall Plate:	W
	Faceplates:	AL, IV, W

TYPE G



4 Speed Fan Control
CM-6W

FEATURES

- Hard-Wired 4 Speed Slide Wall Control for Most AC Motor Fans
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Single Pole
Requires 1 Lead Wire, Neutral to Fan, and Ground Wire
- Available In Almond & White Finishes
CM-6AL for Almond
CM-6W for White
- Includes:
1 Hard-Wired Wall Control
1 White or Almond Control Faceplate

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	No	
Fan Control	4 Speed	
Fan Motor Type	AC Motor	
Power	Max 1 AC Fan Max 1.25 Amp Fan	
Finish	Faceplate:	AL or W




Dual Slide Fan & Light Control
CM-7W-LED

FEATURES

- Hard-Wired 4 Speed & Light Dual Slide Wall Control for Most AC Motor Fans
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Single Pole or 3 Way
Requires 2 Lead Wires, Neutral to Fan, and Ground Wire
- Available In Almond & White Finishes
CM-7AL-LED for Almond
CM-7W-LED for White
- Includes:
1 Hard-Wired Wall Control
1 Almond or White Control Faceplate

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	On/Off & Dimming	
Fan Control	4 Speed	
3 Way	Yes	
Fan Motor Type	AC Motor	
Power	Max 1 AC Fan Max 1.25 Amp Fan Max 22 Watts LED Max 300 Watts Incandescent Max 150 Watts LED	
Finish	Faceplate:	AL or W



Hard-Wired Slide Control
CM-8W

FEATURES

- Hard-Wired 3 Speed Slide On/Off Light Wall Control for Most AC Motor Fans
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Includes:
1 Hard-Wired Wall Control
1 White Control Faceplate

SPECS

Control Type	Hard-Wired Wall Control	
Light Control	On/Off	
Fan Control	3 Speed	
3 Way	No	
Fan Motor Type	AC Motor	
Power	Max 1 AC Fan Max 1.25 Amp Fan Max 300 Watts LED Max 500 Watts Incandescent	
Finish	Faceplate:	W

TYPE H



3 Speed Wall Control
ICS-WALL


FEATURES

- Wall Transmitter Replacement
** Receiver Not Included*
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Battery Operated
- Includes:
1 Transmitter
1 23AE 12V Battery
1 Black Handheld Remote Clamshell
1 White Wall Plate
Almond, Black, & White Transmitter Faceplates

SPECS

Control Type	Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed & Reverse
Fan Motor Type	AC Motor
Control Frequency	434
Power	Max 1 AC Fan
Finish	Clamshell: BL Wall Plate: W Faceplates: AL, BL, W

TYPE I



Remote Control for Wi-Fi Enabled Fans
WIDC-REMOTE

FEATURES

- Handheld Remote Replacement for 434 MHz Wi-Fi Fans
** Receiver Not Included*
See Page 500 for Detailed Compatibility
- Battery Operated
- Includes:
1 Handheld Remote Transmitter
1 23AE 12V Battery

SPECS

Control Type	Remote Control
Light Control	On/Off & Dimming
Fan Control	6 Speed & Reverse
Fan Motor Type	DC Motor
Control Frequency	434
Finish	Remote: W



Universal Wi-Fi Wall Control
WIDC-WALL


FEATURES

- Wall Transmitter Replacement for 304 MHz Wi-Fi Fans
** Receiver Not Included*
See Page 500 for Detailed Compatibility
- Controls up to 1 DC Motor Fan
- Battery Operated
- Includes:
1 Transmitter
1 23AE 12V Battery
1 White Wall Plate
1 White Transmitter Faceplate
- PRT Series Only

SPECS

Control Type	Wall Control
Light Control	On/Off & Dimming
Fan Control	6 Speed & Reverse
Fan Motor Type	DC Motor
Control Frequency	434
Power	Max 1 DC Fan
Finish	Wall Plate: W Faceplate: W

TYPE J



Universal Wi-Fi Remote or Wall Control
WUCI-1000

FEATURES

- Universal 3 Speed Fan & Light Control for Most Wi-Fi Enabled AC Motor Fans
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Battery Operated
- Canopy Mounted
SMA39-XX, SMA180-XX or CMA-XX
required for sloped ceilings
- Includes:
1 Transmitter
1 Intelligent Receiver
1 23AE 12V Battery
1 Black Handheld Remote Clamshell
1 White Wall Plate
Black, & White Transmitter Faceplates

SPECS

Control Type	Handheld Or Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed
Fan Motor Type	AC Motor
Control Frequency	434
Power	Max 1 AC Fan Max 1.5 Amp Fan Max 50 Watts LED Max 300 Watts Incandescent
Finish	Clamshell: BL Wall Plate: W Faceplates: BL, W

TYPE S



Universal AC Wi-Fi Wall Control
WCFL-1000

FEATURES

- Universal 3 Speed Fan & Light Control for Most Wi-Fi Enabled AC Motor Fans with Manual Reverse
See Page 500 for Detailed Compatibility
- Controls up to 1 AC Motor Fan
- Single Pole
Requires 2 Lead Wires, Neutral to Fan, and Ground Wire
- Includes:
1 Hardwire Control
1 White Faceplate Control

SPECS


Control Type	Wall Control
Light Control	On/Off & Dimming
Fan Control	3 Speed & Reverse
Fan Motor Type	AC Motor
Control Frequency	434
Power	Max 1 AC Fan Max 1.5 Amp Fan Max 50 Watts LED
Finish	Wall Plate: W Faceplate: W

SMART CONTROLS


See Detailed Compatibility on Page 500




Universal Wi-Fi Control for AC Motor Fans WUCI-1000
 Canopy Mounted
 3-Speed
 Light On/Off & Dimming
 Battery Operated



Smart Wi-Fi On/Off Indoor Wall Plug WPS-100
 Plug-In
 Light On/Off
 Max 1200 Watts Incandescent/LED



Smart Wi-Fi Switch Wall Control WCS-100
 Hard-Wired
 Requires 2 Lead Wires, Neutral to Fan, & Ground Wire
 Light On/Off
 Max 150 Watts LED, Max 600 Watts Incandescent



Smart Wi-Fi Dimmer Switch Wall Control WCSD-100
 Hard-Wired
 Requires 2 Lead Wires, Neutral to Fan, & Ground Wire
 Light On/Off & Dimming
 Max 150 Watts LED, Max 300 Watts Incandescent

DC MOTOR WI-FI ENABLED TAIL END MODULES

FEATURES

- Modules Are Easily Installed in the Receiver Located in the Fan Canopy to Convert the Compatible Non-Wi-Fi Ceiling Fan to Wi-Fi Enabled
- Control From Anywhere with a Wi-Fi Connection Using Your Phone or Smart Device
- Breeze, Timer, and Scheduling for Effortless Comfort

RH790-WIFI

COMPATIBLE FANS

- CHS52SB5-NWF
- CLZ72FB6-NWF
- DMK52SB5-NWF
- DRW54SB5-NWF
- GBN52FB5-NWF
- GRG56SBFB4-NWF
- HGN54FB6-NWF
- PHB60FB3-NWF
- PHB60FBSB3-NWF
- PHB60SB3-NWF
- PHB60WPLN3-NWF
- PRV52FB3-NWF
- PRV52MWW3-NWF
- QUL52FB4-NWF
- STL60FB3-NWF
- STL60W3-NWF

RH787-WIFI

COMPATIBLE FANS

- BDX60FB3-NWF
- EVY60FB3-NWF
- EVY60FBSB3-NWF
- EVY60WSB3-NWF
- EVY72FB3-NWF
- EVY72FBSB3-NWF
- EVY72WSB3-NWF
- HGN54FB6-NWF
- RSH65FB8-NWF
- RSH72FB8-NWF
- RSH84FB8-NWF
- RVL28SB4-NWF
- SON52SB3-CAP-NWF
- TYL24FB3-NWF
- TYL24FBSB3-NWF
- TYL24WPLN3-NWF
- TYL24WSB3-NWF

RH787-WIFI-CCT

COMPATIBLE FANS

- MND80FB6-NWF
- MND80FBSB6-NWF
- TRY52FBSB5-NWF
- VIA72PLN3-NWF
- VIA72SB3-NWF

SMART HOME SYSTEM

STEP 1 - REPLACE YOUR EXISTING WALL SWITCH WITH THE WI-FI ENABLED, SMART CONTROL OF YOUR CHOICE



WUCI-1000



WCS-100



WCSD-100



WPS-100

STEP 2 - ACTIVATE YOUR SMART SWITCH IN THE BOND HOME APP



APP ONLY FEATURES

- Control from Anywhere with a Wi-Fi Connection
- Customizable Timed Schedules
For Example: Dusk to Dawn
- Smart Speaker Integration for Voice Control
- Enhanced Comfort with Breeze Feature

STEP 3 - ENJOY ALL THE NEW WAYS TO CONTROL YOUR CEILING FAN



IOS & ANDROID APP



AMAZON ALEXA

TURN THE FAN ON



GOOGLE HOME

SCAN QR CODE FOR MORE INFORMATION





Resources

Finishes	490
Blade Finishes	494
Accessory Compatibility	496
Control Compatibility	500
Warranty	504
Numeric Index	509


FINISHES



ABZ Aged Bronze Brushed




AG Aged Bronze Textured



AN Antique Nickel



AZ Antique Bronze



BCP Brushed Copper



BCY Baked Clay




BLK, BK, & B Black




BN Brushed Satin Nickel




BNK Brushed Polished Nickel




BR Brown




BWN Black Walnut



BZ Bronze



CBZ Classic Bronze



CH Chrome




CHB Champagne Brass



CPZ Premium Bronze



CW Cottage White



DB Dusty Blue



DBG Dark Bronze Gilded



DT Dark Teak



DW Designer White




ESP Espresso



FB Flat Black



GBK Gloss Black




GLD Gilded



JBZ Aged Bronze




LB Legacy Brass




MBK Matte Black



MBZ Modern Bronze




MN Midnight



MWW Matte White



NT Natural



OBG Oiled Bronze Gilded



OBO & OB Oiled Bronze



ORB Oil Rubbed Bronze



PLN Polished Nickel

FINISHES CONTINUED




PN Painted Nickel



PW & PT Pewter




RB Rustic Brick




RG Rustic Gold




RT Rust




SA Satin Aluminum




SB Satin Brass



SN Satin Nickel




SNG Sunset Gold




SS Stainless Steel



T & TI Titanium




TB Textured Black



TW Textured White



UO Unfinished Oak



W White



WAL & WN Walnut



WB Whiskey Barrel



WB Weathered Black



WP Weathered Pine




WW White Wash

BLADE FINISHES



Aged Bronze




Aged Bronze Textured



Ash




Black & Orange




Black Walnut



Brushed Nickel



Brushed Polished Nickel




Classic Bronze




Clear Acrylic



Clear Polycarbonate




Dark Oak




Dark Walnut



Driftwood




Espresso




Flat Black



Flat Black Fabric Texture




Gloss Black



Grey Cedar



Grey Walnut



Greywood



Mahogany




Maple



Matte White



Mesquite




Oiled Bronze




Painted Nickel




RGB



Teak




Titanium



Walnut



Washed Oak



White

ACCESSORY COMPATIBILITY

NAME	MODEL NUMBER	DOWNRODS										HARDWARE ADAPTERS						
		DR3XX	DR4XX	DR6XX	DR12XX	DR18XX	DR24XX	DR36XX	DR48XX	DR60XX	DR72XX	COUPLER-XX	SA130XX	SMA180-XX	GWS-XX	CLS-XX	45AD-XX	CMAWF-XX
Acadian 56"	ACA56XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Amigo 52"	AMG52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Augusta 60"	AUG60XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Axel 57"	AXL57XX8		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Axel 80"	AXL80FB9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bandeaux 60"	BDX60XX3				●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bellows I 16"	BW116XX3																	
Bellows I 16" HW	BW116XX3-HW																	
Bellows III 21"	BW321XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bellows IV 14"	BW414XX3																	
Beltre 52"	BEL52XX3-LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bordeaux 52"	BRD52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Braxton 52"	BRX52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Captivate 52"	CPT52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Champion 60"	CHP60XX9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Chandler 52"	CHS52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Charming 52"	CHM52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Chilz 72"	CLZ72XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cipriani 57"	CPN57XX4		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cole 44"	CLE44XX3																	
Cole 52"	CLE52XX3																	
Cozy 52"	CZY52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Dominick 52"	DMK52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Drew 54"	DRW54XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Enduro ABS 52"	END52XX5P	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Enduro ABS 52" LT	END52XX5PC1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Energy Star McCoy 52"	EMCY52XX4-PC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Envy 60"	EVY60XX3		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Envy 72"	EVY72XX3		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 52"	ECF52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 104 52"	ECF104XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 111 52"	ECF111XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 114 52"	ECF114XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 119 52"	ECF119XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● COMPATIBLE

NAME	MODEL NUMBER	DOWNRODS										HARDWARE ADAPTERS						
		DR3XX	DR4XX	DR6XX	DR12XX	DR18XX	DR24XX	DR36XX	DR48XX	DR60XX	DR72XX	COUPLER-XX	SA130XX	SMA180-XX	GWS-XX	CLS-XX	45AD-XX	CMAWF-XX
EOS 201 52"	ECF201XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EOS 211 52"	ECF211XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fonz 65"	FON65XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Force XL 60"	FXL60DGT3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Frye 52"	FRY52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fuller 52"	FUL52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Garrick 56"	GAR56XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Getaway 52"	GTY52XX5			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Gibson 52"	GBN52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Gregory 56"	GRG56XX4		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hogan 54"	HGN54XX6		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Insight 52"	IST52XX5																	
Inspo 54"	INS54XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Inspo 62"	INS62XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intrepid 52"	INT52XX3		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Kate 52"	KTE52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Keen 48"	KNE48XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Kelsey 52"	KLS52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Kensey 52"	KNS52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laval 44"	LAV44XX4LK-LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laval 52"	LAV52XX4LK-LED	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 42" 3 Blade	MCY52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 3 Blade	MCY52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 4 Blade	MCY52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 4 Blade Pull Chain	MCY52XX4-PC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 5 Blade	MCY52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" Hugger	MCYH52XX3																	
McCoy 52" Outdoor	OMCY52XX4-PC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Merit 52"	MER52XX5																	
Mobi 60"	MOB60XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mondo 54"	MND54XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mondo 72"	MND72XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mondo 80"	MND80XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Moto 52"	MOT52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

CONTROL COMPATIBILITY

NAME	MODEL NUMBER	TYPE																
		A		B	D	E	G					H	I		J	S		
		UCIPB-2000	UCIPB-2000-2	UCI-WALL	UCIXL-2000	IDC2-WALL	IDC-WALL	CM-4SDH	CM-4SDH-5	CM-601F	CM-6W	CM-7W-LED	CM-8W	ICS-WALL	WIDC-HANDHELD	WIDC-WALL	WUCI-1000	WCFL-1000
Acadian 56"	ACA56XX3	●	●	●				●	●	●	●	●	●	●			●	
Amigo 52"	AMG52XX3																	
Augusta 60"	AUG60XX4													●				
Axel 57"	AXL57XX8																	
Axel 80"	AXL80FB9																	
Bandeaux 60"	BDX60XX3														●	●		
Bellows I 16"	BW116XX3																	
Bellows I 16" HW	BW116XX3-HW											●						
Bellows III 21"	BW321XX3																	
Bellows IV 14"	BW414XX3												●					
Beltre 52"	BEL52XX3-LED	●	●	●				●	●	●	●	●	●				●	
Bordeaux 52"	BRD52XX3	●	●	●				●	●	●	●	●	●				●	
Braxton 52"	BRX52XX5													●				
Captivate 52"	CPT52XX5				●													
Champion 60"	CHP60XX9					●												
Chandler 52"	CHS52XX5														●	●		
Charming 52"	CHM52XX3																	
Chilz 72"	CLZ72XX6														●	●		
Cipriani 57"	CPN57XX4																	
Cole 44"	CLE44XX3																	
Cole 52"	CLE52XX3																	
Cozy 52"	CZY52XX3	●	●	●				●	●	●	●	●	●				●	●
Dominick 52"	DMK52XX5														●	●		
Drew 54"	DRW54XX5														●	●		
Enduro ABS 52"	END52XX5P	●	●	●				●	●	●	●	●	●				●	●
Enduro ABS 52" LT	END52XX5PC1	●	●	●				●	●	●	●	●	●				●	●
Energy Star McCoy 52"	EMCY52XX4-PC																	
Envy 60"	EVY60XX3														●	●		
Envy 72"	EVY72XX3														●	●		
EOS 52"	ECF52XX5	●	●	●				●	●	●	●	●	●				●	●
EOS 104 52"	ECF104XX5	●	●	●				●	●	●	●	●	●				●	●
EOS 111 52"	ECF111XX5	●	●	●				●	●	●	●	●	●				●	●
EOS 114 52"	ECF114XX5	●	●	●				●	●	●	●	●	●				●	●
EOS 119 52"	ECF119XX5	●	●	●				●	●	●	●	●	●				●	●

● COMPATIBLE

NAME	MODEL NUMBER	TYPE																
		A		B	D	E	G					H	I		J	S		
		UCIPB-2000	UCIPB-2000-2	UCI-WALL	UCIXL-2000	IDC2-WALL	IDC-WALL	CM-4SDH	CM-4SDH-5	CM-601F	CM-6W	CM-7W-LED	CM-8W	ICS-WALL	WIDC-HANDHELD	WIDC-WALL	WUCI-1000	WCFL-1000
EOS 201 52"	ECF201XX5	●	●	●				●	●	●	●	●	●				●	●
EOS 211 52"	ECF211XX5	●	●	●				●	●	●	●	●	●				●	●
Fonz 65"	FON65XX5																	
Force XL 60"	FXL60DGT3																	
Frye 52"	FRY52XX5																	
Fuller 52"	FUL52XX3	●	●	●				●	●	●	●	●	●				●	
Garrick 56"	GAR56XX5	●	●	●				●	●	●	●	●	●				●	
Getaway 52"	GTY52XX5																	
Gibson 52"	GBN52XX5														●	●		
Gregory 56"	GRG56XX4														●	●		
Hogan 54"	HGN54XX6														●	●		
Insight 52"	IST52XX5	●	●	●				●	●	●	●	●	●				●	●
Inspo 54"	INS54XX3	●	●	●				●	●	●	●	●	●				●	
Inspo 62"	INS62XX3	●	●	●				●	●	●	●	●	●				●	
Intrepid 52"	INT52XX3	●	●	●				●	●	●	●	●	●				●	
Kate 52"	KTE52XX5	●	●	●				●	●	●	●	●	●				●	●
Keen 48"	KNE48XX3	●	●	●				●	●	●	●	●	●				●	
Kelsey 52"	KLS52XX4	●	●	●				●	●	●	●	●	●				●	●
Kensey 52"	KNS52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laval 44"	LAV44XX4LK-LED	●	●	●				●	●	●	●	●	●				●	
Laval 52"	LAV52XX4LK-LED	●	●	●				●	●	●	●	●	●				●	
McCoy 42" 3 Blade	MCY52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 3 Blade	MCY52XX3	●	●	●				●	●	●	●	●	●				●	
McCoy 52" 4 Blade	MCY52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 4 Blade Pull Chain	MCY52XX4-PC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 5 Blade	MCY52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" Hugger	MCYH52XX3							●	●	●	●	●	●					
McCoy 52" Outdoor	OMCY52XX4-PC	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Merit 52"	MER52XX5							●	●	●	●	●	●					
Mobi 60"	MOB60XX3													●				
Mondo 54"	MND54XX3																	
Mondo 72"	MND72XX6																	
Mondo 80"	MND80XX6																	
Moto 52"	MOT52XX3	●	●	●				●	●	●	●	●	●				●	●

CONTROL COMPATIBILITY CONTINUED

NAME	MODEL NUMBER	TYPE																
		A		B	D	E	G					H	I		J	S		
		UCIPB-2000	UCIPB-2000-2	UCI-WALL	UCIXL-2000	IDC2-WALL	IDC-WALL	CM-4SDH	CM-4SDH-5	CM-601F	CM-6W	CM-7W-LED	CM-8W	ICS-WALL	WIDC-HANDHELD	WIDC-WALL	WUCI-1000	WCFL-1000
Nikia 52"	NIK52XX5	●	●	●				●	●	●	●	●	●				●	●
Nitro 54"	NT054XX3	●	●	●				●	●	●	●	●	●				●	
Outdoor Pro Plus 104 52"	OP104XX5	●	●	●				●	●	●	●		●				●	●
Outdoor Pro Plus 119 52"	OP119XX5	●	●	●				●	●	●	●		●				●	●
Outdoor Pro Plus 211 52"	OP211XX5	●	●	●				●	●	●	●		●				●	●
Outdoor Pro Plus 52"	OP52XX5	●	●	●				●	●	●	●	●	●				●	●
Outdoor Super Pro 60"	OS60XX5	●	●	●	●			●	●	●	●	●	●				●	●
Phaze 52" 3 Blade	PHA52XX3	●	●	●				●	●	●	●		●				●	●
Phaze 52" 4 Blade	PHA52XX4	●	●	●				●	●	●	●		●				●	●
Phaze 52" 5 Blade	PHA52XX5	●	●	●				●	●	●	●		●				●	●
Phaze Energy Star 52" 3-BD	EPHA52XX3																	
Phaze Energy Star 52" 4-BD	EPHA52XX4																	
Phaze Energy Star 52" 5-BD	EPHA52XX5																	
Phaze II 52" 3 Blade	PHZ52XX3	●	●	●				●	●	●	●	●	●				●	●
Phaze II 52" 4 Blade	PHZ52XX4	●	●	●				●	●	●	●	●	●				●	●
Phaze II 52" 5 Blade	PHZ52XX5	●	●	●				●	●	●	●	●	●				●	●
Phoebe 52"	PHB52XX3																	
Phoebe 60"	PHB60XX3														●	●		
Presley 52"	PRS52XX4						●								●	●		
Pro Plus 112 52"	P112XX5																	
Pro Plus Hugger 52"	PPH52XX5							●	●	●	●	●	●				●	●
Propel II 24"	PPT24XX6	●	●	●				●	●	●	●	●	●				●	●
Prost 78"	PRT78XX6						●											
Prost 102"	PRT102XX6						●											
Prost 120"	PRT120XX6						●											
Prost 144"	PRT144XX6																	
Provision 52"	PRV52XX3														●	●		
Quell 52"	QUL52XX4														●	●		
Rafiki 52"	RFK52XX3																	
Reveal 28"	RVL28XX4															●	●	
Rhett 52"	RHT52XX4	●	●	●				●	●	●	●	●	●					●
Ricasso 60"	RIC60XX4						●											
Rosalie 52"	RSL52XX5																	
Rush 65"	RSH65XX8														●	●		

● COMPATIBLE

NAME	MODEL NUMBER	TYPE																
		A		B	D	E	G					H	I		J	S		
		UCIPB-2000	UCIPB-2000-2	UCI-WALL	UCIXL-2000	IDC2-WALL	IDC-WALL	CM-4SDH	CM-4SDH-5	CM-601F	CM-6W	CM-7W-LED	CM-8W	ICS-WALL	WIDC-HANDHELD	WIDC-WALL	WUCI-1000	WCFL-1000
Rush 72"	RSH72XX8																●	●
Rush 84"	RSH84XX8															●	●	
Santori 60"	SNT60XX5						●											
Santori 72"	SNT72XX5						●											
Sea Scape 56"	SEA56XX3						●											
Sleek 56"	SLK56XX2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sofia 42"	SOF42XX3																	
Sonnet 52"	SON52XX3														●	●		
Stellar 52"	STE52XX5	●	●	●				●	●	●	●	●	●				●	
Sterling 60"	STL60XX3														●	●		
Super Pro 104 60"	S104XX5	●	●	●	●			●	●	●	●		●				●	●
Super Pro 112 60"	S112XX5	●	●	●	●			●	●	●	●		●				●	●
Super Pro 60"	S60XX5	●	●	●	●			●	●	●	●	●	●				●	●
Targas 52"	TG52XX3	●	●	●				●	●	●	●	●	●				●	
Tate 65"	TTE65XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Taylor 24"	TYL24XX3														●	●		
Teana 52"	TEA52XX4	●	●	●				●	●	●	●	●	●				●	
Tempo Hugger 44"	TMPH44XX5													●				
Tempo Hugger 52"	TMPH52XX5													●				
Tern 52"	TRN52XX2														●	●		
Theiry 52"	TRY52XX5														●	●		
Theo 42"	THO42XX4	●	●	●				●	●	●	●	●	●				●	
Tiger Shark 48"	WB348TS3							●	●	●	●	●	●					●
Topper 52"	TOP52XX5																	
Trevor 52"	TRV52XX6	●	●	●				●	●	●	●	●	●				●	
Twist N Click 52"	TCE52XX5C1-C	●	●	●				●	●	●	●	●	●				●	●
Twist N Click 52" 4-LT	TCE52XX5C4-C	●	●	●				●	●	●	●	●	●				●	●
Utility 56"	UT56XX3MR										●							
Velocity 58"	VE58XX3	●	●	●				●	●	●	●	●	●				●	
Venn 58"	VNN58XX4																	
Ventura 52"	VEN52XX5												●					
Viva 72"	VIA72XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wheeler 42"	WHL42XX5	●	●	●				●	●	●	●	●	●					●
Wheeler 52"	WHL52XX5	●	●	●				●	●	●	●	●	●					●
Winton 56"	WIN56XX5												●					

WARRANTY

CRAFTMADE LIGHTING LIMITED WARRANTY

All products are designed to be sold in North America with 120 Volt / 60Hz electric grid. Craftmade warrants all of its products to be free from defects in material and workmanship, subject to certain conditions and exclusions, for period of one year from the date the product was shipped to the original end use purchaser. LED product is warranted for a period of 3 years from the date purchased or shipped to the original end use purchaser.

If within the first year of purchase, please contact your original dealer. Otherwise, contact **Craftmade Customer Service at 1-800-486-4892, Option 1** or via email at customerservice@craftmade.com.

Craftmade will warrant its product only if it is sold through an authorized Craftmade dealer.

Craftmade will, at its discretion, repair, replace, or make appropriate adjustment where inspection discloses any defects occurring in normal usage within the applicable time period above, subject to the following conditions and exclusions.

The following costs, expenses, and damages are not covered by the provisions of this limited warranty:

1. Labor costs including, but not limited to, costs associated with the removal and reinstallation of product;
2. Shipping and freight expenses required to return product to Craftmade.

All warranties only apply to the original end use purchaser and original installation of products. **This warranty is not transferable.** The provisions of this warranty do not apply to products that are used in commercial applications; used for purposes for which they are not designed or intended; which have been subjected to alteration, accidental damage, abuse, misuse, negligence, or accident; which have been improperly stored, installed, maintained, or operated; which have been used in violation of written instructions provided by Craftmade; which have been subjected to improper temperature, humidity, or other environmental conditions; or which, based on examination by Craftmade, do not disclose to the satisfaction of Craftmade non-conformance to the warranty. Additionally, this warranty **DOES NOT COVER** scratches, abrasions, or deterioration due to the use of paints, solvents, chemicals or abrasive cleaning techniques.

The above warranties also do not apply if:

1. The original bill of sale, delivery date, or product number cannot be verified.
2. The parts claimed to be defective are not returned for inspection if so requested by Craftmade.
3. The product is not in the possession of the original end use purchaser at the time warranty claim is made.

PARTS, REPLACEMENTS, & TECHNICAL ASSISTANCE

For parts, replacements, technical assistance, or additional information, please have the product model number, name, or picture available and contact your lighting dealer or Craftmade Customer Support

Craftmade Customer Support:

Phone – 1(800) 486-4892 Option 1
Email – customerservice@craftmade.com

Craftmade Technical Support:

Phone – 1 (800) 486-4892 Option 2

WARRANTY EXCLUSIONS

We use the best weather resistant finishes, nevertheless finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, pollutants, and other environmental conditions. Any claim for fading, discoloration, or “patina” of a finish on an outdoor fixture is not applicable to the above warranty. See the Finish Care & Cleaning instructions below for proper care and maintenance of your fixture.

The environment within ten miles of a sea coast can be extremely corrosive. Even with the appropriate maintenance, products installed in this environment will typically deteriorate more than products installed in a less severe environment. Some corrosion and/or deterioration is considered “normal wear” in this environment. Any claim for finish failures or for corrosion of other components due to coastal environment conditions is not applicable to the above warranty.

We cannot warranty our Direct Burial Poles due to environmental issues such as moisture, soil acidity, and other corrosive soil and air conditions.

At Craftmade we try our best to assure that glass and metal finishes shown in our catalogs match the actual product, but chemical finish variations and hand applied finishes can result in differences between the actual product and printed images. Craftmade does not authorize any person to create for it any obligation or liability in connection with its products. The maximum liability is limited to the original purchase price of the product. No action arising out of any claimed breach of this warranty by Craftmade may be brought by the Original User more than one (1) year after the cause of action has arisen.

IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WARRANTY. CRAFTMADE AND/OR SELLER DISCLAIMS ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply to you. Refer to your local laws for your specific rights under this warranty.

CARE & CLEANING

Initial care for finishes requires periodic cleaning with a soft cloth, dampened with water. A mild non-abrasive soap may be used along with a soft cloth and water if the fixture is very dirty. Particular care should be taken to avoid abrasive materials and strong cleaning agents as they will quickly destroy the protective coatings and subject the finish to oxidation and discoloration.

CRAFTMADE CEILING FAN LIMITED LIFETIME WARRANTY

All products are designed to be sold in North America with 120 Volt / 60Hz electric grid. Craftmade warrants this fan for use as intended under the following provision: Craftmade will replace any fan which has faulty performance due to a defect in material or workmanship or fails to operate satisfactorily when failure results from normal use.

If within the first year of purchase, please contact your original dealer. Otherwise, contact **Craftmade Customer Service at 1-800-486-4892, Option 1** or via email at customerservice@craftmade.com.

In the event a product is no longer available, CRAFTMADE will make best efforts to offer a comparable product.

The purchaser shall be responsible for all costs incurred including installation fees.

This warranty does not apply when damage from mechanical, physical, electrical or water abuse results in causing the malfunction. Deterioration of finishes or other parts due to time or exposure to salt air is specifically exempted under this warranty. Glass globes and light bulbs are not covered by this warranty but will be replaced if found broken at time of purchase.

Neither CRAFTMADE nor the manufacturer will assume any liability resulting from improper installation or use of this product. In no case shall the company be liable for any consequential damages for breach of this, or any other warranty expressed or implied whatsoever. This limitation as to consequential damages shall not apply in states where prohibited.

PARTS, REPLACEMENTS, & TECHNICAL ASSISTANCE

For parts, replacements, technical assistance, or additional information, please have the fan model number, name, or picture available and contact Craftmade Customer Support

Craftmade Customer Support:

Phone – 1 (800) 486-4892 Option 1
Email – customerservice@craftmade.com

Craftmade Technical Support:

Phone – 1 (800) 486-4892 Option 2

TROUBLESHOOTING

Warning: Failure to disconnect power supply prior to troubleshooting any wiring issues may result in serious injury.

Problem: Fan fails to operate.

Solutions:

1. Check wall switch to fan.
2. Check to be sure fan and wall switch are wired properly.
3. Verify reverse switch is set completely in either direction.
4. Check that red light on remote control is steady when button is pressed indicating that battery is good.
If red light is flashing, battery needs to be replaced.

Problem: Fan and light fails to operate with remote.

Solutions:

1. Check that red light on remote control is steady when button is pressed indicating that battery is good.
If red light is flashing, battery needs to be replaced.
2. Check wall switch battery housed underneath faceplate and replace if needed.
3. Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

Problem: Fan operates but light fails to operate.

Solutions:

1. Check wall switch to fan.
2. Check that wires in canopy are wired properly.
3. Verify light kit Molex connections are connected properly.
4. Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

Problem: Light operates but fan fails to operate.

Solution:

1. Contact Craftmade Technical Support:
Phone – 1 (800) 486-4892 Option 2
Email – customerservice@craftmade.com.
Please have fan model name, name, or picture available.

Problem: Fan wobbles.

Solutions:

1. Use the balancing kit provided in one of the hardware packs.
If no blade balancing kit is provided, please contact Customer Support, at 1-800-486-4892, or customerservice@craftmade.com to request one.
2. Ensure set screw(s) on motor housing yoke is (are) tightened securely.
3. Ensure set screw on hanging ball is tightened securely.

www.craftmade.com

NUMERIC INDEX

1	18719XX3	222	49803-XX-C	69, 226	53623-FBDT	72	58102-XX	57, 220	60204-XX	45, 219
	18726XX4	222	49804-XX	69	53625-FBDT	72	58103-XX	57, 220	60225-XX	44
10118XX-LED	18733XX5	212	49804-XX-C	69, 226	53653-FBDT	73, 246	58104-XX	57, 220	60291-XX	45, 191
10124XX-LED	19518XX2	212	49825-XX	69	53676-FBDT	72	58124-XX	57	60292-XX	45, 191
10130XX-LED	19528XX3	212	49825-XX-C	68	53691-FBDT	73, 201	58126-XX	56	60301-FBSB	89, 220
10136XX-LED	19538XX4	212	49853-XX	69, 246	53692-FBDT	73	58191-XX	57	60302-FBSB	89, 220
10148XX-LED	19548XX5	212	49853-XX-C	69	53693-FBDT	73	58224-XX	93	60303-FBSB	89, 220
11805FBSB1	19606XX1	216	49891-XX	69	54960-XX-LED	221	58226-XX	93	60304-FBSB	89, 220
11811FBSB2	19616XX2	216	49891-XX-C	69	55325-XX	63	58229-XX	92	60323-FBSB	89
11819FBSB3	19624XX3	216	49982-XX	245	55353-XX	63, 247	58234-XX	93, 198	60325-FBSB	89
11827FBSB4	19633XX4	216			55383-XX	63, 247	58261-XX	93, 235	60329-FBSB	88
11835FBSB5	19642XX5	216			55395-XX	63, 200	58262-XX	93, 235	60376-FBSB	89
12105XX1		227	5		55603-XX	55, 229	58282-XX	93, 246	60391-FBSB	89, 190
12113XX2		227			55604-XX	55, 229	58291-XX	93, 198, 235	60401-XX	91, 219
12123XX3	2	227	50202-XX	53, 228	55605-XX	55, 229	58324-XX	95	60402-XX	91, 219
12132XX4		227	50203-XX	53, 228	55624-XX	54	58326-XX	95	60403-XX	91, 219
12141XX5	20105XX-LED	233	50204-XX	53, 228	55626-XX	55	58329-XX	94	60404-XX	91, 219
12305XX1	20124XX-LED	233	50225-XX	52	55629-XX	54	58361-XX	95	60425-XX	90
12314XX2	20224XX-LED	233	50252-XX	53, 245	55654-XX	54	58362-XX	95	60491-XX	91, 190
12322XX3	20234XX-LED	233	50291-XX	53	55661-XX	55, 229	58561-XX	43, 193	60492-XX	91, 190
12331XX4	20324XX-LED	233	50401-XX	103, 234	55684-XX	55, 245	58591-XX	43, 193	60501-XX	87, 218
12406XX1	20336XX-LED	217	50402-XX	103, 234	55694-XX	55	58596-XX	43	60502-XX	87, 218
12413XX2	20404XX1	217	50403-XX	103, 234	55891-XX	49, 198	58992-XX	21	60503-XX	87, 218
12422XX3	20417XX2	217	50404-XX	103, 234	55893-XX	49, 198	58994-XX	21	60504-XX	87, 218
12430XX4	20425XX3	217	50425-XX	102	55895-XX	49, 198	58999-XX	20	60523-XX	87
12615XX2	20435XX4	217	50452-XX	103, 245	56001-XX	59, 232	59052-XX	48, 247	60525-XX	87
12623XX3	20605XX1	217	50491-XX	103	56002-XX	59, 232	59061-XX	48	60529-XX	86
12633XX4	20614XX2	217	50501-XX	65, 228	56003-XX	59, 232	59091-XX	48, 193	60591-XX	87, 191
12642XX5	20624XX3	217	50502-XX	65, 228	56004-XX	59, 232	59096-XX	48, 193	60634-XX	41
12705XX1	20628XX4	229	50503-XX	65, 228	56025-XX	59	59161-XX	29	60635-XX	41
12716XX2		229	50504-XX	65, 228	56029-XX	58	59181-XX	29, 247	60636-XX	41
12724XX3		229	50523-XX	64	56033-XX	59	59191-XX	29, 194, 198	60855-XX	39, 189
12730XX4		229	50524-XX	65	56034-XX	59	59192-XX	28, 194	60924-FBSB	40
12905XX1		224	50525-XX	65	56091-XX	59	59201-CH	225	60926-FBSB	40
12912XX2	35112-WP	224	50528-XX	64	56101-XX	67, 230	59203-CH	23, 225	60961-FBSB	40
12920XX3	35901-XX	224	50529-XX	64	56102-XX	67, 230	59204-CH	23, 225	60991-FBSB	40, 189
12928XX4	35973-XX	224	50533-XX	65	56103-XX	67, 230	59213-CH	22, 23	61101-XX	83, 214
15106XX-LED	35991-XX	224	50536-XX	65	56104-XX	67, 230	59229-CH	22, 23	61102-XX	83, 214
15114XX-LED	35993-XX	224	50552-XX	64, 246	56125-XX	66	59253-CH	23, 225, 246	61103-XX	83, 214
15122XX-LED	36725-MBK	224	50591-XX	65	56129-XX	66	59291-CH	23, 198	61104-XX	83, 214
15130XX-LED	36754-MBK	224	50601-XX	234	56133-XX	67	59301-XX-LED	25, 221	61124-XX	83
15905XX-LED	36791-MBK	225	50602-XX	234	56134-XX	67	59302-XX-LED	25, 221	61126-XX	82
15913XX-LED	36794-MBK	225	50603-XX	234	56153-XX	66	59303-XX-LED	25, 221	61173-XX	83
15921XX-LED	36795-MBK	225	50604-XX	234	56191-XX	67	59304-XX-LED	25, 221	61191-XX	83, 188
15929XX-LED	38002-XX	225	52124-ESP	47	56201-XX	101, 231	59315-XX-LED	24	61192-XX	83, 188
16306XX1		223	52128-ESP	47	56202-XX	101, 231	59326-XX-LED	25	61203-XX	38, 214
16314XX2		223	52161-ESP	47	56203-XX	101, 231	59329-XX-LED	25	61226-XX	38
16323XX3		223	52191-ESP	47	56204-XX	101, 231	59362-XX-LED	25	61291-XX	38, 188
16331XX4		223	529-SC-XX	98	56223-XX	101	59392-XX-LED	25, 196	61292-XX	38, 188
16340XX5	41902-XX	223	529-SC2-XX	98	56225-XX	101	59393-XX-LED	25, 196	61391-XX	42, 189
17405XX1	41903-XX	222	529-SC3-XX	98	56229-XX	100	59826-XX	19	61393-XX	42, 189
17414XX2	41904-XX	222	52934-FB	99, 196	56253-XX	101, 246	59828-XX	19		
17423XX3	41905-XX	222	52935-FB	99, 196	56291-XX	101	59829-XX	19		
17432XX4	41915-XX	222	52936-FB	99, 196	56891-XX	26	59870-XX	19		
17441XX5	41925-XX	222	52975-FB	98	56892-XX	26	59961-XX	46	8	
17605XX1	41952-XX	216	53103-XX	230	56893-XX	26	59991-XX	46, 190	86203	275
17614XX2	41982-XX	216	53104-XX	230	56894-XX	26			86222	273
17621XX3	41991-XX	216	53105-XX	230	56901-XX	51, 235			86226	273
17631XX4	48628-SB	216	53501-XX	231	56902-XX	51, 235	6		86226FB-T	273
17705XX1	48662-XX	215	53502-XX	231	56903-XX	51, 235			86235	273
17712XX2	48677-XX	215	53503-XX	231	56904-XX	51, 235	60124-XX	85	86237	273
17720XX3	48690-XX	215	53504-XX	231	56923-XX	51	60126-XX	85	86258	273
17728XX4	48694-XX	215	53505-XX	231	56926-XX	51	60129-XX	84	86295MN-OTR	277
18506XX1	48696-SB	223	53591-XX	231	56929-XX	50	60183-XX	85, 246	86296SS-OTR	277
18514XX2	49801-XX	223	53601-FBDT	73, 226	56934-XX	51	60191-XX	85, 189	86297SS-OTR	277
18524XX3	49801-XX-C	223	53602-FBDT	73, 226	56953-XX	51, 246	60192-XX	85, 189	86298TKG-OTR	277
18532XX4	49802-XX	223	53603-FBDT	73, 226	56991-XX	51, 191	60201-XX	45, 219	87001XX-T	272
18705XX1	49802-XX-C	222	53604-FBDT	73, 226	56992-XX	51, 191	60202-XX	45, 219	87002XX-T	272
18712XX2	49803-XX	222	53605-FBDT	73, 226	58101-XX	57	60203-XX	45, 219	87003XX-T	271

NUMERIC INDEX CONTINUED

Z192-TB	173	ZA2704-TB	134	ZA6504-MNSB	121
Z192-TB-LED	173	ZA2714-TB	134	ZA6511-MNSB	121
Z200-TB	289	ZA2721-TB	134	ZA6514-MNSB	121
Z202-XX	289	ZA2724-TB	134	ZA6515-MNSB	121
Z254-TB	175	ZA2725-TB	134	ZA6524-MNSB	121
Z255-TB	175	ZA3104-XX	165	ZA6534-MNSB	120
Z260-TB	174	ZA3114-XX	165	ZA6712-MN-LED	118
Z2604-MN	117	ZA3124-XX	165	ZA6722-MN-LED	118
Z2614-MN	117	ZA3134-XX	165	ZA6804-TB	157
Z264-TB	174	ZA3204-DBG	170	ZA6811-TB	157
Z284-TB	174	ZA3214-DBG	170	ZA6814-TB	157
Z285-TB	174	ZA3224-DBG	170	ZA6824-TB	157
Z294-TB	172	ZA3234-DBG	170	ZA6825-TB	157
Z3004-OBO	139	ZA3804-MN	166	ZA6834-TB	157
Z3011-OBO	139	ZA3814-MN	166	ZA6904-TB	159
Z3014-OBO	139	ZA4004-MN	124	ZA6911-TB	159
Z3024-OBO	139	ZA4014-MN	124	ZA6914-TB	159
Z3204-MN	135	ZA4021-MN	124	ZA6914-TB-PC	159
Z3214-MN	135	ZA4024-MN	124	ZA6924-TB	159
Z3215-MN	135	ZA4025-MN	124	ZA6925-TB	159
Z3224-MN	135	ZA4304-TB	171	ZA6934-TB	158
Z3304-TB	136	ZA4314-TB	171	ZA7004-TB	155
Z3314-TB	136	ZA4324-TB	171	ZA7011-TB	155
Z3324-TB	136	ZA4604-MN	169	ZA7014-TB	155
Z3402-XX-LED	130	ZA4611-MN	168	ZA7024-TB	155
Z3412-XX-LED	130	ZA4614-MN	169	ZA7025-TB	155
Z3422-XX-LED	130	ZA4615-MN	169	ZA7034-TB	154
Z390-TB	176	ZA4624-MN	169	ZA7104-TB	161
Z394-XX	176	ZA4634-MN	169	ZA7111-TB	161
Z395-XX	176	ZA4644-MN	169	ZA7114-TB	161
Z396-XX	176	ZA4704-MN	167	ZA7114-TB-PC	161
Z402-XX	290	ZA4714-MN	167	ZA7114-TB-PCO	161
Z402PM-TB	290	ZA4721-MN	167	ZA7125-TB	161
Z42-MS-XX	290	ZA4724-MN	167	ZA7134-TB	161
Z421-XX-LED	290	ZA4725-MN	167	ZA7144-TB	160
Z422-XX-LED	290	ZA4804-XX	125	ZA7204-MN	156
Z433-TB	174	ZA4814-XX	125	ZA7211-MN	156
Z4404-XX	132	ZA4821-XX	125	ZA7214-MN	156
Z4414-XX	132	ZA4824-XX	125	ZA7224-MN	156
Z4424-XX	132	ZA4825-XX	125	ZA7225-MN	156
Z4514-MN-SC	131	ZA4834-XX	125	ZA7234-MN	156
Z555-TB	175	ZA5404-MN	163	ZA7504-MN-LED	116
Z6000-OBO	138	ZA5411-MN	162	ZA7514-MN-LED	116
Z6004-OBO	138	ZA5414-MN	163	ZA7524-MN-LED	116
Z6010-OBO	138	ZA5504-MN	164	ZA7704-TB	113
Z6020-OBO	138	ZA5514-MN	164	ZA7710-TB	113
		ZA5521-MN	164	ZA7720-TB	113
		ZA5524-MN	164	ZA7730-TB	113
		ZA5604-MN	126	ZA7804-TB	114
		ZA5614-MN	126	ZA7814-TB	114
		ZA5621-MN	126	ZA7824-TB	114
		ZA5624-MN	126	ZA7904-TB	115
		ZA5625-MN	126	ZA7914-TB	115
		ZA5804-XX-LED	128	ZA7924-TB	115
		ZA5814-XX-LED	128	ZA8000-TB	112
		ZA5902-XX	177	ZA8010-TB	112
		ZA5912-XX	177	ZA8020-TB	112
		ZA6004-ABZ	127	ZA8030-TB	112
		ZA6011-ABZ	127		
		ZA6014-ABZ	127		
		ZA6024-ABZ	127		
		ZA6025-ABZ	127		
		ZA6102-XX	177		
		ZA6112-XX	177		
		ZA6202-MN-LED	122		
		ZA6212-MN-LED	122		
		ZA6222-MN-LED	122		
		ZA6304PM-XX	144		
		ZA6407-XX	145		
ZA					
ZA2120-TB-LED	129				
ZA2124-TB-LED	129				
ZA2304-XX	142				
ZA2304-XX-C	143				
ZA2314-XX	142				
ZA2314-XX-C	143				
ZA2404-XX	140				
ZA2404-XX-C	141				
ZA2414-XX	140				
ZA2414-XX-C	141				
ZA2415-XX	140				
ZA2415-XX-C	141				
ZA2600-MN-LED	119				
ZA2610-MN-LED	119				
ZA2620-MN-LED	119				
ZA2630-MN-LED	119				
ZA2640-MN-LED	119				
ZA2650-MN-LED	119				
ZA2660-MN-LED	119				





Designer Quality.
Builder Prices.
Unmatched Variety.

CRAFTMADE

EST. 1985

DALLAS

Dallas Market Center
Trade Mart, Suite 4902
2100 Stemmons Freeway
Dallas, TX 75207

800 486 4892
CRAFTMADE.COM