

CRAFTMADE

EST. 1985

2026 LOOKBOOK



LIGHTING & CEILING FANS

LIGHTING

Andie	02
Blake	04
Cameron	06
Contact & Profiled	08
Duncan	10
Harris	12
Irving	14
Isabel	16
Jordan	18
Keira	20
LED Mirrors	22
LED & Slim Line II Flushmounts	24
Livingston Flushmount	26
Nook	28
Notable	30
O'Neal	32
Pleated	34
Reflection	36
Rens	38
Rock Creek	40
Signature Foyer	42
Sorano	44
Whittley	46

CEILING FANS

Canto	48
Charming	50
Cozy	52
Energy Star McCoy	54
EOS ECF Expansions	56
Fonz	62
Force XL	64
Frazier	66
Frye	68
Getaway	70
Kelsey	72
McCoy Hugger	74
Phoebe	76
Rhett	78
Rosalie	80
Venn	82

INTRODUCING THE ANDIE VANITY COLLECTION


Timeless elegance meets modern design. This collection showcases thick, crystal-clear glass globes that exude sophistication, each delicately suspended from a wide, rectangular back plate for a bold, geometric touch. The luminous glass diffuses light beautifully, creating a warm, inviting glow perfect for any bathroom or vanity space. Whether you're refreshing your morning routine or unwinding after a long day, the Andie Vanity Collection elevates your space with both style and function.




FEATURES

- Clear Glass
- Damp Rated

FINISHES



**4 Light Vanity
20628FB4**
W 28" H 8" E 6.25"
Backplate W 26.88" H 5"
60 Watt Medium Base
4.75" Clear Glass



**4 Light Vanity
20628SB4**
W 28" H 8" E 6.25"
Backplate W 26.88" H 5"
60 Watt Medium Base
4.75" Clear Glass



**3 Light Vanity
20624FB3**
W 24" H 8" E 6.25"
Backplate W 22.88" H 5"
60 Watt Medium Base
4.75" Clear Glass




**3 Light Vanity
20624SB3**
W 24" H 8" E 6.25"
Backplate W 22.88" H 5"
60 Watt Medium Base
4.75" Clear Glass



**2 Light Vanity
20614FB2**
W 14" H 8" E 6.25"
Backplate W 13" H 5"
60 Watt Medium Base
4.75" Clear Glass



**2 Light Vanity
20614SB2**
W 14" H 8" E 6.25"
Backplate W 13" H 5"
60 Watt Medium Base
4.75" Clear Glass



**1 Light Wall Sconce
20605FB1**
W 5" H 9" E 6.25"
Backplate W 5" H 9"
60 Watt Medium Base
4.75" Clear Glass

THE **ANDIE**
VANITY COLLECTION

INTRODUCING THE BLAKE COLLECTION


Transform your home with lighting that reflects your style. Our Blake Lighting Collection features modern fixtures finished in a bold, sophisticated flat black, complemented by warm satin brass accents that add the perfect touch of elegance. The metal shades, with their sleek flat black exterior, cast a soft light that turns everyday moments into something magical. Whether you're cooking dinner together or enjoying a quiet evening in, these lights create the ideal ambiance for lasting memories.



FEATURES

- Flat Black Metal Shades
- Indoor Rated

FINISHES




1 Light Wall Sconce
60961-FBSB

W 6.25" H 10.25" E 8.25"
Backplate W 5.12" H 10.25"
60 Watt Medium Base
Metal Shade DIA 6.25"




1 Light Pendant
60991-FBSB

W 11" H 9"
Canopy DIA 5"
2x12, 2x6 Downrods
60 Watt Medium Base
Metal Shade DIA 11"



4 Light Chandelier
60924-FBSB

W 24" H 19.25"
Canopy DIA 5"
6' Chain
60 Watt Medium Base
Metal Shade DIA 6.25"



6 Light Chandelier
60926-FBSB

W 30" H 19.25"
Canopy DIA 5"
6' Chain
60 Watt Medium Base
Metal Shade DIA 6.29"

INTRODUCING THE CAMERON COLLECTION

Elevate your space with the refined Cameron LED lamp collection that blends modern innovation with timeless materials. A dimmable LED light is elegantly wrapped in sleek wood, showcasing a warm walnut tone paired with a rich flat black finish for a sophisticated, architectural look. Thoughtfully designed inline controls make it effortless to adjust from soft ambient glow to brilliant illumination, allowing you to set the perfect mood for any moment. Striking yet understated, this lamp brings warmth, style, and versatility to beautifully curated interiors.





Table Lamp
87030FBWAL-T
H 21.46" W 6.3"
60" Cord
3000K, 400 Lumens




Floor Lamp
87031FBWAL-F
H 62.8" W 8.66"
72" Cord
3000K, 2200 Lumens

FEATURES

- Dimmable
- Inline Controls
- Natural Walnut
- Indoor Rated

FINISHES



FLAT BLACK & WALNUT

INTRODUCING THE CONTACT AND PROFILED EXTERIOR COLLECTIONS




Refined and architectural, the Profiled Interior/Exterior Lighting Collection is designed to elevate spaces with effortless sophistication. The Profiled Collection exemplifies a commitment to design, innovation, and versatility, offering lighting that performs as beautifully as it looks. With its refined, ADA-compliant silhouette, the Contact collection rests close to the surface, letting light—not hardware—take center stage. Clean lines and balanced proportions bring quiet confidence to modern and transitional exteriors alike.



FEATURES

- ADA Compliant
- Dimmable
- Adjustable CCT 2700K to 4000K
- Wet Rated

FINISHES



THE **CONTACT** AND
PROFILED EXTERIOR
COLLECTIONS

INTRODUCING THE DUNCAN COLLECTION

Architectural precision meets refined craftsmanship in the Duncan collection. Each fixture is meticulously engineered to elevate distinguished exteriors with luminous warmth and understated elegance. The tapered silhouette and signature square candle sleeves create a striking interplay of light and shadow, transforming entryways into memorable arrivals.




FEATURES

- Reinforced Backplate
- Contemporary Lantern Hook Detail
- Square Candle Sleeve Covers
- Wet Rated

FINISHES



TEXTURED BLACK




1 Light Small
Lantern
ZA7804-TB

W 8" H 15.88" E 9.25"
Backplate W 4.75" H 8.62"
Clear Glass
60 Watt Medium Base



3 Light Medium
Lantern
ZA7814-TB

W 11" H 22" E 12.25"
Backplate W 6.25" H 10.5"
Clear Glass
60 Watt Candelabra Base



4 Light Large
Lantern
ZA7824-TB

W 14" H 27.5" E 15.5"
Backplate W 6.25" H 13.75"
Clear Glass
60 Watt Candelabra Base

INTRODUCING THE HARRIS COLLECTION


Introducing the Harris collection, where bold rectangular designs blend seamlessly with a transitional style. Featuring clear glass panels and a rich, textured black finish, the Harris collection includes posts, pendants, and lanterns that stand up to 36 inches tall.



FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Wall & Post Mounts are Wet Rated
- Photo Cell Wall Lanterns Offer Dusk-till-Dawn Illumination for Safety Convenience

FINISHES




**Small 1 Light Wall Mount
ZA7104-TB**

W 5" H 12.13" E 7.88"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
4.53" Clear Glass



**1 Light Post Mount
ZA7125-TB**

W 8" H 20.63"
60 Watt Medium Base
7.56" Clear Glass
WET RATED



**1 Light Pendant
ZA7111-TB**

W 6.5" H 15"
Canopy W 4.75" L 4.75"
60 Watt Medium Base
6.06" Clear Glass
DAMP RATED



**Medium 1 Light Wall Mount
ZA7114-TB**

W 6.5" H 15.63" E 8.75"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.06" Clear Glass

NEW



**Medium 1 Light Photocell Wall Mount
ZA7114-TB-PC**

W 6.5" H 15.63" E 8.75"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.06" Clear Glass



**Large 1 Light Wall Mount
ZA7134-TB**

W 10" H 22.25" E 11.88"
Backplate W 6.3" H 8.66"
60 Watt Medium Base
9.53" Clear Glass


NEW



**Medium 1 Light Photocell Wall Mount
ZA7114-TB-PCO**

W 6.5" H 15.63" E 8.75"
Backplate W 4.5" H 6.75"
60 Watt Medium Base
6.06" Clear Glass

*Built-in GFCI Outlet
with 2 Receptacles*



**Extra Large 1 Light Wall Mount
ZA7144-TB**

W 10.88" H 30" E 12.13"
Backplate W 10.88" H 13.75"
60 Watt Medium Base
9.37" Clear Glass

THE **HARRIS**
COLLECTION

INTRODUCING THE IRVING COLLECTION


The Irving outdoor lantern collection combines graceful arched arms and architectural details with timeless elegance. Clear glass panels showcase the warm glow of the bulbs, while the full-length backplate provides support and stability. A hinged front panel with a latch allows easy access for maintenance, blending thoughtful functionality with elevated design—ideal for entryways, patios, and exterior walls.




FEATURES

- Reinforced Backplate
- Hinged Front Panel With Latch
- Wet Rated

FINISHES



1 Light Small
Lantern
ZA7704-TB
W 7" H 16.5" E 6.5"
Backplate W 5.88" H 7.88"
Clear Glass
60 Watt Medium Base



2 Light Medium
Lantern
ZA7710-TB
W 9" H 24" E 7.63"
Backplate W 7.5" H 13.63"
Clear Glass
60 Watt Candelabra Base



3 Light Large
Lantern
ZA7720-TB
W 11" H 31.13" E 9.88"
Backplate W 9.5" H 19.75"
Clear Glass
60 Watt Candelabra Base



4 Light Extra
Large Lantern
ZA7730-TB
W 13" H 37.88" E 11.75"
Backplate W 11.38" H 25.25"
Clear Glass
60 Watt Candelabra Base

THE IRVING
COLLECTION

INTRODUCING THE ISABEL COLLECTION

Elevate your home's ambiance with the stunning Isabel Collection. Featuring a 32" W x 5.25" H dome in chic satin brass, this fixture seamlessly transitions from semi-flushmount to pendant with included rods. Enjoy brilliant illumination from five medium-based bulbs that enhances brightness and warmth.




FEATURES

- Satin Brass
- 2 x 12", 2 x 6" Rods Included
- Indoor Rated

FINISHES




SATIN BRASS



5 Light Convertible
Semi-Flushmount/
Pendant
60855-SB

W 32" H 11.25"
2x12, 2x6 Downrods
60 Watt Medium Base
Metal Shade DIA 32"



5 Light Convertible
Semi-Flushmount/
Pendant
60855-SB

*Shown as
Semi-Flushmount*

INTRODUCING THE JORDAN COLLECTION

Crafted for durability and timeless appeal, the Jordan exterior lantern collection brings a sense of quiet luxury to modern and transitional exteriors alike—where every detail is intentional, and every evening begins with a warm, sophisticated welcome.



2 Light Small
Lantern
ZA8000-TB
W 6.5" H 20" E 10.5"
Backplate W 5" H 10.25"
Clear Glass
60 Watt Candelabra Base



3 Light Medium
Lantern
ZA8010-TB
W 8" H 25.25" E 12.5"
Backplate W 5" H 10.25"
Clear Glass
60 Watt Candelabra Base



4 Light Large
Lantern
ZA8020-TB
W 10" H 32.5" E 14.5"
Backplate W 5.88" H 12"
Clear Glass
60 Watt Candelabra Base




5 Light Extra
Large Lantern
ZA8030-TB
W 12" H 38.38" E 17"
Backplate W 6.75" H 15"
Clear Glass
60 Watt Candelabra Base

FEATURES

- Reinforced Backplate
- Hinged Front Panel With Latch Allows Easy Access for Maintenance
- Square Candle Sleeve Covers
- Wet Rated

FINISHES



INTRODUCING THE KEIRA COLLECTION

The coastal-inspired Keira pendants provide an elevated, organic touch to any bedroom, dining room, kitchen, or office. Available in 1 and 3-light options, the woven rope shades, offered in natural or white-wash finishes, diffuse light for a warm, welcoming effect.



1 Light Pendant
61391-SB
W 16" H 15"
1 x 6" & 3 x 12" Downrods
4' Chain
60 Watt Medium Base
Natural Rope



1 Light Pendant
61391W-SB
W 16" H 15"
1 x 6" & 3 x 12" Downrods
4' Chain
60 Watt Medium Base
White Rope



3 Light Pendant
61393-SB
W 20.5" H 21.5"
1 x 6" & 3 x 12" Downrods
4' Chain
60 Watt Candelabra
Natural Rope



3 Light Pendant
61393W-SB
W 20.5" H 21.5"
1 x 6" & 3 x 12" Downrods
4' Chain
60 Watt Candelabra
White Rope

FEATURES


- Natural and White Rope Options
- Indoor Rated
- Both Chain and Downrods Included

FINISHES




INTRODUCING THE 2026 LED MIRRORS

Simple, clean, and modern.



FEATURES

- Slim Light Features Independent Front and Back Lighting
- Touch Button Dimming and Adjustable
3000K/4000K/5000K Light Color Temperature
- Plug-in or Hardwire Installation
- Horizontal or Vertical Mounting
- Damp Rated




Dwight Front/Back Lit LED Mirror
MIR3610SQ-W3C

W 36" H 36"
3CCT
Additional Sizes Available:
24x36", 48x36", and 60x36"




Slim Lite Independent Front/Back Lit LED Mirror
MIR2410RT-FB3C

W 24" H 36"
3CCT



Meredith Front/Back Lit LED Mirror
MIR2409RT-W3C

W 24" H 36"
3CCT
Additional Sizes Available:
36x36", 48x36", and 60x36"



LED Mirror Medicine Cabinet
MIR2413M-W3C

W 24" H 30"
3CCT
Interior/Exterior Front Lit, Wall Mounted or Recessed,
GFCI with USB & USBC Charging Ports, Night Light with Photocell & On/Off switch

INTRODUCING THE LED AND SLIM LINE II LED FLUSHMOUNT COLLECTIONS


Experience the sleek appearance and convenience of recessed lighting with the easy installation and efficiency of a standard light fixture. The LED and Slim Line II LED Flushmounts are available in a choice of 3000K or 5CCT options, making them ideal for both users and installers. Simple, clean & modern.



FEATURES

- Slim Line II Includes Custom Easy Mount Bracket
- 6" Disk, X9306, Includes Two Mounting Hole Options
- Integrated Dimmable LED
- ADA Compliant & Title 24 Compliant
- Indoor/Outdoor Wet Rated

FINISHES



THE LED AND SLIM LINE II LED FLUSHMOUNT COLLECTIONS

INTRODUCING THE LIVINGSTON FLUSHMOUNT COLLECTION


Inspired by the elegance of historic architecture, the Livingston 3-Light Flushmounts bring classic sophistication to today's interiors. Featuring a trio of 60W candelabra-based bulbs behind white frosted glass, the design delivers warm, inviting illumination. Available in your choice of satin brass or flat black, Livingston adds refined character and enduring style to any room.



FEATURES

- White Frosted Glass
- Flat Black is Damp Rated
- Satin Brass is Indoor Only

FINISHES



THE **LIVINGSTON**
FLUSHMOUNT
COLLECTION

INTRODUCING THE NOOK COLLECTION

The Craftmade Nook collection is designed for both indoor and outdoor use and creates a striking visual impact. The hooded LED light illuminates the interior of the framed backplate, providing a warm and inviting look from every angle. Available in two ADA-compliant size options, this Dark Sky-rated collection is suitable for both residential and commercial settings.




FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated



FINISHES



THE **NOOK**
COLLECTION

INTRODUCING THE **NOTABLE** EXTERIOR COLLECTION

Enhance your exterior with this new linear lantern collection. Designed for homeowners who appreciate refined details, this collection combines functionality with style. Choose the Notable LED Exterior Lanterns, which feature an integrated LED light source for modern, focused illumination.



FEATURES

- Wet Rated
- Available in Three Sizes

FINISHES




INTRODUCING THE O'NEAL COLLECTION


The O'Neal outdoor lantern collection pairs crisp architectural lines with timeless elegance. Clear glass panels showcase the warm glow of the bulbs, while the full-length backplate provides support and stability. This larger scaled outdoor collections blends thoughtful functionality with elevated design—ideal for entryways, patios, and exterior walls.



2 Light Small
Lantern
ZA7904-TB
W 8" H 15.13" E 8.25"
Backplate W 4.75" H 11.81"
Clear Glass
60 Watt Candelabra Base



3 Light Medium
Lantern
ZA7914-TB
W 10" H 19.88" E 10.43"
Backplate W 4.75" H 19.5"
Clear Glass
60 Watt Candelabra Base



4 Light Large
Lantern
ZA7924-TB
W 12" H 25.5" E 13.13"
Backplate W 4.75" H 25.4"
Clear Glass
60 Watt Candelabra Base

FEATURES

- Reinforced Backplate
- Wet Rated

FINISHES



INTRODUCING THE PLEATED COLLECTION










For design-conscious homeowners looking to elevate their interiors, the Pleated collection is the perfect choice. With its blend of contemporary style with classical influences, this collection features stunning, clear, pleated glass conical shades that bring an airy, light feel to your interiors, adding a touch of luxury that transforms any room.



FEATURES

- Indoor Rated
- Up or Down Mount Vanities

FINISHES



THE **PLEATED**
COLLECTION

INTRODUCING THE REFLECTION COLLECTION


The Reflection indoor lighting collection, reminiscent of a gently swirling water droplet, combines artistry and function. Its sculpted glass globes are delicately twisted to create a mesmerizing play of light. The sleek frames add a touch of modern sophistication, making it the perfect accent for kitchens, bathrooms, or cozy reading nooks.




FEATURES

- Indoor Rated
- Up or Down Mount 3 Light Vanity
- Candelabra T Bulbs (Not Included)
Recommended for Chandelier


FINISHES



1 Light Mini Pendant
61291-FB
W 8" H 11.5"
3x12In, 1x6In Downrods
6ft Chain
60 Watt Medium Base
Glass DIA 8"




1 Light Pendant
61292-CPZ
W 12" H 16"
3x12In, 1x6In Downrods
6ft Chain
60 Watt Medium Base
Glass DIA 12"



3 Light Vanity
61203-FB
L 24" H 11" E 7.13"
60 Watt Candelabra Base
Textured Glass DIA 6"

DAMP RATED



6 Light Chandelier
61226-CPZ
W 36" H 19.75"
3x12In, 1x6In Downrods
6ft Chain
60 Watt Candelabra Base
Textured Glass DIA 6"

THE REFLECTION
COLLECTION

INTRODUCING THE RENS COLLECTION


Clean lines, contemporary styling, and ADA-compliant low profiles make the Rens collection an ideal choice for various indoor and outdoor applications. Intense dimmable integrated LED light, multiple sizes from 16 to 48 inches, finished with superior UV protection against fading guaranteed for 5 years, makes the Rens a powerful first impression for years to come.




FEATURES

- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- ADA Compliant
- Wet Rated
- Up or Down Mount Sconces
- Dimmable


FINISHES



Small LED
Wall Mount
ZA2600-MN-LED
W 4.75" H 16" E 2.88"
Backplate W 4.75" H 4.75"
20 Watt Dimmable LED
3000K, 1000 Lumens



48" LED
Wall Mount
ZA2640-MN-LED
W 4.75" H 48" E 3.13"
Backplate W 4.75" H 5.88"
66 Watt Dimmable LED
3000K, 3076 Lumens



Medium LED
Wall Mount
ZA2610-MN-LED
W 4.75" H 19.63" E 2.88"
Backplate W 4.75" H 5.75"
30 Watt Dimmable LED
3000K, 1500 Lumens



NEW

12" Wall Sconce
ZA2650-MN-LED
W 4.75" H 12" E 2.88"
Backplate W 4.75" H 4.75"
15 Watt Dimmable LED
3000K, 400 Lumens




Large LED
Wall Mount
ZA2620-MN-LED
W 4.75" H 24" E 2.88"
Backplate W 4.75" H 6"
40 Watt Dimmable LED
3000K, 2000 Lumens



NEW

18" Wall Sconce
ZA2660-MN-LED
W 4.75" H 18" E 2.88"
Backplate W 4.75" H 4.75"
25 Watt Dimmable LED
3000K, 800 Lumens



32" LED
Wall Mount
ZA2630-MN-LED
W 4.75" H 32" E 3.13"
Backplate W 4.75" H 5.88"
51 Watt Dimmable LED
3000K, 2954 Lumens

THE **RENS**
COLLECTION

INTRODUCING THE ROCK CREEK EXTERIOR COLLECTION



Illuminate your evening with the timeless elegance of the Rock Creek outdoor lighting collection. Let your home's exterior glow with the inviting charm of this beautifully crafted outdoor collection. It's clean lines and crisp black finish frame the clear glass panels like a work of art, allowing the warm radiance of the bulb to spill out and dance across your entryway or patio. Inspired by a blend of modern minimalism and classic architecture, these fixtures transform every arrival to a warm welcome.



FEATURES

- Clear Glass
- Superior UV Protection Against Fading – Finish Guaranteed for 5 Years
- Wall Lanterns & Post Lantern Wet Rated, Pendant is Damp Rated

FINISHES



THE **ROCK CREEK**
EXTERIOR COLLECTION

INTRODUCING THE SIGNATURE FOYER COLLECTION

Versatile transitional style that meets timeless elegance. Designed to complement nearly any lighting scheme, this collection will enhance the beauty of your home. With two finishes including brushed polished nickel and flat black (includes both flat black & satin brass candle sleeves), the possibilities are endless. Available in three sizes, you are guaranteed to find the perfect fit for your space. Get inspired and elevate your entrance with this exquisite lighting solution today.



FEATURES

- Indoor Rated
- Downrod Hung with Additional 4' of Chain Included
- Flat Black Finish Only Includes both Flat Black and Satin Brass Candle Sleeves

FINISHES



FLAT BLACK




BRUSHED POLISHED NICKEL



Small 4 Light Foyer Pendant
60634-FB


W 10" H 15.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12 Downrods
60W Candelabra Base

Flat Black Includes Optional Satin Brass Candle Sleeves (Not Shown)




Small 4 Light Foyer Pendant
60634-BNK

W 10" H 15.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12 Downrods
60W Candelabra Base



Medium 4 Light Foyer Pendant
60635-BNK

W 12" H 19.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12 Downrods
60W Candelabra Base



Medium 4 Light Foyer Pendant
60635-BNK

W 12" H 19.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12" Downrods
60W Candelabra Base



Large 6 Light Foyer Pendant
60636-FB

W 18" H 26.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12 Downrods
60W Candelabra Base



Large 6 Light Foyer Pendant
60636-FB

W 18" H 26.5"
Canopy W 4.75" L 4.75"
4' Chain, 10' Cord
1 x 6, 3 x 12 Downrods
60W Candelabra Base

Flat Black Includes Optional Satin Brass Candle Sleeves (Not Shown)

INTRODUCING THE SORANO COLLECTION



Introducing the beautiful Sorano collection featuring clear glass panes framed in a sleek, tapered lantern design. With lanterns available in four sizes, as well as post and outdoor pendant options, the Sorano collection is perfect for adding a touch of timeless elegance to your home.



FEATURES

- Clear Glass
- Superior UV Protection Against Fading
Finish Guaranteed for 5 Years
- Pendant is Damp Rated
Wall & Post Mounts are Wet Rated

FINISHES



THE **SORANO**
COLLECTION

INTRODUCING THE WHITTLEY COLLECTION

Explore the stunning Whittley lighting collection, where classic fluted glass meets timeless elegance! This exquisite range features 4, 6, and 9-light chandeliers, mini pendant, pendant, and semi-flush mount, offering versatile solutions to brighten up any space in your home. Don't miss out on the chance to elevate your interior with these beautiful fixtures.



FEATURES

- Fluted Glass
- Indoor Rated

FINISHES



INTRODUCING THE CANTO 52" CEILING FAN

Elevate your living space—inside or out—with the Canto 52" Ceiling Fan, where sleek modern design meets high-performance functionality. Engineered for damp-rated environments, this fan is perfect for covered patios, sunrooms, or stylish interiors, delivering year-round comfort with whisper-quiet efficiency.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- CRDC-Remote Control (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Canto 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Damp Rated
- Included Optional 20 Watt 3000-5000K CCT Dimmable Light Kit

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	DC 123x15
Included Control	CRDC-REMOTE
Compatible Control Types	N/A
Amps (Hi Speed)	0.31
Watts (Hi Speed)	36.7
Energy Guide Watts	21
Energy Guide CFM	3383
Energy Guide CFM Watts	158
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4899
Low Speed (CFM)	1667
Carton Size (CU FT)	2.54
Shipping Wt. (lbs)	16.53
UPS Oversized	No

LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	86
Lumens	1320
Light Kit	Optional

Flat Black
CT052FB3
 Flat Black Blades



Remote (Included)
CRDC-REMOTE

CEILING DROP DIMENSIONS

A	13.98"
B	9.65"
C	7.15"
D	5.63"
E	3.72"
DR	6"

CANTO 52"
 CEILING FAN

INTRODUCING THE CHARMING 52" CEILING FAN


Introducing the Charming 52" Ceiling Fan—a fan that combines bold modern design with powerful performance. Its six-speed reversible DC motor offers whisper-quiet operation year-round, perfect for cooling down after workouts, hosting game nights, or enjoying a cozy evening. With three sleek blades, the Charming 52" ceiling fan elevates your space beyond standard fixtures. It's not just a ceiling fan; it's a stylish statement for those building their future.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Charming 52" ABS Blades Included
- Flat Black Finish is Damp Rated, Satin Brass is Indoor Rated
- Available Optional LED Light Kit for the Charming 52" Ceiling Fan CHM52LK-XX-LED (Sold Separately)

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12°
Motor Size (MM)	DC
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.56
Watts (Hi Speed)	34.7
Energy Guide Watts	22
Energy Guide CFM	4120
Energy Guide CFM Watts	191
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5964
Low Speed (CFM)	2031
Carton Size (CU FT)	1.12
Shipping Wt. (lbs)	11.4
UPS Oversized	No


LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	83
Lumens	1263
Light Kit	Sold Sep.



Wall Control (Included)
TSDC-WALL

CEILING DROP DIMENSIONS



Satin Brass
CHM52SB3
White Blades



Flat Black
CHM52FB3
Black Blades



DAMP RATED



Charming 52"
LED Light Kit (Sold Separately)
CHM52LK-SB-LED



Charming 52"
LED Light Kit (Sold Separately)
CHM52LK-FB-LED

CHARMING 52"
CEILING FAN

INTRODUCING THE COZY 52" CEILING FAN


Elevate your home's comfort and style with the Cozy 52" Indoor Ceiling Fan—where modern elegance meets superior performance and unbeatable value. This fan features three sleek, aerodynamically crafted blades that deliver powerful, energy-efficient airflow with whisper-quiet operation. The adjustable 3000-5000K CCT LED light kit, offering dimmable, brilliant illumination lets you effortlessly customize comfort and ambiance with ease.



FEATURES

- Standard Pull Chain Speed Control
- Patent Pending Quick Connect Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible AC Motor
- Included Integrated 20W 3CCT (3000/4000/5000K) LED Light
- 6 inch Downrod Included
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	N/A
Compatible Control Types	A, I, S
Amps (Hi Speed)	0.45
Watts (Hi Speed)	55.25
Energy Guide Watts	36
Energy Guide CFM	3544
Energy Guide CFM Watts	97
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	4658
Low Speed (CFM)	2282
Carton Size (CU FT)	1.63
Shipping Wt. (lbs)	18.87
UPS Oversized	No

LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	92
Lumens	950
Light Kit	Included

CEILING DROP DIMENSIONS

A	15.06"
B	11.94"
C	8.66"
D	5.87"
E	4.61"
DR	6"

Brushed Polished Nickel

CZY52BNK3

Brushed Nickel Blades



Flat Black

CZY52FB3

Flat Black Blades



White

CZY52W3

White Blades



COZY 52"
CEILING FAN

INTRODUCING THE ENERGY STAR McCOY 4 BLADE 52" CEILING FAN


Bring home the perfect balance of style, comfort, and energy savings with our Energy Star McCoy 52" four-blade ceiling fan. Designed for today's Energy Star-minded homeowner, this fan delivers refreshing airflow year-round with a high-performance, reversible 3-speed motor—keeping you cool in the summer and circulating warmth in the winter. Easy-to-use pull-chain controls make everyday comfort effortless.



FEATURES

- Standard Pull Chain Speed Control
- McCoy 52 Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible DC Motor
- Included Integrated 18W LED Light
- 6 inch Downrod Included
- Energy Star
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	DC 153x8
Included Control	N/A
Compatible Control Types	N/A
Amps (Hi Speed)	0.36
Watts (Hi Speed)	23.58
Energy Guide Watts	15
Energy Guide CFM	3388
Energy Guide CFM Watts	226
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	4521
Low Speed (CFM)	2104
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Integrated

CEILING DROP DIMENSIONS

A	16.46"
B	13.78"
C	7.48"
D	5.9"
E	4.78"
DR	6"

Brushed Polished Nickel

EMCY52BNK4-PC

Brushed Polished Nickel Blades



Flat Black

EMCY52FB4-PC

Flat Black Blades



White

EMCY52W4-PC

White Blades



ENERGY STAR McCOY
4 BLADE 52" CEILING FAN

INTRODUCING THE EOS ECF 52" CEILING FAN SERIES EXPANSIONS

The EOS 52" ceiling fan series now includes new models with a two-light glass bowl available in clear or white, as well as LED Pan Light options. These fans feature a three-speed reversible motor, updated blade arms, and custom reversible blades. Optional remote controls are sold separately.



FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated

FINISH AND BLADE PAIRINGS




SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	AC 153x13
Included Control	N/A
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	58.85
Energy Guide Watts	38
Energy Guide CFM	3165
Energy Guide CFM Watts	84
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4273
Low Speed (CFM)	1908
Carton Size (CU FT)	1.7
Shipping Wt. (lbs)	20.9
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	92
Lumens	1000
Light Kit	Included

CEILING DROP DIMENSIONS



New finishes added to existing EOS ECF Series:

- ECF104CBZ5-CBZWLN
- ECF104SB5-BWNFB
- ECF111CBZ5-CBZWLN
- ECF114CBZ5-CBZWLN
- ECF52CBZ5-CBZWLN

Flat Black

ECF119FB5-FBGW

LED Pan Light
Flat Black/Greywood Blades



Brushed Polished Nickel

ECF119BNK5-DWWLN

LED Pan Light
Driftwood/Walnut Blades



Classic Bronze

ECF119CBZ5-CBZWLN

LED Pan Light
Classic Bronze/Walnut Blades



EOS ECF 52" CEILING FAN SERIES EXPANSIONS

LED PAN

INTRODUCING THE EOS ECF 52" CEILING FAN SERIES EXPANSIONS









The EOS 52" ceiling fan series now includes new models with a two-light glass bowl available in clear or white, as well as LED Pan Light options. These fans feature a three-speed reversible motor, updated blade arms, and custom reversible blades. Optional remote controls are sold separately.



FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated
- Included Optional 2x9 Watt 3000K Dimmable Light Kit

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL/GREYWOOD
	
CLASSIC BRONZE	CLASSIC BRONZE/WALNUT
	
FLAT BLACK	FLAT BLACK/GREYWOOD
	
SATIN BRASS	BLACK WALNUT/FLAT BLACK

SPECS


Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	AC 153x13
Included Control	N/A
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.05
Energy Guide Watts	38
Energy Guide CFM	3145
Energy Guide CFM Watts	83
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4227
Low Speed (CFM)	1920
Carton Size (CU FT)	1.81
Shipping Wt. (lbs)	21.61
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	83
Lumens	1856
Light Kit	Optional

CEILING DROP DIMENSIONS

A	17.44"
B	11.77"
C	11.65"
D	5.12"
E	3.94"
DR	6"



New finishes added to existing EOS ECF Series:

ECF104CBZ5-CBZWLN
ECF104SB5-BWNFB
ECF111CBZ5-CBZWLN
ECF114CBZ5-CBZWLN
ECF52CBZ5-CBZWLN

Flat Black

ECF211FB5-FBGW

2 Light White Glass Bowl
Flat Black/Greywood Blades



Brushed Polished Nickel

ECF211BNK5-BNGW

2 Light White Glass Bowl
Brushed Polished Nickel
/Greywood Blades



Classic Bronze

ECF211CBZ5-CBZWLN

2 Light White Glass Bowl
Classic Bronze/Walnut Blades



Satin Brass

ECF211SB5-BWNFB

2 Light White Glass Bowl
Black Walnut/Flat Black Blades



EOS ECF 52" CEILING FAN SERIES EXPANSIONS

WHITE BOWL

INTRODUCING THE EOS ECF 52" CEILING FAN SERIES EXPANSIONS









The EOS 52" ceiling fan series now includes new models with a two-light glass bowl available in clear or white, as well as LED Pan Light options. These fans feature a three-speed reversible motor, updated blade arms, and custom reversible blades. Optional remote controls are sold separately.



FEATURES

- Standard Pull Chain Speed Control
- Custom Reversible 52" Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible AC Motor
- 6 inch Downrod Included
- Indoor Rated
- Included Optional 2x9 Watt 3000K Dimmable Light Kit

FINISH AND BLADE PAIRINGS

	
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL/GREYWOOD
	
CLASSIC BRONZE	CLASSIC BRONZE/WALNUT
	
FLAT BLACK	FLAT BLACK/GREYWOOD
	
SATIN BRASS	BLACK WALNUT/FLAT BLACK

SPECS


Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	AC 153x13
Included Control	N/A
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.49
Watts (Hi Speed)	59.05
Energy Guide Watts	38
Energy Guide CFM	3145
Energy Guide CFM Watts	83
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	4227
Low Speed (CFM)	1920
Carton Size (CU FT)	1.81
Shipping Wt. (lbs)	21.61
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	12
CRI	82
Lumens	1428
Light Kit	Optional

CEILING DROP DIMENSIONS

A	17.44"
B	11.77"
C	11.65"
D	5.12"
E	3.94"
DR	6"



New finishes added to existing EOS ECF Series:

ECF104CBZ5-CBZWLN
ECF104SB5-BWNFB
ECF111CBZ5-CBZWLN
ECF114CBZ5-CBZWLN
ECF52CBZ5-CBZWLN

Flat Black

ECF201FB5-FBGW
2 Light Clear Glass Bowl
Flat Black/Greywood Blades



Brushed Polished Nickel

ECF201BNK5-BNGW
2 Light Clear Glass Bowl
Brushed Polished Nickel/Greywood Blades



Classic Bronze

ECF201CBZ5-CBZWLN
2 Light Clear Glass Bowl
Classic Bronze/Walnut Blades



Satin Brass

ECF201SB5-BWNFB
Black Walnut/Flat Black Blades



EOS ECF 52" CEILING FAN SERIES EXPANSIONS
CLEAR BOWL

INTRODUCING THE FONZ 65" CEILING FAN


The Fonz 65-inch indoor ceiling fan commands attention with its sleek and confident design. Equipped with an energy-saving, 6-speed reversible DC motor, it delivers powerful performance while ensuring efficiency. The exclusive 2-wire DC wall control makes installation a breeze. Additionally, the Fonz includes an integrated dimmable LED light and one-of-a-kind custom blades that stand out as much as the design inspiration itself.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire DC-Wall2 Control Included for Easy Installation
- Integrated LED Light Kit Included, 3000K Optional Black Plate Included
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom 65" Blades Included
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	65"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	DC 168x30
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	0.45
Watts (Hi Speed)	32.09
Energy Guide Watts	22
Energy Guide CFM	5412
Energy Guide CFM Watts	252
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	7572
Low Speed (CFM)	2965
Carton Size (CU FT)	2.51
Shipping Wt. (lbs)	33.29
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	20
CRI	90
Lumens	1308
Light Kit	Optional



Wall Control (Included)
DC-WALL2

CEILING DROP DIMENSIONS

A	14.19"
B	10.65"
C	8.99"
D	5.98"
E	2.24"
DR	6"

Satin Brass
FON65SBFB5
Flat Black Blades



Satin Brass
FON65SBW5
White Blades



FONZ 65"
CEILING FAN

INTRODUCING THE FORCE XL 60" CEILING FAN

Introducing the new Force XL 60" indoor/outdoor wet-rated contemporary ceiling fan, featuring a dark graphite finish and three custom dark greywood ABS blades. This fan comes with wall and remote controls and is equipped with a powerful, heavy-duty, 3-speed reversible motor. It also includes an 18W dimmable LED light and an optional blank kit.



FEATURES

- Heavy-duty, 3-Speed Reversible AC Motor
- ICS Remote and Wall Controls (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 4" & 6" Downrod Included
- Custom Wet-Rated ABS Blades Included
- 18 Watt Integrated LED, 3000K, 600 Lumens, Dimmable and Optional Lens Cover (Included)
- Indoor/Outdoor Wet Rated
- JA8/Title24 Compliant

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	188x18
Included Control	ICS Controls
Compatible Control Types	Type H
Amps (Hi Speed)	0.55
Watts (Hi Speed)	65.8
Energy Guide Watts	42
Energy Guide CFM	3935
Energy Guide CFM Watts	94
Energy Guide Yearly Energy Cost	12
High Speed (CFM)	5579
Low Speed (CFM)	2072
Carton Size (CU FT)	2.06
Shipping Wt. (lbs)	23
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Lighting Wattage	18
CRI	93
Lumens	600
Light Kit	Optional



Wall Control and Remote (Included)
ICS

CEILING DROP DIMENSIONS

A	16.34"
B	12.24"
C	8.03"
D	5.98"
E	4.53"
DR	6"

Dark Graphite
FXL60DGT3
Greywood Blades



FORCE XL 60"
CEILING FAN

INTRODUCING THE FRAZIER 56" CEILING FAN


The Frazier 56" Ceiling Fan is designed for style-conscious homeowners, combining sleek sophistication with high-performance comfort. Its sculpted, aerodynamic blades come in a rich flat black finish, making this fan not only functional but also a striking design statement. An optional coordinating minimalist LED light fixture is available for purchase separately.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2 Wire DC-Wall2 Control (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Frazier 56" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Flat Black Indoor/Outdoor Damp Rated; Satin Brass Indoor Only
- Available Optional LED Light Kit for the Frazier 56" Ceiling Fan FRZ56LK-XX-LED (Sold Separately)

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	56"
Number of Blades	3
Blade Pitch	18°
Motor Size (MM)	DC 123x67.3
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	0.30
Watts (Hi Speed)	20.79
Energy Guide Watts	14
Energy Guide CFM	3898
Energy Guide CFM Watts	271
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	5780
Low Speed (CFM)	1765
Carton Size (CU FT)	1.64
Shipping Wt. (lbs)	16.09
UPS Oversized	No




Frazier 56"
LED Light Kit (Sold Separately)
FRZ56LK-XX-LED
Finishes Available: FB, SB

LED SPECS

Bulb CCT	3000
Bulb Wattage	20
CRI	80
Lumens	1384
Light Kit	Sold Sep.

CEILING DROP DIMENSIONS



Flat Black

FRZ56FB3

Flat Black Blades



DAMP RATED

Satin Brass

FRZ56SB3

Flat Black Blades



Wall Control (Included)
DC-WALL2

FRAZIER 56"
CEILING FAN

INTRODUCING THE FRYE 52" CEILING FAN

Introducing the Frye 52" Ceiling Fan that combines bold modern design with powerful performance. Its six-speed reversible DC motor offers whisper-quiet operation year-round, perfect for cooling down after workouts, hosting game nights, or enjoying a cozy evening. With five sleek blades surrounding a satin brass body, the Frye 52" ceiling fan elevates your space beyond standard fixtures. It's not just a ceiling fan; it's a stylish statement for those building their future.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- Integrated 20 Watt 3CCT LED Light Included
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Frye 52" ABS Blades Included
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	DC 106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.49
Watts (Hi Speed)	29.2
Energy Guide Watts	19
Energy Guide CFM	3120
Energy Guide CFM Watts	167
Energy Guide Yearly Energy Cost	5
High Speed (CFM)	4383
Low Speed (CFM)	1688
Carton Size (CU FT)	2
Shipping Wt. (lbs)	15.4
UPS Oversized	No


LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	82
Lumens	1296
Light Kit	Integrated



Wall Control (Included)
TSDC-WALL

CEILING DROP DIMENSIONS



Satin Brass / Black

FRY52SBFB5

Flat Black Blades



Satin Brass / White

FRY52SBW5

White Blades



FRYE 52"
CEILING FAN

INTRODUCING THE GETAWAY 52" CEILING FAN

Let your space whisper serenity with the Getaway 52" Indoor/Outdoor wet-rated ceiling fan – a stunning fusion of tropical elegance and modern engineering. Gracefully sculpted leaf-inspired ABS blades create a soothing breeze, powered by a whisper-quiet 6-speed DC motor that delivers a cooling caress without disturbing the moment. Offered in your choice of a cool matte white or the rich, dark finish that evokes the warmth of a sunset retreat, the included control puts the perfect breeze at your fingertips.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- DC-Wall2 Control (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Getaway 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Wet Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	DC 123x82
Included Control	DC-WALL2
Compatible Control Types	N/A
Amps (Hi Speed)	0.47
Watts (Hi Speed)	31.38
Energy Guide Watts	20
Energy Guide CFM	3385
Energy Guide CFM Watts	170
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	5125
Low Speed (CFM)	1414
Carton Size (CU FT)	2.7
Shipping Wt. (lbs)	26
UPS Oversized	No



Wall Control (Included)
DC-WALL2

CEILING DROP DIMENSIONS

A	15.16"
B	14.48"
C	8.07"
D	6.14"
E	4.5"
DR	6"

Flat Black
GTYS2FB5
Walnut Blades



Matte White
GTYS2MWW5
White Blades



GETAWAY 52"
CEILING FAN

INTRODUCING THE KELSEY 52" CEILING FAN









Bring home the perfect balance of affordability, style, and comfort with our Kelsey 52" four-blade ceiling fan. Designed for today's homeowner, this fan delivers refreshing airflow year-round with a whisper quiet, reversible 3-speed motor—keeping you cool in the summer and circulating warmth in the winter.



FEATURES

- 3-Wire, 4 Speed Wall Control Included
- Kelsey 52" Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°)
- Standard, 3-Speed Reversible AC Motor
- Included Integrated 20W LED Light
- 6 inch Downrod Included
- Indoor Rated

FINISH AND BLADE PAIRINGS

	
FLAT BLACK	FLAT BLACK
	
SATIN BRASS	FLAT BLACK
	
WHITE	WHITE
	
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL

SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	AC 153x13
Included Control	CM-7W-LED
Compatible Control Types	N/A
Amps (Hi Speed)	0.43
Watts (Hi Speed)	50.19
Energy Guide Watts	31
Energy Guide CFM	3029
Energy Guide CFM Watts	96
Energy Guide Yearly Energy Cost	9
High Speed (CFM)	4258
Low Speed (CFM)	1636
Carton Size (CU FT)	1.59
Shipping Wt. (lbs)	19.44
UPS Oversized	No

LED SPECS


Bulb CCT	3000
Bulb Wattage	18
CRI	93
Lumens	1005
Light Kit	Integrated



Dual Slide Fan & Light Control (Included)
CM-7W-LED

CEILING DROP DIMENSIONS

A	15.12"
B	12.11"
C	7.64"
D	5.93"
E	4.63"
DR	6"



Flat Black
KLS52FB4

Flat Black Blades




Satin Brass
KLS52SB4

Flat Black Blades



White
KLS52W4

White Blades



Brushed Polished Nickel
KLS52BNK4

Brushed Polished Nickel Blades



KELSEY 52"
CEILING FAN

INTRODUCING THE McCOY HUGGER 52" CEILING FAN

Are you looking for a ceiling fan that's ideal for low ceilings? The solution is the McCoy 52" 3 Blade Hugger fan. This flushmount ceiling fan features an energy-efficient 3-speed motor, clean cylinder body, three custom blades, LED Light kit, and standard pull-chain control.



FEATURES

- Standard 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom McCoy Blades Included
- Integrated 18 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS


Blade Sweep	52"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	AC 153x15
Included Control	N/A
Compatible Control Types	A, J, S
Amps (Hi Speed)	0.45
Watts (Hi Speed)	54.75
Energy Guide Watts	36
Energy Guide CFM	2580
Energy Guide CFM Watts	72
Energy Guide Yearly Energy Cost	10
High Speed (CFM)	3413
Low Speed (CFM)	1673
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Integrated

CEILING DROP DIMENSIONS

F	16.46"
G	13.8"
H	7.48"
I	4.78"



Flat Black
MCYH52FB3-PC
Flat Black Blades



McCOY HUGGER 52"
CEILING FAN

INTRODUCING THE PHOEBE 52" CEILING FAN

You've found the home of your dreams. Now make every moment inside it feel even better with the Phoebe 52" Ceiling Fan. With a whisper-quiet, energy-saving 6-speed reversible DC motor, it delivers powerful airflow while reducing energy costs, keeping you cool in summer and cozy in winter.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control for Easy Installation (Included)
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Phoebe 52" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Indoor/Outdoor Damp Rated
- Available Optional 20 Watt LED, 3000K-5000K Light Kit for the Phoebe 52" Ceiling Fan PHB52XXLK-LED (Sold Separately)

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	30°
Motor Size (MM)	DC 106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.32
Watts (Hi Speed)	19.65
Energy Guide Watts	14
Energy Guide CFM	2842
Energy Guide CFM Watts	207
Energy Guide Yearly Energy Cost	4
High Speed (CFM)	3817
Low Speed (CFM)	1738
Carton Size (CU FT)	1.8
Shipping Wt. (lbs)	13.89
UPS Oversized	No




Phoebe 52"
LED Light Kit (Sold Separately)
PHB52LKXX-LED
Finishes Available: FB, W

LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	83
Lumens	1884
Light Kit	Sold Sep.

CEILING DROP DIMENSIONS



Flat Black
PHB52FB3

Flat Black Blades



White

PHB52W3

White Blades



Wall Control (Included)
TSDC-WALL

PHOEBE 52"
CEILING FAN

INTRODUCING THE RHETT 52" CEILING FAN


Meet the fan who rewrites the rules. Offering designer quality and crafted for real-life homes, the Rhett 52" indoor ceiling fan blends sculptural simplicity with modern performance—keeping your favorite spaces feeling effortless, comfortable, and unmistakably you. Whether you choose the bold confidence of Flat Black or the sleek sophistication of Satin Brass with White blades, Rhett's contemporary style is sure to inspire a fresh breeze of design into living rooms, bedrooms, and gathering spaces.



FEATURES

- Quiet, 4-Speed Reversible AC Motor
- CM-7W-LED Wall Control Included
- Integrated LED Light Kit Included, 3000K
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom 52" Blades Included
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	AC 153x15
Included Control	CM-7W-LED
Compatible Control Types	N/A
Amps (Hi Speed)	0.57
Watts (Hi Speed)	68.84
Energy Guide Watts	40
Energy Guide CFM	3906
Energy Guide CFM Watts	98
Energy Guide Yearly Energy Cost	11
High Speed (CFM)	5968
Low Speed (CFM)	1570
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	17.64
UPS Oversized	No

LED SPECS

Bulb CCT	3000
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Included



Dual Slide Fan & Light Control (Included)
CM-7W-LED

CEILING DROP DIMENSIONS

A	15.64"
B	13.65"
C	6.77"
D	5.98"
E	7.34"
DR	6"

Flat Black

RHT52FB4

Flat Black Blades



Satin Brass

RHT52SB4

White Blades



RHETT 52"
CEILING FAN

INTRODUCING THE ROSALIE 52" CEILING FAN


Elevate your space with the Rosalie 52" Ceiling Fan. Designed with striking custom-sculpted blade arms and gracefully crafted blades, Rosalie blends artistry and performance in perfect harmony. The sophisticated satin brass finish adds a touch of timeless elegance, while the sleek silhouette delivers powerful airflow and quiet comfort year-round. More than just a ceiling fan, Rosalie is a statement piece—designed to enhance your home with both beauty and function.



FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Exclusive 2-Wire TSDC-Wall Control Included for Easy Installation
- 20W Multi-CCT LED Light Included
- Dual-Mount, Flat or Angled Ceilings up to 23° without adapter; Slope Mount with SMA-180 or SMA39-XX (Sold Separately)
- 6" Downrod Included
- Custom Rosalie 52" ABS Blades Included
- Indoor Rated

FINISH AND BLADE PAIRINGS



SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	12°
Motor Size (MM)	DC 106x12
Included Control	TSDC-WALL
Compatible Control Types	N/A
Amps (Hi Speed)	0.57
Watts (Hi Speed)	33.7
Energy Guide Watts	21
Energy Guide CFM	3636
Energy Guide CFM Watts	169
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	4802
Low Speed (CFM)	2314
Carton Size (CU FT)	2.5
Shipping Wt. (lbs)	15.4
UPS Oversized	No


LED SPECS

Bulb CCT	3000-5000
Bulb Wattage	20
CRI	82
Lumens	1324
Light Kit	Integrated



Wall Control (Included)
TSDC-WALL

CEILING DROP DIMENSIONS



Satin Brass
RSL52SBW5
White Blades



Satin Brass
RSL52SFB5
Flat Black Blades



ROSALIE 52"
CEILING FAN

INTRODUCING THE VENN 58" CEILING FAN

Experience next-level airflow with the Venn 58" ceiling fan—where cutting-edge design meets powerful performance. Engineered with an energy-saving 6-speed reversible DC motor, this fan delivers comfort through every season. A pre-paired handheld remote puts control at your fingertips, and an optional light kit (sold separately) offers added functionality. With the Venn fan, comfort takes a stylish, revolutionary turn.



FEATURES

- Included DC-WALL2 Pre-Paired Handheld Control
- Venn 58" Indoor/Outdoor Ceiling Fan ABS Blades Included
- Dual Mount (Flat or Angled Ceiling up to 23°, Slope Mount with SMA180XXX & SMA39 Adapters Only -Sold Separately)
- Light Kit VNN58LK-XX-LED (Sold Separately)
- Energy Saving, 6-Speed Reversible DC Motor
- 6 inch Downrod Included
- Energy Guide 4054 CFM, High Speed 6162 CFM
- Flat Black & White are Damp Rated
- Flat Black/Satin Brass is Indoor Only

FINISH AND BLADE PAIRINGS

	
FLAT BLACK	FLAT BLACK
	
FLAT BLACK	FLAT BLACK + SATIN BRASS
	
WHITE	WHITE

SPECS

Blade Sweep	58"
Number of Blades	4
Blade Pitch	10°
Motor Size (MM)	DC 123x67.3
Included Control	DC-WALL2
Amps (Hi Speed)	0.45
Watts (Hi Speed)	33.29
Energy Guide Watts	20
Energy Guide CFM	4054
Energy Guide CFM Watts	199
Energy Guide Yearly Energy Cost	6
High Speed (CFM)	6162
Low Speed (CFM)	1665
Carton Size (CU FT)	2.62
Shipping Wt. (lbs)	19.51
UPS Oversized	No



Venn 58" LED Light Kit
(Optional, Sold Separately)

VNN58LK-FB-LED

VNN58LK-SB-LED

VNN58LK-W-LED

FB & W Finishes are Damp Rated


Finishes Available: FB, FB/SB & W



Wall Control (Included)
DC-WALL2

CEILING DROP DIMENSIONS

A	14.72"
B	8.90"
C	7.32"
D	5.91"
E	4.25"
DR	6"



Flat Black + Satin Brass

VNN58FBSB4

Flat Black Blades



**SHOWN WITH OPTIONAL LIGHT KIT
VNN58K-SB-LED**

Flat Black

VNN58FB4

Flat Black Blades



DAMP RATED

White

VNN58W4

White Blades



DAMP RATED

VENN 58"
CEILING FAN

DESIGNER QUALITY.
BUILDER PRICES.
UNMATCHED VARIETY.

CRAFTMADE

EST. 1985

DALLAS

Dallas Market Center
Trade Mart, Suite 4902
2100 Stemmons Freeway
Dallas, TX 75207



NEW FOR 2026